



Address: 202 Commerce Blvd, Lawrence , Pennsylvania ,
15055 United States

Phone: (724) 745-5300

Quotation:
Q-652-S

To:	Contractor Holder 202 Commerce Blvd., Lawrence, Pennsylvania 15241	Bid Date:	2019-03-12
Attn.:	N/A	Expiry Date:	2019-04-11
Phone:	724-745-5300	Creator:	Drew Pomrenke , dpomrenke@jboconnor.com
		Sales Rep.:	Casey Devlin , cdevlin@jboconnor.com
		Shipping Address:	1 Campus Drive, Monaca, Pennsylvania, United States

Job Name: CCBC Center for Process Technology Phase II Monaca, PA

Comments:

Section Brand: Sloan

Label	Product No. Description	List Price	Qty.
L-1/L-2	SS-3001 Sloan - Standard undermount lavatory, 19-1/2" x 17-1/2" outside, 17" x 14" inside dimensions (3873001)	\$76.50	1
	SF-2450-4 Sloan - Sensor activated, battery operated, 4" trim plate, 0.5 GPM flow spary head, Pedestal hand washing faucet for tempered or hot/cold water operation (3362124)	\$458.50	1
<i>Note: P601 - Lavatories and Sinks Note: Quoting faucet as alternate.</i>			
L-3	SS-3003 Sloan - Vitreous china wall mounted lavatory with backsplash, 4" centers, overflow, ADA compliant, 21" x 19.25" (3873003)	\$86.75	1
	SF-2450-4 Sloan - Sensor activated, battery operated, 4" trim plate, 0.5 GPM flow spary head, Pedestal hand washing faucet for tempered or hot/cold water operation (3362124)	\$458.50	1
<i>Note: P601 - Lavatories and Sinks Note: Quoting faucet as alternate.</i>			
W-1/W-2/W-3	ST-2459 Sloan - Vitreous China, ADA compliant water closet bowl only, 1.28 GPF, 1.6 GPF, and dual flush 1.6/1.1 GPF with 1-1/2" IPS top spud (2102459)	\$132.60	1
	ROYAL 111-1.6 SFSM HW Sloan - Battery-powered 1.6 gpf/6.0 Lpf, single flush side mount Hardwired (3910287)	\$548.30	1
	EL-154 Sloan - 50 VA Transformer (0345154PK)	\$47.00	1
<i>Note: P601 - Water Closets and Urinals</i>			
U-1	SU-1009-A Sloan - Universal Vireous china, 3/4" top spud. 0.125, 0.25 and 0.5 GPF includes dome strainer. (1101009)	\$272.80	1
	ROYAL 186-0.5 SFSM HW Sloan - 0.5 gpf Hardwired-3912751	\$548.30	1
	EL-154 Sloan - 50 VA Transformer (0345154PK)	\$47.00	1

Note: P601 - Water Closets and Urinals

Section Brand: Elkay

Label	Product No. Description	List Price	Qty.
D-1	LZS8WSSP Elkay - BFS FILTRD 8GPH SS	\$1,859.00	1
	WSF6000R-2PK Elkay Water Sentry Filter	\$349.00	1

Note: P601 - Water Coolers and Drinking Fountains

Section Brand: Pioneer

Label	Product No. Description	List Price	Qty.
SS-2	0054-ULE-Q Pioneer - SERVICE SINK-7-7/8" TO 8-1/8" LVR HDL RIGID SPT 1/4 TURN-PC	\$193.00	1

Note: P601 - Lavatories and Sinks

Note: Quoting as alternate, quoting horizontal lever handles in lieu of vertical lever handles.

Section Brand: Powers

Label	Product No. Description	List Price	Qty.
Lavatory Mixing Valve	LFE480-10 Powers - Lavatory Tempering Valve, 0.50 gpm minimum flow, 3/8" Compression Rough Bronze Finish	\$284.00	1

Note: P501 - Detail 6 & P601 - Lavatories and Sink Footnotes.

Note: Quoting as alternate.

EW-1 (exposed mounting)	ETV200AE000 Powers - HydroGuard XP Emergency Tempering Valve with Cold Water Bypass, Rough Bronze, Bottom/Top	\$2,040.00	1
-------------------------------	--	------------	---

Note: P601 - Showers and Bathtubs & Spec 22 4500 - 3

Section Brand: Watts Regulators

Label	Product No. Description	List Price	Qty.
RPZ 2"	LF009M2-QT : 2 Watts - Lead Free cast copper silicon alloy body for 1/4" to 2" and fused epoxy coated cast iron body for 2-1/2" and 3", replaceable seats and silicone seat discs, internal pressure differential relief valve in between check modules resilient seated isolation valves, resilient seated screw driver slotted test cocks, quarter turn ball-valves, 2"Ø (51 mm) pipe connection (0391007)	\$1,548.00	1
	909-AGF Watts - 909-AGF Air Gap (0881378)	\$208.00	1
	LF777SI : 2 Watts - lead free cast copper silicon alloy body, #20 mesh, 304 stainless steel screen, lead free copper silicon alloy retainer cap tapped for closure plug, NBR gasket, lead free brass plug, 2"Ø (51 mm) valve (0379116)	\$314.00	1

Note: P501 - Detail 8

Pressure Reducing Valve 2"	LF223 : 2 Watts - Lead Free, High Capacity Water Pressure Reducing Valve, NPT threaded female inlet x NPT threaded female outlet 2"(50mm)	\$4,430.00	1
----------------------------------	--	------------	---

Note: P501 - Detail 8

HB-1	SC8-3	\$81.25	1
	Watts - adjustable packing nut, cast brass body, wall mount, Watts Model 8B tamper-proof vacuum breaker with break-away screw, no kink faucet, 1/2" copper sweat connection with vacuum breaker (0611350)		
	SC8-4	\$81.25	1
	Watts - adjustable packing nut, cast brass body, wall mount, Watts Model 8B tamper-proof vacuum breaker with break-away screw, lawn faucet, 3/4" female NPT regular pattern with cast iron hand wheel (0611450)		

Note: Spec 22 1119 - 5

Section Brand: Watts Drainage

Header: ***NOTE: Watts Drainage does not meet PA.DGS please be advised***

Label	Product No. Description	List Price	Qty.
Floor Cleanout	CO-200-R Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, nickel bronze top		1
	CO-200-R,2 Watts - 2"Ø (51 mm)	\$625.50	1
	CO-200-R,3 Watts - 3"Ø (76 mm)	\$661.00	1
	CO-200-R,4 Watts - 4"Ø (102 mm)	\$881.00	1

Note: P501 - Detail 1 & Spec 22 1319 - 2 & Spec 22 1423 - 3

CARPET CLAMPING FLANGE (-CF) = \$285.00 LIST ADDER

CARPET MARKER (-RC) = \$78.00 LIST ADDER

NB HEAVY DUTY (-RX) = \$155.00 LIST ADDER

TILE RECESS (-T) = NO ADDITIONAL

TERRAZZO RECESS (-U) = \$354.00 LIST ADDER

D-1	CA-431-1	\$1,214.50	1
	Watts - floor mounted bi-level carrier, heavy gauge steel uprights with integral welded feet, universal steel hanger support plate, plated hardware.		

Note: P601 - Water Coolers and Drinking Fountains

W-1/W- 2/W-3	ISCA-101-L/R	\$1,587.50	1
	Watts - single, horizontal, cast iron fitting, left/right side outlet		
	ISCA-101-D	\$2,967.00	1
	Watts - double, horizontal, epoxy coated, cast iron fitting, 4" no hub waste connection, 2" no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, cast iron, foot support		
	ISCA-121	\$1,801.00	1
	Watts - single, vertical, cast iron fitting		
	ISCA-121-D	\$3,182.00	1
	Watts - double, vertical, epoxy coated, cast iron fitting, 4" no hub waste connection, 2" no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support, adjustable for standard and wheelchair height, plated hardware and chrome nuts		
	ISCA-131-L/R	\$2,105.50	1
	Watts - single, vertical, cast iron fitting, left/right side outlet		

	ISCA-131-D	\$3,479.50	1
	Watts - double, vertical, epoxy coated, cast iron fitting, 4"no hub waste connection and 4" no hub side inlet, 2" no hub vent connection. Epoxy coated cast iron patented compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support		
Note: P601 - Water Closets and Urinals			
U-1	CA-321	\$839.00	1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, universal steel hanger support plate and bottom bearing plate with integral mounting bracket, plated hardware.		
Note: P601 - Water Closets and Urinals			
WH-1	HY-420		1
	Watts - 3/4" (19 mm) diameter hose connection, 3/4" (19 mm) female x 1" (25 mm) male pipe connection, non-freeze hydrant, all bronze head, seat casting and internal working parts, wall mount, bronze wall casing, chrome plated face, integral vacuum breaker		
	HY-420,-4,-6,-8	\$864.50	1
	Watts - 4" (102 mm), 6" (152 mm), 8" (203 mm) thick		
	HY-420,-10,-12,-14	\$1,006.00	1
	Watts - 10" (254 mm), 12" (305 mm), 14" (356 mm) thick		
	HY-420,-16,-18	\$1,146.50	1
	Watts - 16" (406 mm), 18" (457 mm) thick		
Note: Spec 22 1119 - 6			
<i>Note: Quoting as suggestion, no model specified.</i>			
WHA (piston type)	LF15M2-DR Series		1
	Watts - pre-charged copper water hammer arrestor with polypropylene piston, EPDM o-ring seal and brass NPT threaded connection. Designed to operate on all domestic and commercial lines up to 150psi (10.6 bar) working pressure. Temperature range from 33°F to 180°F (0.5°C to 82°C)		
	LF15M2-A-DR	\$175.00	1
	Watts - 1-11 fixture units, 1/2" (13 mm) connection		
	LF15M2-B-DR	\$335.50	1
	Watts - 12-32 fixture units, 3/4" (19 mm) connection		
	LF15M2-C-DR	\$529.50	1
	Watts - 33-60, fixture units, 1" (25 mm) connection		
	LF15M2-D-DR	\$1,118.00	1
	Watts - 61-113 fixture units, 1" (25 mm) connection		
	LF15M2-E-DR	\$1,391.00	1
	Watts - 114-154 fixture units, 1" (25 mm) connection		
	LF15M2-F-DR	\$1,656.00	1
	Watts - 155-330 fixture units, 1" (25 mm) connection		
Note: Spec 22 1119 - 7			
Wall Cleanout	CO-460		1
	Watts - cast iron stack, no-hub outlet, counter sunk brass plug		
	CO-460,2	\$228.00	1
	Watts - 2"Ø (51 mm)		
	CO-460,3	\$284.00	1
	Watts - 3"Ø (76 mm)		
	CO-460,4	\$441.00	1
	Watts - 4"Ø (102 mm)		
Note: Spec 22 1319 - 2 & Spec 22 1423- 2			

Access	CO-300-S7	\$604.00	1
Cover	Watts - scoriated, square, access cover, nickel bronze, concealed mounting flanges, 7" (148 mm) square		
Note: Spec 22 1319 - 2 & Spec 22 1423 - 2			
FD-1	FD-100-A6-5-7		1
	Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 6" (152 mm) diameter nickel bronze, adjustable round strainer, sediment bucket, trap primer connection		
	FD-100-A6-5-7,2,3,4	\$696.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	FD-100-A6-5-7,6	\$817.00	1
	Watts - 6"Ø (152 mm)		
Note: Spec 22 1319 - 2/3			
FD-2	FD-320-Y-5-7		1
	Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 8" (203 mm) diameter, ductile iron, heavy duty, round grate, sediment bucket, trap primer connection		
	FD-320-Y-5-7,2,3,4	\$645.50	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	FD-320-Y-5-7,6	\$766.00	1
	Watts - 6"Ø (152 mm)		
Note: Spec 22 1319 - 3			
FD-3	FD-320-Y-5-7-F4-1		1
	Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 8" (203 mm) diameter, ductile iron, heavy duty, round grate, sediment bucket, trap primer tapping, 4" round nickel bronze funnel		
	FD-320-Y-5-7-F4-1,2,3,4	\$1,074.50	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	FD-320-Y-5-7-F4-1,6	\$1,194.50	1
	Watts - 6"Ø (152 mm)		
Note: Spec 22 1319 - 4			
<i>Note: Quoting nickel bronze 4" funnel</i>			
Trench	P-DI	\$432.50	1
Drain	Watts - UV stabilized talc-filled polypropylene channels with integral 4" (102 mm) no-hub bottom outlet, pre-sloped trench, pre-sloped trench, 6" (152 mm) wide, including frame connectors, grate lockdowns and construction covers, UV stabilized glass-filled polypropylene frame, framed anchored grate, ductile iron, Class C		
Note: Spec 22 1319 - 5			
<i>Note: Quoting as alternate.</i>			
<i>Please note trench drain price is per foot.</i>			
Sediment	CB-624-DI	\$1,344.00	1
Bucket	Watts - UV stabilized talc-filled polypropylene channels with integral 4" (102 mm) and 6" (152 mm) no hub bottom outlets, 6" (152 mm) wide, 24" (610 mm) long, ductile iron grate, Class F		
Note: Spec 22 1319 - 5			
<i>Note: Quoting as suggestion</i>			
Expansion	RD-900		1
Joints	Watts - neoprene expansion joint, no hub (MJ) clamps		
	RD-900,2	\$298.00	1
	Watts - 2"Ø (51 mm)		
	RD-900,3	\$345.50	1
	Watts - 3"Ø (76 mm)		

	RD-900,4	\$404.00	1
	Watts - 4"Ø (102 mm)		
Note: Spec 22 1319 - 6			
RD-1	RD-700-D-F		1
	Watts - 21" x 13-1/16" (533 mm x 330 mm), one-piece cast iron combination roof drain, flashing clamps with integral gravel guard, 4" (102 mm) overflow standpipe, no-hub outlet, 20" x 12-1/2" (508 mm x 317 mm), ductile iron dome, underdeck clamp, adjustable extension flange		
	RD-700-D-F,3,4	\$2,857.00	1
	Watts - 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	RD-700-D-F,6	\$3,289.00	1
	Watts - 6"Ø (152 mm)		
Note: Spec 22 1423 - 2			
Downspout	RD-970	\$824.00	1
Boots	Watts - epoxy coated, 4" x 3" x 18", cast iron, countersunk securing strap, 4" no hub pipe connection		
	RD-980	\$1,314.00	1
	Watts - epoxy coated, 5" x 4" x 24", cast iron, countersunk securing strap, 4" no hub pipe connection		
Note: Spec 22 1423 - 2			
Conductor	RD-940		1
Nozzles	Watts - cast nickel bronze, anchor flange and pre-drilled counter-sunk mounting holes		
	RD-940,2,3,4	\$1,083.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	RD-940,5,6	\$1,942.00	1
	Watts - 5"Ø (127 mm), 6"Ø (152 mm) outlet size		
	RD-940,8	\$2,655.00	1
	Watts - 8"Ø (203 mm)		
	RD-940,10	\$3,464.00	1
	Watts - 10"Ø (254 mm)		
	RD-940,12	\$4,289.00	1
	Watts - 12"Ø (305 mm)		

Note: Spec 22 1423 - 2

NOTE : ***NOTE: Watts Drainage does not meet PA.DGS please be advised***

Special Terms:

All pricing is plus freight unless Mfr freight terms are met.

Pricing good for 30 days.

Pricing subject to change if Mfr pricing changes.

Terms

Above prices are net.

All taxes are extra.

Partial or expedited shipments, at customer request, may result in additional freight charges.

Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.

Please ensure that all quoted product meets your projects specifications.

Our company will only be responsible for products shown on the attached quotation.