



**Address:** 202 Commerce Blvd, Lawrence , Pennsylvania ,  
15055 United States

**Phone:** (724) 745-5300

**Quotation:**  
**Q-655-S**

<b>To:</b>	<b>Contractor Holder</b> 202 Commerce Blvd., Lawrence, Pennsylvania 15241	<b>Bid Date:</b>	2019-03-14
<b>Attn.:</b>	N/A	<b>Expiry Date:</b>	2019-04-13
<b>Phone:</b>	724-745-5300	<b>Creator:</b>	Drew Pomrenke , dpomrenke@jboconnor.com
		<b>Sales Rep.:</b>	Casey Devlin , cdevlin@jboconnor.com
		<b>Shipping Address:</b>	2613 Collis Avenue, Huntington, West Virginia, United States

**Job Name: HIGHLAWN ELEM JOB**

**Engineer:** CMTA    **Architect:** Edward Tucker Architects

**Comments:**

**Section Brand: Sloan**

Label	Product No. Description	List Price	Qty.
P-1/P-1A	<b>ST-2009</b> Sloan - Floor mounted china water closet, 1.28, 1.6/1.1 AND 1.6 GPF, elongated bowl with 1-1/2" IPS top spud. Standard height (2102009).	\$135.15	1
	<b>SLOAN 111-1.6 ES-S</b> Sloan - Sensor Exposed Flushometer for Floor Mount or Wall Hung Water Closets, 11.5" Rough in, Hardwired 1.6 gpf/6.0 Lpf, electronic sensor solenoid operated (3770000)	\$635.85	1
	<b>EL-154</b> Sloan - 50 VA Transformer (0345154PK)	\$47.00	1
<i>Note: P6.0 - Plumbing Fixture Schedule</i>			
<i>Note: Quoting water closet as suggestion no model specified.</i>			
P-1B	<b>ST-2309-A</b> Sloan - Vitreous china univereal Junior Toilet bowl only, 1.28, 1.6/1.1 and 1.6 GPF, Floor mounted, Top supply, "baby bowl". (2102309)	\$215.20	1
	<b>SLOAN 111-1.6 ES-S</b> Sloan - Sensor Exposed Flushometer for Floor Mount or Wall Hung Water Closets, 11.5" Rough in, Hardwired 1.6 gpf/6.0 Lpf, electronic sensor solenoid operated (3770000)	\$635.85	1
	<b>EL-154</b> Sloan - 50 VA Transformer (0345154PK)	\$47.00	1
<i>Note: P6.0 - Plumbing Fixture Schedule</i>			
<i>Note: Quoting water closet as suggestion no model specified.</i>			
P-3	<b>SS-3003</b> Sloan - Vitreous china wall mounted lavatory with backsplash, 4" centers, overflow, ADA compliant, 21" x 19.25" (3873003)	\$86.75	1
<i>Note: P6.0 - Plumbing Fixture Schedule</i>			
<i>Note: Quoting lavatory as suggestion no model specified.</i>			
P9	<b>ELS-62080</b> Sloan - Includes Two ETF-80 AND ESD300	\$5,240.75	1

**Section Brand: Elkay**

Label	Product No. Description	List Price	Qty.
P-4	<b>LZSTL8WSVRSK</b> Elkay - BFS VERS BI-LVL FILTRD VR-BUB LT SS	\$2,671.00	1

*Note: P6.0 - Plumbing Fixture Schedule*

P-8/P-11	<b>LRAD2522650</b> Elkay - 18 Gauge Stainless Steel 25' x 22' x 6.5' Single Bowl Top Mount Kitchen Sink	\$925.00	1
	<b>LK99</b> Elkay - DRAIN	\$120.00	1

*Note: P6.0 - Plumbing Fixture Schedule***Section Brand: Pioneer**

Label	Product No. Description	List Price	Qty.
P-3	<b>L-6161</b> Pioneer - LAV-4" SINGLE METAL LVR HDL LESS POP-UP HOLE-CP	\$66.00	1

*Note: P6.0 - Plumbing Fixture Schedule**Note: Quoting as alternate, 1.2 GPM in lieu of 2.2 GPM*

P-5	<b>0054-ULE-Q</b> Pioneer - SERVICE SINK-7-7/8" TO 8-1/8" LVR HDL RIGID SPT 1/4 TURN-PC	\$193.00	1
	<b>CS-65001</b> Pioneer - ACCESSORY-STAINLESS STEEL MOP HANGER	\$60.50	1
	<b>CS-65002</b> Pioneer - ACCESSORY-HOSE BRACKET W/30" LONG HOSE	\$44.60	1

*Note: P6.0 - Plumbing Fixture Schedule**Note: Quoting as alternate, quoting lever handles in lieu of wrist blade handles.**Note: Quoting accessories as options.*

P-8/P-11	<b>0084-GSAELS</b> Pioneer - BAR/LAUNDRY-4" TWO 4" WRIST HDLS 4-3/32" GOOSENECK SPT-PVD PC	\$137.30	1
----------	---	----------	---

*Note: P6.0 - Plumbing Fixture Schedule**Note: Quoting 1.5 GPM.***Section Brand: Powers**

Label	Product No. Description	List Price	Qty.
P-7	<b>P902HM10LYW</b> Powers - Biltmore Series 900 Pressure Balancing Valves, 1/2" copper sweat connections, Deluxe, Chrome Plated Brass, Arm and Flange, Low Flow (1.5 gpm), Metal Hose, 30" Glide Rail, Vacuum Breaker, in-Line, Diverter, Concealed, 1/2" IPS Metal Handle	\$1,152.00	1

*Note: P6.0 - Plumbing Fixture Schedule***Section Brand: Watts Regulators**

Label	Product No. Description	List Price	Qty.
3" RPZ	<b>957-OSY : 3</b> Watts - 304 stainless steel, schedule 40 pipe with groove end connection sleeve accessible housing, replaceable elastomer discs differential pressure relief valve between and below the check modules, drip tight shut-off valves, UL/FM outside stem & yoke gate valve, flange connections, 3"Ø (76 mm) pipe connection (0111585)	\$4,700.00	1
	<b>957-AG</b> Watts - 957-AG Air Gap (0111764)	\$269.50	1

	<b>77F-DI-FDA-125 : 3</b>	\$680.50	1
	Watts - lead free cast iron body, graphite gasket, drain/blowoff connection furnished with closure plug, flange ends, ANSI B16.1 Class 125, 200 psi at 210°F WOG, non-shock, 3"Ø (76 mm) valve (0825211)		
<b>Note:</b> P3.1 - Tagged Notes P5 & P5.0 - Detail 4			
PRV	<b>LF223 : 2 1/2</b>	\$4,875.00	1
	Watts - High Capacity Water Pressure Reducing Valve, NPT Threaded female inlet x NPT threaded female outlet, 2 1/2"(65mm)		
<b>Note:</b> P5.0 - Detail 4			
Expansion Tank	<b>DETA 42</b>	\$2,824.00	1
	Watts - carbon steel shell, FDA approved butyl, bladder, 40 psi pre-charge pressure, tank volume of 22 gallons (0212030)		
<b>Note:</b> P5.0 - Detail 3			

## Section Brand: Watts Drainage

**Header:** \*\*\*NOTE: Watts Drainage does not meet PA.DGS please be advised\*\*\*

Label	Product No. Description	List Price	Qty.
Downspout Nozzle	<b>RD-940-83</b> Watts - cast nickel bronze, anchor flange and pre-drilled counter-sunk mounting holes, no hub, stainless steel bird screen		1
	<b>RD-940-83,3,4</b> Watts - 3"Ø (76 mm), 4"Ø (102 mm) outlet size	\$1,633.00	1
	<b>RD-940-83,5,6</b> Watts - 5"Ø (127 mm), 6"Ø (152 mm) outlet size	\$2,165.00	1
	<b>RD-940-83,8</b> Watts - 8"Ø (203 mm)	\$3,204.00	1
<b>Note:</b> P2.3 - Tagged Notes P15			
Trap Primer	<b>LFTP300-DR Series</b> Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap		1
	<b>LFTP300T</b> Watts - 1/2", Threaded Inlet and Outlet Connect	\$270.00	1
	<b>LFTP300S</b> Watts - 1/2", Soldered Inlet and Outlet Connect	\$270.00	1
	<b>LFTP300-DU-DR</b> Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap, distribution unit	\$189.00	1
<b>Note:</b> P2.3 - Tagged Notes P22 Note: Quoting mechanical trap primer Note: Quoting as alternate.			
Backwater Valve	<b>BV-200</b> Watts - cast iron body, no-hub outlet, bronze seat and flapper		1
	<b>BV-203</b> Watts - 3" (76 mm) pipe size	\$2,037.00	1
	<b>BV-204</b> Watts - 4" (102 mm) pipe size	\$2,505.00	1
	<b>BV-206</b> Watts - 6" (152 mm) pipe size	\$3,597.00	1

**Note:** P5.0 - Detail 4  
Note: Quoting as alternate.

FD-1	<b>FD-100-A6-7</b>		1
	Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 6" (152 mm) diameter, nickel bronze, round strainer, trap primer connection		
	<b>FD-100-A6-7,2,3,4</b>	\$588.50	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	<b>FD-100-A6-7,6</b>	\$709.00	1
	Watts - 6"Ø (152 mm)		
	<i>Note: P6.0 - Plumbing Fixture Schedule</i>		
FD-2	<b>FD-460-F-5-7-13</b>		1
	Watts - cast iron body no-hub outlet, 12-3/4" x 12-3/4" (324 mm x 324 mm), ductile iron, square grate, sediment bucket, trap primer connection, all galvanized		
	<b>FD-460-F-5-7-13,2,3,4,5,6,8</b>	\$2,784.50	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm), 5"Ø (127 mm), 6"Ø (152 mm), 8"Ø (203 mm) outlet size		
	<i>Note: P6.0 - Plumbing Fixture Schedule</i>		
FD-3	<b>FD-100-EF-1-7</b>		1
	Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 7" (178 mm) diameter nickel bronze, adjustable round strainer, 4" (102 mm) diameter nickel bronze funnel, trap primer tapping		
	<b>FD-100-EF-1-7,2,3,4</b>	\$909.00	1
	Watts - 2" (51mm), 3" (76mm), 4" (102mm)		
	<b>FD-100-EF-1-7,6</b>	\$1,029.00	1
	Watts - 6" (152 mm)		
	<i>Note: P6.0 - Plumbing Fixture Schedule</i>		
FPWH	<b>HY-725</b>		1
	Watts - 3/4" (19 mm) diameter hose connection, 3/4" (19 mm) female x 1" (25 mm) male pipe connection, non-freeze hydrant, all bronze head, wall mount, concealed, bronze wall casing, chrome plated face, integral vacuum breaker, nickel bronze box and door		
	<b>HY-725,-6,-8</b>	\$1,547.00	1
	Watts - 6" (152 mm), 8" (203 mm) thick		
	<b>HY-725,-10,-12,-14</b>	\$1,690.00	1
	Watts - 10" (254 mm), 12" (305 mm), 14" (356 mm) thick		
	<b>HY-725,-16,-18</b>	\$1,830.00	1
	Watts - 16" (406 mm), 18" (457 mm) thick		
	<i>Note: P6.0 - Plumbing Fixture Schedule</i>		
FS-1	<b>FS-740-1-175</b>		1
	Watts - cast iron body, 8-1/4" (209 mm) deep, no-hub outlet, aluminum dome bottom strainer, 9" x 9" (229 mm x 229 mm) square, nickel bronze top, 3/4" grate		
	<b>FS-740-1-175,2,3,4</b>	\$2,979.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	<i>Note: P6.0 - Plumbing Fixture Schedule</i>		
HB	<b>HY-450</b>	\$1,349.00	1
	Watts - warm climate, heavy duty chrome plated bronze head, seat casting and internal working parts, wall mount, concealed, polished chrome plated face plate, vandal resistant integral vacuum breaker, 6-7/16" x 5-7/16" (164 mm x 138 mm), chrome plated face, nickel bronze box and door, loose key, 3/4"Ø (19 mm) male hose connection, 1" male threaded x 3/4" internal SWT 90° connection with 360° swivel.		
	<i>Note: P6.0 - Plumbing Fixture Schedule</i>		
P-3	<b>TCA-411 Series</b>		1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		

	<b>TCA-411</b>	\$989.50	1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
	<b>TCA-411-D</b>	\$1,411.00	1
	Watts - back-to-back floor mounted carrier, heavy gauge steel offset uprights with welded feet, double cross steel plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
<b>Note: P6.0 - Plumbing Fixture Schedule</b>			
P-4	<b>CA-431-1</b>	\$1,214.50	1
	Watts - floor mounted bi-level carrier, heavy gauge steel uprights with integral welded feet, universal steel hanger support plate, plated hardware.		
<b>Note: P6.0 - Plumbing Fixture Schedule</b>			
RD-1	<b>RD-300-D-F-K</b>		1
	Watts - 16-5/8" (422 mm) diameter cast iron body, flashing clamp, no-hub outlet, 15-1/4" (387 mm) diameter, ductile iron dome, underdeck clamp, adjustable extension flange		
	<b>RD-300-D-F-K,2,3,4</b>	\$1,818.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	<b>RD-300-D-F-K,5,6</b>	\$2,120.00	1
	Watts - 5"Ø (127 mm), 6"Ø (152 mm) outlet size		
	<b>RD-300-D-F-K,8,10</b>	\$2,423.00	1
	Watts - 8"Ø (203 mm), 10"Ø (254 mm) outlet size		
<b>Note: P6.0 - Plumbing Fixture Schedule</b>			
RD-2	<b>RD-300-D-F-R-K</b>		1
	Watts - 16-5/8" (422 mm) diameter cast iron body, flashing clamp and 2" (51 mm) high external water dam, no-hub outlet, 15-1/4" (387 mm) diameter, ductile iron dome, underdeck clamp, adjustable extension flange		
	<b>RD-300-D-F-R-K,2,3,4</b>	\$2,048.50	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	<b>RD-300-D-F-R-K,5,6</b>	\$2,351.00	1
	Watts - 5"Ø (127 mm), 6"Ø (152 mm) outlet size		
	<b>RD-300-D-F-R-K,8,10</b>	\$2,653.50	1
	Watts - 8"Ø (203 mm), 10"Ø (254 mm) outlet size		
<b>Note: P6.0 - Plumbing Fixture Schedule</b>			
<b>NOTE : ***NOTE: Watts Drainage does not meet PA.DGS please be advised***</b>			

**Special Terms:**

All pricing is plus freight unless Mfr freight terms are met.

Pricing good for 30 days.

Pricing subject to change if Mfr pricing changes.

**Terms**

Above prices are net.

All taxes are extra.

Partial or expedited shipments, at customer request, may result in additional freight charges.

Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.

Please ensure that all quoted product meets your projects specifications.

Our company will only be responsible for products shown on the attached quotation.