



Address: 202 Commerce Blvd, Lawrence , Pennsylvania ,
15055 United States

Phone: (724) 745-5300

Quotation:
Q-640-S

| | | | |
|---------------|---|--------------------------|--|
| To: | Contractor Holder 202 Commerce Blvd., Lawrence, Pennsylvania 15241 | Bid Date: | 2019-03-06 |
| Attn.: | N/A | Expiry Date: | 2019-04-05 |
| Phone: | 724-745-5300 | Creator: | Drew Pomrenke , dpomrenke@jboconnor.com |
| | | Sales Rep.: | Casey Devlin , cdevlin@jboconnor.com |
| | | Shipping Address: | , Pittsburgh, Pennsylvania, United States |

Job Name: Nevillewood Pittsburgh, PA

Comments:

Section Brand: Sloan

| Label | Product No. Description | List Price | Qty. |
|---|--|------------|------|
| WC-1/WC-2 | ST-2459 Sloan - Vitreous China, ADA compliant water closet bowl only, 1.28 GPF, 1.6 GPF, and dual flush 1.6/1.1 GPF with 1-1/2" IPS top spud (2102459) | \$132.60 | 1 |
| | Royal 111 Sloan - Exposed 1 1/2" top spud. 1.6 GPF (3010000) | \$211.60 | 1 |
| <i>Note: Plumbing Fixture Schedule</i> | | | |
| WC-3 | ST-2029-STG Sloan - Top Spud Floor Mount Closet Fixture (2172029) | \$185.60 | 1 |
| | Royal 111 Sloan - Exposed 1 1/2" top spud. 1.6 GPF (3010000) | \$211.60 | 1 |
| <i>Note: Plumbing Fixture Schedule</i> | | | |
| WC-4 | ST-2009-STG Sloan - Standard Top Spud Floor Mount Water Closet (2172009) | \$160.10 | 1 |
| | Royal 111 Sloan - Exposed 1 1/2" top spud. 1.6 GPF (3010000) | \$211.60 | 1 |
| <i>Note: Plumbing Fixture Schedule</i> | | | |
| UR-1 | G2 8186-1 Sloan - Sensor Exposed Flushometer for Wall Hung Urinals, 11.5" Rough in, Battery-powered 1 gpf/3.8 Lpf (3250401) | \$637.25 | 1 |
| <i>Note: Plumbing Fixture Schedule; Please be advised Sloan does not have a floor Mounted Urinal, Quoting Flush Valve Only.</i> | | | |
| L-1 | SS-3002 Sloan - Complete vitreous china Oval drop in lavatory, 4" centers, overflow, Self rimming. 20"x16-3/4" (3873002) | \$76.50 | 1 |
| <i>Note: Plumbing Fixture Schedule</i> | | | |

Section Brand: Pioneer

| Label | Product No. Description | List Price | Qty. |
|--|---|------------|------|
| L-1 | 3LG161-E0.5 Pioneer - LAV-LEGACY 4" SINGLE LVR HDL-CP | \$118.50 | 1 |
| <i>Note: Plumbing Fixture Schedule</i> | | | |
| LT-1 | 0084-A1 Pioneer - BAR/LAUNDRY-4" TWO CANOPY HDLS 8" TUBE SPT-PVD PC | \$105.00 | 1 |
| <i>Note: Plumbing Fixture Schedule</i> | | | |

Section Brand: Powers

| Label | Product No. Description | List Price | Qty. |
|-------|--|------------|------|
| L-1 | LFLM495-1 Powers - 1/2 LFLM495-1 | \$312.00 | 1 |

Note: Plumbing Fixture Schedule

| | | | |
|------|---|----------|---|
| SH-1 | P910H0003W Powers - ABS faceplate with color-coded graphics, metal lever handle. CP finish, 1/2" copper sweat connections, Deluxe, Metal Hose, 30" Glide Rail, in-line Vacuum Breaker | \$857.00 | 1 |
|------|---|----------|---|

Note: Plumbing Fixture Schedule; Quoting model as a True Alternate.

| | | | |
|------|---|----------|---|
| SH-2 | P910HG1000 Powers - Chrome-plated ABS faceplate with color graphic insert, ADA-compliant metal lever handle | \$429.00 | 1 |
|------|---|----------|---|

Note: Plumbing Fixture Schedule; Quoting model as a True Alternate.

Section Brand: Watts Regulators

| Label | Product No. Description | List Price | Qty. |
|-------|--|------------|------|
| MSB-1 | 2-M2DWB Watts - brass body, 1/2" solder or compression connection, single lever, 3/4" hose connection outlets, 150 psi maximum pressure, 180° F maximum temperature, molded plastic enclosure with top and side knockouts, drain knock out to accommodate waste drain pipe (0006644 & 0006625) | \$199.50 | 1 |

Note: Plumbing Fixture Schedule

Section Brand: Watts Drainage

Header: *NOTE: Watts Drainage does not meet PA.DGS please be advised*****

| Label | Product No. Description | List Price | Qty. |
|-------|---|------------|------|
| FD-1 | FD-104-A6-7 Watts - epoxy coated 8-1/8" (206 mm) diameter cast iron body reversible flashing clamp with primary and secondary weepholes no-hub outlet, 6" (152 mm) diameter, nickel bronze, adjustable round strainer, 4" (102 mm), trap primer tapping | \$588.50 | 1 |

Note: Floor/Cleanout Schedule

| | | | |
|-----------|--|------------|---|
| WC-1/WC-2 | ISCA-103-L/R Watts - single, horizontal, epoxy coated, cast iron fitting, 4"Ø no hub waste connection, left/right side outlet, 2"Ø no hub vent connection. Epoxy coated cast iron patented compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support, adjustable for standard and wheelchair height, ductile iron rear anchor support, stainless steel support rods and hardware, chrome plated nuts. | \$3,284.00 | 1 |
|-----------|--|------------|---|

| | | | |
|--|--|------------|---|
| | ISCA-103-D Watts - double, horizontal, epoxy coated, cast iron fitting, 4"Ø no hub waste connection, 2"Ø no hub vent connection. Epoxy coated cast iron patented compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support, adjustable for standard and wheelchair height, ductile iron rear anchor support, stainless steel support rods and hardware, chrome plated nuts. | \$6,328.00 | 1 |
|--|--|------------|---|

| | | | |
|--|--|------------|---|
| | ISCA-123 Watts - single, vertical, epoxy coated, cast iron fitting, 4"Ø no hub waste connection, 2"Ø no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support, adjustable for standard and wheelchair height, ductile iron rear anchor support, stainless steel support rods and hardware, chrome plated nuts. | \$3,713.00 | 1 |
|--|--|------------|---|

| | | |
|--|------------|---|
| ISCA-123-D | \$7,154.00 | 1 |
| Watts - double, vertical, epoxy coated, cast iron fitting, 4"Ø no hub waste connection, 2"Ø no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support, adjustable for standard and wheelchair height, stainless steel support rods and hardware, chrome plated nuts. | | |
| ISCA-133-L/R | \$4,017.50 | 1 |
| Watts - single, vertical, epoxy coated, cast iron fitting, 4"Ø no hub waste connection and 4"Ø no hub side inlets, left/right side outlet, 2"Ø no hub vent connection. Epoxy coated cast iron patented compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support, adjustable for standard and wheelchair height, ductile iron rear anchor support, stainless steel support rods and hardware, chrome plated nuts. | | |
| ISCA-133-D | \$7,454.00 | 1 |
| Watts - double, vertical, epoxy coated, cast iron fitting, 4"Ø no hub waste connection and 4"Ø no hub side inlets, 2"Ø no hub vent connection. Epoxy coated cast iron patented compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support, adjustable for standard and wheelchair height, plated hardware and chrome cap nuts. | | |

Note: *Plumbing Fixture Schedule*

NOTE : ***NOTE: Watts Drainage does not meet PA.DGS please be advised***

Special Terms:

All pricing is plus freight unless Mfr freight terms are met.
Pricing good for 30 days.
Pricing subject to change if Mfr pricing changes.
Watts Drainage does not meet PA.DGS please be advised.

Terms

Above prices are net.
All taxes are extra.
Partial or expedited shipments, at customer request, may result in additional freight charges.
Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.
Please ensure that all quoted product meets your projects specifications.
Our company will only be responsible for products shown on the attached quotation.