



Address: 202 Commerce Blvd, Lawrence , Pennsylvania ,
15055 United States

Phone: (724) 745-5300

Quotation:
Q-661-S

To:	Contractor Holder 202 Commerce Blvd., Lawrence, Pennsylvania 15241	Bid Date:	2019-03-20
Attn.:	N/A	Expiry Date:	2019-04-19
Phone:	724-745-5300	Creator:	Drew Pomrenke , dpomrenke@jboconnor.com
		Sales Rep.:	Casey Devlin , cdevlin@jboconnor.com
		Shipping Address:	131 Lamppost Lane, Duncansville, Pennsylvania, United States

Job Name: Tram Bar

Architect: EADS Group, Inc.

Comments:

Section Brand: Sloan

Label	Product No. Description	List Price	Qty.
WC-1	ST-2029-A Sloan - ADA Floor Mount Universal, Top Spud (2102029)	\$160.65	1

	Royal 111 Sloan - Exposed 1 1/2" top spud. 1.6 GPF (3010000)	\$211.60	1
--	--	----------	---

Note: P-3 - Plumbing Fixture Schedule

L-1	SS-3002 Sloan - Complete vitreous china Oval drop in lavatory, 4" centers, overflow, Self rimming. 20"x16-3/4" (3873002)	\$76.50	1
-----	---	---------	---

Note: P-3 - Plumbing Fixture Schedule

Section Brand: Elkay

Label	Product No. Description	List Price	Qty.
S-3	LRADQ3319555 Elkay - 18 Gauge Stainless Steel 33' x 19.5' x 5.5' Double Bowl Top Mount Kitchen Sink	\$1,355.00	1

	LK99 Elkay - DRAIN	\$120.00	2
--	------------------------------	----------	---

Note: P-3 - Plumbing Fixture Schedule

EWC- 1/EWC-2	LZS8WSSK Elkay - EZH2O COOLER KIT-SS	\$1,778.00	1
-----------------	--	------------	---

Note: P-3 - Plumbing Fixture Schedule

Section Brand: Pioneer

Label	Product No. Description	List Price	Qty.
L-1	1137-AELS Pioneer - LAV-4" CNTRS 4" WRIST HDL-PVD PC	\$132.00	1

Note: P-3 - Plumbing Fixture Schedule

Note: Quoting 1.2 GPM in lieu of 0.5 GPM.

S-3	5PM330 Pioneer - BAR-PREMIUM SINGLE LVR HDL GOOSENECK RIGID SPT-CP	\$193.00	1
<i>Note: P-3 - Plumbing Fixture Schedule</i>			
<i>Note: Quoting as alternate, quoting without side spray.</i>			
MS-1	0054-ULE-Q Pioneer - SERVICE SINK-7-7/8" TO 8-1/8" LVR HDL RIGID SPT 1/4 TURN-PC	\$193.00	1
	CS-65001 Pioneer - ACCESSORY-STAINLESS STEEL MOP HANGER	\$60.50	1
	CS-65002 Pioneer - ACCESSORY-HOSE BRACKET W/30" LONG HOSE	\$44.60	1
<i>Note: P-3 - Plumbing Fixture Schedule</i>			
<i>Note: Quoting accessories as options.</i>			

Section Brand: Powers

Label	Product No. Description	List Price	Qty.
ES-1	ETV200AEQ000 Powers - HydroGuard Emergency Tempering Valve, 32.9 gpm, Rough Bronze, Bottom/Top, Stainless Steel, Wall Mounted	\$4,218.00	1
<i>Note: P-3 - Plumbing Fixture Schedule & P-4 - Emergency Shower and Eye/Face Wash Detail & P-5 - Section 22 - Plumbing Specification</i>			
Master TMV	LFMM432CEMS000 Powers - HydroGuard XP, 64gpm, Chrome Plated, Bottom/Top, Exposed, no cabinet, Standard—90°F to 160°F (32°C to 71°C)	\$3,250.00	1
<i>Note: P-5 - Section 22 - Plumbing Specification</i>			

Section Brand: Blucher

Label	Product No. Description	List Price	Qty.
TD-1/TD-2	BT6-LG Blucher - 6" Wide Pre-Sloped Trench Drain w/Surface Clamp & Mesh Grating, w/ Ladder Grate, Priced per foot	\$619.00	1
<i>Note: P-3 - Plumbing Fixture Schedule</i>			
<i>Note: Quoting as alternate, quoting 6" width in lieu of 4" width.</i>			
<i>Please note trench drain price is per foot.</i>			
<i>Note: Trap seal by others.</i>			

Section Brand: Watts Regulators

Label	Product No. Description	List Price	Qty.
Expansion Tank	PLT-12 Watts - Potable Water Expansion Tanks, drawn steel construction, rugged flexible butyl, diaphragm, 20 psi pre-charge pressure, 150 psi maximum pressure, 200°F maximum temperature, tank volume of 4.5 gallons (0067371)	\$129.00	1
<i>Note: P-3 - Water Heater & Electric Room Schematic</i>			
Pressure Reducing Valve	LF223 : 1 1/4 Watts - Lead Free, High Capacity Water Pressure Reducing Valve, NPT threaded female inlet x NPT threaded female outlet, 1-1/4"(32mm)	\$2,036.00	1
<i>Note: P-3 - Water Heater & Electrical Room Schematic & P-5 - Section 22 - Plumbing Specification</i>			

RPZ	LF009M2-QT : 1 1/2	\$1,304.00	1
Watts - Lead Free cast copper silicon alloy body for 1/4" to 2" and fused epoxy coated cast iron body for 2-1/2" and 3", replaceable seats and silicone seat discs, internal pressure differential relief valve in between check modules resilient seated isolation valves, resilient seated screw driver slotted test cocks, quarter turn ball-valves, 1-1/2"Ø (38 mm) pipe connection (0391006)			
	909-AGC	\$106.50	1
Watts - 909-AGC Air Gap (0881376)			
	LF777SI : 1 1/2	\$213.00	1
Watts - lead free cast copper silicon alloy body, #20 mesh, 304 stainless steel screen, lead free copper silicon alloy retainer cap tapped for closure plug, NBR gasket, lead free brass plug, 1-1/2"Ø (38 mm) valve (0379115)			

Note: P-3 - Water Heater & Electrical Room Schematic

Section Brand: Watts Drainage

Header: ***NOTE: Watts Drainage does not meet PA.DGS please be advised***

Label	Product No. Description	List Price	Qty.
EWC- 1/EWC-2	CA-421 Watts - floor mounted plate type carrier, heavy gauge steel uprights with integral welded feet, universal steel hanger support plate, plated hardware.	\$752.00	1

Note: P-3 - Plumbing Fixture Schedule

WH-1/WH- 2	HY-725-88 Watts - 3/4" (19 mm) diameter hose connection, 3/4" (19 mm) female x 1" (25 mm) male pipe connection, non-freeze hydrant, all bronze head, wall mount, concealed, bronze wall casing, chrome plated face, integral vacuum breaker, nickel bronze box and door, wall clamp		1
	HY-725-88,-6,-8 Watts - 6" (152 mm), 8" (203 mm) thick	\$1,547.00	1
	HY-725-88,-10,-12,-14 Watts - 10" (254 mm), 12" (305 mm), 14" (356 mm) thick	\$1,690.00	1
	HY-725-88,-16,-18 Watts - 16" (406 mm), 18" (457 mm) thick	\$1,830.00	1

Note: P-3 - Plumbing Fixture Schedule & P-5 - Section 22 - Plumbing Specification

FD-1	FD-103-A6 Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 6" (152 mm) diameter, nickel bronze, adjustable round strainer, 3"Ø (76 mm)	\$588.50	1
------	--	----------	---

Note: P-3 - Plumbing Fixture Schedule & P-5 - Section 22 - Plumbing Specification

Note: Trap seal by others.

FD-2	FD-104-A8 Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 8" (203 mm) diameter, nickel bronze, adjustable round strainer, 4"Ø (102 mm)	\$851.50	1
------	---	----------	---

Note: P-3 - Plumbing Fixture Schedule & P-5 - Section 22 - Plumbing Specification

Note: Trap seal by others.

CO	CO-200-R-6 Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, nickel bronze top, vandal proof		1
	CO-200-R-6,2 Watts - 2"Ø (51 mm)	\$721.50	1
	CO-200-R-6,3 Watts - 3"Ø (76 mm)	\$757.00	1

	CO-200-R-6,4	\$977.00	1
	Watts - 4"Ø (102 mm)		
Note: P-3 - Plumbing Fixture Schedule			
CARPET CLAMPING FLANGE (-CF) = \$285.00 LIST ADDER			
CARPET MARKER (-RC) = \$78.00 LIST ADDER			
NB HEAVY DUTY (-RX) = \$155.00 LIST ADDER			
TILE RECESS (-T) = NO ADDITIONAL			
TERRAZZO RECESS (-U) = \$354.00 LIST ADDER			
Grease	WD-35	\$8,991.00	1
Interceptor	Watts - steel, removable baffle assembly, skid-proof cover, secured with hex head center bolts, external cast iron flow control fitting, deep seal trap with cleanout, no-hub connections, flow rate of 35 GPM		
Note: P-4 - Hydromechanical Grease Interceptor Detail			
Note: Quoting as alternate.			
Extension up to 12" = \$3967.00			
Each additional inch = \$279.50			
WHA	SS Series		1
(bellows type)	Watts - pre-charged, all stainless steel shock arrestors with stainless steel bellows, and male IPS threaded connection. Designed to operate on all domestic and commercial lines up to 150 psi working pressure. Temperature range from -100°F to 300°F (-73°C to 149°C)		
	SS-A	\$549.50	1
	Watts - 1-11 fixture units, 1/2" (13 mm) connection		
	SS-B	\$1,119.00	1
	Watts - 12-32 fixture units, 3/4" (19 mm) connection		
	SS-C	\$1,672.00	1
	Watts - 33-60, fixture units, 1" (25 mm) connection		
	SS-D	\$4,191.00	1
	Watts - 61-113 fixture units, 1" (25 mm) connection		
	SS-E	\$4,731.50	1
	Watts - 114-154 fixture units, 1" (25 mm) connection		
	SS-F	\$5,815.00	1
	Watts - 155-330 fixture units, 1" (25 mm) connection		
Note: P-5 - Section 22 - Plumbing Specification			
WHA	LF15M2-DR Series		1
(piston type)	Watts - pre-charged copper water hammer arrestor with polypropylene piston, EPDM o-ring seal and brass NPT threaded connection. Designed to operate on all domestic and commercial lines up to 150psi (10.6 bar) working pressure. Temperature range from 33°F to 180°F (0.5°C to 82°C)		
	LF15M2-A-DR	\$175.00	1
	Watts - 1-11 fixture units, 1/2" (13 mm) connection		
	LF15M2-B-DR	\$335.50	1
	Watts - 12-32 fixture units, 3/4" (19 mm) connection		
	LF15M2-C-DR	\$529.50	1
	Watts - 33-60, fixture units, 1" (25 mm) connection		
	LF15M2-D-DR	\$1,118.00	1
	Watts - 61-113 fixture units, 1" (25 mm) connection		
	LF15M2-E-DR	\$1,391.00	1
	Watts - 114-154 fixture units, 1" (25 mm) connection		
	LF15M2-F-DR	\$1,656.00	1
	Watts - 155-330 fixture units, 1" (25 mm) connection		
Note: P-5 - Section 22 - Plumbing Specification			

Wall Cleanout Line	CO-380-RD Watts - cast iron body counter sunk, brass plug, round, stainless steel access cover and stainless steel vandal proof screw		1
	CO-380-RD,2 Watts - 2"Ø (51 mm)	\$232.00	1
	CO-380-RD,3 Watts - 3"Ø (76 mm)	\$286.00	1
	CO-380-RD,4 Watts - 4"Ø (102 mm)	\$343.50	1
	CO-380-RD,6 Watts - 6"Ø (152 mm)	\$727.00	1

Note: P-5 - Section 22 - Plumbing Specification

NOTE : ***NOTE: Watts Drainage does not meet PA.DGS please be advised***

Special Terms:

All pricing is plus freight unless Mfr freight terms are met.
Pricing good for 30 days.
Pricing subject to change if Mfr pricing changes.

Terms

Above prices are net.
All taxes are extra.
Partial or expedited shipments, at customer request, may result in additional freight charges.
Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.
Please ensure that all quoted product meets your projects specifications.
Our company will only be responsible for products shown on the attached quotation.