



Address: 202 Commerce Blvd, Lawrence , Pennsylvania ,
15055 United States

Phone: (724) 745-5300

Quotation:
Q-667-S

To:	Contractor Holder 202 Commerce Blvd., Lawrence, Pennsylvania 15241	Bid Date:	2019-03-22
Attn.:	N/A	Expiry Date:	2019-04-21
Phone:	724-745-5300	Creator:	Drew Pomrenke , dpomrenke@jboconnor.com
		Sales Rep.:	Casey Devlin , cdevlin@jboconnor.com
		Shipping Address:	, Pine Grove, Pennsylvania, United States

Job Name: WTL Maint. Bldg

Engineer: CJL Engineering **Architect:** Grieb Architects

Comments:

Section Brand: Sloan

Label	Product No. Description	List Price	Qty.
L-1	SS-3002 Sloan - Complete vitreous china Oval drop in lavatory, 4" centers, overflow, Self rimming. 20"x16-3/4" (3873002)	\$76.50	1
<i>Note: Spec 15 400 - 3</i>			
L-2	SS-3003 Sloan - Vitreous china wall mounted lavatory with backsplash, 4" centers, overflow, ADA compliant, 21" x 19.25" (3873003)	\$86.75	1
<i>Note: Spec 15 400 - 3</i>			
U-1	SU-1006-A Sloan - Urinal fixture only, 1.0 GPF, 3/4" top spud. Includes Dome strainer (1101006)	\$272.80	1
	REGAL 186-1 XL Sloan - Exposed Urinal Flushometer, for 3/4" top spud urinals, 1 gpf/3.8 Lpf (3082675)	\$197.50	1
<i>Note: Spec 15 400 - 4</i>			
WC-1/WC-2	ST-2459 Sloan - Vitreous China, ADA compliant water closet bowl only, 1.28 GPF, 1.6 GPF, and dual flush 1.6/1.1 GPF with 1-1/2" IPS top spud (2102459)	\$132.60	1
	REGAL 111 XL Sloan - Exposed Water Closet Flushometer, for floor mounted or wall hung top spud bowls, Flush Cycle 1.6 gpf/6.0 Lpf (3080053)	\$197.50	1
<i>Note: Spec 15 400 - 4</i>			

Section Brand: Elkay

Label	Product No. Description	List Price	Qty.
EWC-1	LZSTL8LC Elkay - VERSATILE BI-LVL FILTRD 8GPH LT GRY	\$1,741.00	1
<i>Note: Spec 15 400 - 2</i> <i>Note: Quoting as per model number.</i>			
EWC-1	LZSTL8SC Elkay - VERSATILE BI-LVL FILTRD 8GPH SS	\$1,850.00	1
<i>Note: Spec 15 400 - 2</i> <i>Note: Quoting as per description.</i>			

S-2	LRADQ2219500 Elkay - 18 Gauge Stainless Steel 22' x 19.5' x 5' Single Bowl Top Mount Kitchen Sink	\$885.00	1
	LK99 Elkay - DRAIN	\$120.00	1

Note: Spec 15 400 - 3

Section Brand: Pioneer

Label	Product No. Description	List Price	Qty.
L-1/L-2	1133-LE Pioneer - LAV-4" CNTRS LVR HDL 4-5/8" EXT. SPT-PC	\$116.50	1

Note: Spec 15 400 - 3

Note: Quoting 1.2 GPM in lieu of 0.5 GPM.

MB-1	0054-ULE-Q Pioneer - SERVICE SINK-7-7/8" TO 8-1/8" LVR HDL RIGID SPT 1/4 TURN-PC	\$193.00	1
	CS-65001 Pioneer - ACCESSORY-STAINLESS STEEL MOP HANGER	\$60.50	1
	CS-65002 Pioneer - ACCESSORY-HOSE BRACKET W/30" LONG HOSE	\$44.60	1

Note: Spec 15 400 - 3

Note: Quoting accessories as options.

S-2	0122-LE1 Pioneer - KITCHEN-TOPMOUNT LVR HDL 8" TUBE SPT-PC	\$132.00	1
-----	--	----------	---

Note: Spec 15 400 - 4

Note: Quoting as alternate.

Section Brand: Powers

Label	Product No. Description	List Price	Qty.
TMV-1	LFSH1434AEMS000 Powers - LFSH1434AEMS000 Sply Fix	\$5,417.00	1

Note: Spec 15 111 - 7

TMV-2	LFLM495-1 Powers - 1/2 LFLM495-1	\$312.00	1
-------	--	----------	---

Note: Spec 15 111 - 7

Note: Quoting without bracket.

Section Brand: Watts Regulators

Label	Product No. Description	List Price	Qty.
4" Fire Protection	709DCDA-OSY-CFM : 4 Watts - cast iron body, replaceable bronze seats, UL listed & FM approved resilient seated OSY shut-off valves, UL/FM outside stem & yoke gate valve, flange connections, cubic feet per minute reading, 4"Ø (102 mm) pipe connection (0387058)	\$8,230.00	1

Note: P-2 - Numbered Notes #2 & Spec 15 111 - 5

RPZ 2"	LF009M2-QT : 2 Watts - Lead Free cast copper silicon alloy body for 1/4" to 2" and fused epoxy coated cast iron body for 2-1/2" and 3", replaceable seats and silicone seat discs, internal pressure differential relief valve in between check modules resilient seated isolation valves, resilient seated screw driver slotted test cocks, quarter turn ball-valves, 2"Ø (51 mm) pipe connection (0391007)	\$1,548.00	1
--------	--	------------	---

	909-AGF Watts - 909-AGF Air Gap (0881378)	\$208.00	1
--	---	----------	---

	LF777SI : 2	\$314.00	1
	Watts - lead free cast copper silicon alloy body, #20 mesh, 304 stainless steel screen, lead free copper silicon alloy retainer cap tapped for closure plug, NBR gasket, lead free brass plug, 2"Ø (51 mm) valve (0379116)		
Note: P-4 - Domestic Water Service Piping Schematic & Spec 15 111 - 4			
PRV 2"	LF223 : 2	\$4,430.00	1
	Watts - Lead Free, High Capacity Water Pressure Reducing Valve, NPT threaded female inlet x NPT threaded female outlet 2"(50mm)		
Note: P-4 - Domestic Water Service Piping Schematic			
Expansion Tank	DETA 12	\$2,109.00	1
	Watts - carbon steel shell, FDA approved butyl, bladder, 40 psi pre-charge pressure, tank volume of 5 gallons (0212027)		
Note: P-4 - Gas Water Heater Piping Schematic (with circulating pump) Note: Quoting as per gallon size.			
Vacuum Relief Valve	LFN36M1 : 1/2	\$78.25	1
	Watts - Lead Free Vacuum Relief Valve, 1/2"(15mm)		
	LFN36M1 : 3/4	\$97.75	1
	Watts - Lead Free brass body construction, Vacuum Relief Valve 3/4"(20mm) (0556031)		
Note: Spec 15 111 - 3			
Dual Check Valves	SD2-MF : 1/4	\$170.50	1
	Watts - 316 stainless steel body with FDA approved internal rubber components, recommended on post-mix carbonated beverage equipment and dispensing equipment for tea and coffee. certified to ANSI / NSF Standard 18, manual food and beverage dispensing equipment, male flare connection, 1/4"Ø (6 mm) pipe connection (0061651)		
	SD2-MF : 3/8	\$180.50	1
	Watts - 316 stainless steel body with FDA approved internal rubber components, recommended on post-mix carbonated beverage equipment and dispensing equipment for tea and coffee. certified to ANSI / NSF Standard 18, manual food and beverage dispensing equipment, male flare connection, 3/8"Ø (10 mm) pipe connection (0061655)		
	SD3-MF : 1/4	\$391.50	1
	Watts - 316 stainless steel body with FDA approved internal rubber components, recommended on post-mix carbonated beverage equipment and dispensing equipment for tea and coffee. certified to ANSI / NSF Standard 18, manual food and beverage dispensing equipment, male flare connection, 1/4"Ø (6 mm) pipe connection (0061653)		
	SD3-MF : 3/8	\$391.50	1
	Watts - 316 stainless steel body with FDA approved internal rubber components, recommended on post-mix carbonated beverage equipment and dispensing equipment for tea and coffee. certified to ANSI / NSF Standard 18, manual food and beverage dispensing equipment, male flare connection, 3/8"Ø (10 mm) pipe connection (0061657)		
Note: Spec 15 111 - 4			
Vacuum Breaker	LF800M4-FR : 3/4	\$375.50	1
	Watts - acetal bonnet with silicon rubber O-ring seal, Lead Free cast copper silicon alloy body, v-notch guided check assembly full replaceable seats and silicone rubber seat disc, built-in repeatable, automatically re-seating when pressure within the valve is below the set point of freeze relief valve, quarter turn ball valve shut-offs, 3/4"Ø (19 mm) pipe connection (0792017)		
	LF800M4-FR : 1	\$380.00	1
	Watts - acetal bonnet with silicon rubber O-ring seal, Lead Free cast copper silicon alloy body, v-notch guided check assembly full replaceable seats and silicone rubber seat disc, built-in repeatable, automatically re-seating when pressure within the valve is below the set point of freeze relief valve, quarter turn ball valve shut-offs, 1"Ø (25 mm) pipe connection (0792018)		
Note: Spec 15 111 - 6			

Section Brand: Watts Drainage

Header: ***NOTE: Watts Drainage does not meet PA.DGS please be advised***

Label	Product No. Description	List Price	Qty.
WH-1	HY-725-88 Watts - 3/4" (19 mm) diameter hose connection, 3/4" (19 mm) female x 1" (25 mm) male pipe connection, non-freeze hydrant, all bronze head, wall mount, concealed, bronze wall casing, chrome plated face, integral vacuum breaker, nickel bronze box and door, wall clamp		1
	HY-725-88,-6,-8 Watts - 6" (152 mm), 8" (203 mm) thick	\$1,547.00	1
	HY-725-88,-10,-12,-14 Watts - 10" (254 mm), 12" (305 mm), 14" (356 mm) thick	\$1,690.00	1
	HY-725-88,-16,-18 Watts - 16" (406 mm), 18" (457 mm) thick	\$1,830.00	1
Note: Spec 15 111 - 6			
FD-1 (8" Strainer)	FD-100-A8-6-7 Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 8" (203 mm) diameter nickel bronze, adjustable round strainer, trap primer connection, vandal proof		1
	FD-100-A8-6-7,2,3,4 Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size	\$906.00	1
	FD-100-A8-6-7,6 Watts - 6"Ø (152 mm)	\$1,026.00	1
Note: Spec 15 150 - 3			
FD-1 (6" strainer)	FD-100-A6-6-7 Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 6" (152 mm) diameter nickel bronze, adjustable round strainer, vandal proof, trap primer connection		1
	FD-100-A6-6-7,2,3,4 Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size	\$643.00	1
	FD-100-A6-6-7,6 Watts - 6"Ø (152 mm)	\$763.00	1
Note: Spec 15 150 - 3			
FD-2	FD-320-Y-5-7 Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 8" (203 mm) diameter, ductile iron, heavy duty, round grate, sediment bucket, trap primer connection		1
	FD-320-Y-5-7,2,3,4 Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size	\$645.50	1
	FD-320-Y-5-7,6 Watts - 6"Ø (152 mm)	\$766.00	1
Note: Spec 15 150 - 3			
FS-1	FS-850-7 Watts - cast iron body, 12" (305 mm) deep, no-hub outlet, aluminum dome bottom strainer, 13" x 13" (330 mm x 330 mm) square, porcelain enamel coated cast iron grate, Trap Primer Tapping		1
	FS-850-7,4,6 Watts - 4"Ø (102 mm), 6"Ø (152 mm) outlet size	\$4,877.00	1
Note: Spec 15 150 - 4			
FS-1 (half grate)	FS-850-FC-7-150 Watts - cast iron body, 12" (305 mm) deep, no-hub outlet, aluminum dome bottom strainer, 13" (330 mm) square, loose set, porcelain enamel coated cast iron grate, flashing clamp, Trap Primer Tapping, 1/2 Grate		1

	FS-850-FC-7-150,4,6	\$5,440.50	1
	Watts - 4" (102 mm), 6" (152 mm) outlet size		
Note: Spec 15 150 - 4 & P-0 - Plumbing Drain Schedule			
FS-1 (open grate)	FS-850-FC-7-33		1
	Watts - cast iron body, 12" (305 mm) deep, no-hub outlet, aluminum dome bottom strainer, 13" (330 mm) square, loose set, porcelain enamel coated cast iron grate, flashing clamp, Trap Primer Tapping, Less Grate		
	FS-850-FC-7-33,4,6	\$4,619.00	1
	Watts - 4" (102 mm), 6" (152 mm) outlet size		
Note: Spec 15 150 - 4			
Wall Cleanout Cover	CO-300-S7	\$604.00	1
	Watts - scoriated, square, access cover, nickel bronze, concealed mounting flanges, 7" (148 mm) square		
Note: Spec 15 150 - 4			
Wall Cleanout (line)	CO-380		1
	Watts - 6" (152 mm) diameter, cast iron body no-hub outlet, removable counter sunk brass plug		
	CO-380,2	\$96.25	1
	Watts - 2"Ø (51 mm)		
	CO-380,3	\$148.50	1
	Watts - 3"Ø (76 mm)		
	CO-380,4	\$205.50	1
	Watts - 4"Ø (102 mm)		
	CO-380,6	\$420.50	1
	Watts - 6"Ø (152 mm)		
Note: Spec 15 150 - 4			
Wall Cleanout (tee)	CO-460		1
	Watts - cast iron stack, no-hub outlet, counter sunk brass plug		
	CO-460,2	\$228.00	1
	Watts - 2"Ø (51 mm)		
	CO-460,3	\$284.00	1
	Watts - 3"Ø (76 mm)		
	CO-460,4	\$441.00	1
	Watts - 4"Ø (102 mm)		
Note: Spec 15 150 - 4			
Floor Cleanout	CO-200-R-6		1
	Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, nickel bronze top, vandal proof		
	CO-200-R-6,2	\$721.50	1
	Watts - 2"Ø (51 mm)		
	CO-200-R-6,3	\$757.00	1
	Watts - 3"Ø (76 mm)		
	CO-200-R-6,4	\$977.00	1
	Watts - 4"Ø (102 mm)		

Note: Spec 15 150 - 5

CARPET CLAMPING FLANGE (-CF) = \$285.00 LIST ADDER

CARPET MARKER (-RC) = \$78.00 LIST ADDER

NB HEAVY DUTY (-RX) = \$155.00 LIST ADDER

TILE RECESS (-T) = NO ADDITIONAL

TERRAZZO RECESS (-U) = \$354.00 LIST ADDER

Trap	LFTP300-DR Series		1
Primer	Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap		
	LFTP300T	\$270.00	1
	Watts - 1/2", Threaded Inlet and Outlet Connect		
	LFTP300S	\$270.00	1
	Watts - 1/2", Soldered Inlet and Outlet Connect		
	LFTP300-DU-DR	\$189.00	1
	Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap, distribution unit		
Note: Spec 15 150 - 5			
EWC-1	CA-431-1	\$1,214.50	1
	Watts - floor mounted bi-level carrier, heavy gauge steel uprights with integral welded feet, universal steel hanger support plate, plated hardware.		
Note: Spec 15 400 - 2			
L-2	TCA-411 Series		1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
	TCA-411	\$989.50	1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
	TCA-411-D	\$1,411.00	1
	Watts - back-to-back floor mounted carrier, heavy gauge steel offset uprights with welded feet, double cross steel plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
Note: Spec 15 400 - 3			
U-1	CA-321	\$839.00	1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, universal steel hanger support plate and bottom bearing plate with integral mounting bracket, plated hardware.		
Note: Spec 15 400 - 4			
WC-1/WC-2	ISCA-103-D	\$6,328.00	1
	Watts - epoxy coated cast iron fitting, 4 in(102mm) no hub waste and 2 in(51mm) no hub vent connections, epoxy coated cast iron patented compression seal faceplate assembly, epoxy coated cast iron foot supports adjustable for standard and wheelchair height, adjustable ABS nipple with integral test cap and neoprene bowl gasket, stainless steel rods and hardware, and chrome plated cap nuts.		
	ISCA-123	\$3,713.00	1
	Watts - epoxy coated cast iron fitting, 4"(102) no hub waste and 2"(51) no hub vent connections, epoxy coated cast iron patented compression seal faceplate assembly, epoxy coated cast iron foot supports adjustable for standard and wheelchair height, ductile iron rear anchor support, adjustable ABS nipple with integral test cap and neoprene bowl gasket, stainless steel support rods and hardware, and chrome plated cap nuts.		
	ISCA-123-D	\$7,154.00	1
	Watts - epoxy coated cast iron fitting, 4 in(102mm) no hub waste and 2 in(51mm) no hub vent connections, epoxy coated cast iron patent pending compression seal faceplate assembly, epoxy coated cast iron foot supports adjustable for standard and wheelchair height, adjustable ABS nipple with integral test cap and neoprene bowl gasket, plated hardware and chrome cap nuts.		

ISCA-133-D	\$7,454.00	1
Watts - epoxy coated cast iron fitting, 4 in.(102mm) no hub waste and 2 in.(51mm) no hub vent connections, 4 in.(102mm) no hub side inlet(s), epoxy coated cast iron patented compression seal faceplate assembly, epoxy coated cast iron foot supports adjustable for standard and wheelchair height, adjustable ABS nipple with integral test cap and neoprene bowl gasket, plated hardware and chrome cap nuts.		
ISCA-103-L/R	\$3,284.00	1
Watts - epoxy coated cast iron fitting, 4 in.(102mm) no hub waste and 2 in.(51mm) no hub vent connections, epoxy coated cast iron patented compression seal faceplate assembly, epoxy coated cast iron foot supports adjustable for standard and wheelchair height, ductile iron rear anchor support, adjustable ABS nipple with integral test cap and neoprene bowl gasket, stainless steel support rods and hardware, and chrome plated cap nuts		
ISCA-133-L/R/2	\$4,017.50	1
Watts - epoxy coated cast iron fitting, 4"(102) no hub waste and 2"(51) no hub vent connections, 4"(102) no hub side inlet(s), epoxy coated cast iron patented compression seal faceplate assembly, epoxy coated cast iron foot supports adjustable for standard and wheelchair height, ductile iron rear anchor support, adjustable ABS nipple with integral test cap and neoprene bowl gasket, stainless steel support rods and hardware, and chrome plated cap nuts.		

Note: Spec 15 400 - 4

Note: Quoting 750lb rated water closet carriers.

NOTE : ***NOTE: Watts Drainage does not meet PA.DGS please be advised***

Special Terms:

All pricing is plus freight unless Mfr freight terms are met.

Pricing good for 30 days.

Pricing subject to change if Mfr pricing changes.

Terms

Above prices are net.

All taxes are extra.

Partial or expedited shipments, at customer request, may result in additional freight charges.

Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.

Please ensure that all quoted product meets your projects specifications.

Our company will only be responsible for products shown on the attached quotation.