



Address: 202 Commerce Blvd, Lawrence , Pennsylvania ,
15055 United States

Phone: (724) 745-5300

Quotation:
Q-714-S

To:	Contractor Holder 202 Commerce Blvd., Lawrence, Pennsylvania 15241	Bid Date:	2019-04-29
Attn.:	N/A	Expiry Date:	2019-05-29
Phone:	724-745-5300	Creator:	Drew Pomrenke , dpomrenke@jboconnor.com
		Sales Rep.:	Casey Devlin , cdevlin@jboconnor.com
		Shipping Address:	One Hospital Way, Butler, Pennsylvania, United States

Job Name: BHS Alterations to 6 Main Nursing Unit Butler, PA

Architect: VEBH Architects

Comments:

Section Brand: Sloan

Label	Product No. Description	List Price	Qty.
WC-1	ST-2009-A Sloan - Standard Height Universal, Top Spud (3873103)	\$86.75	1
	Royal 111 YO Sloan - 1.6 gpf/6.0 Lpf, bumper on angle stop (3010009)	\$211.60	1
<i>Note: P001 - Plumbing Fixture Connection Schedule</i>			
S-1/S-9	SS-3003 Sloan - Vitreous china wall mounted lavatory with backsplash, 4" centers, overflow, ADA compliant, 21" x 19.25" (3873003)	\$86.75	1
<i>Note: P001 - Plumbing Fixture Connection Schedule & Spec 22 45 00 - 66/67</i>			
S-7	SS-3001 Sloan - Standard undermount lavatory, 19-1/2" x 17-1/2" outside, 17" x 14" inside dimensions (3873001)	\$76.50	1
<i>Note: P001 - Plumbing Fixture Connection Schedule & Spec 22 45 00 - 67</i>			
WC-2 (spec)	ST-2459 Sloan - Vitreous China, ADA compliant water closet bowl only, 1.28 GPF, 1.6 GPF, and dual flush 1.6/1.1 GPF with 1-1/2" IPS top spud (2102459)	\$132.60	1
	Royal 111 YO Sloan - 1.6 gpf/6.0 Lpf, bumper on angle stop (3010009)	\$211.60	1
<i>Note: Spec 22 45 00 - 66</i>			

Section Brand: Elkay

Label	Product No. Description	List Price	Qty.
S-6/S-8	ELUH191610 Elkay - 18 Gauge Stainless Steel 21.5' x 18.5' x 10' Single Bowl Undermount Kitchen Sink	\$1,129.00	1
	LK99 Elkay - DRAIN	\$120.00	1
<i>Note: P001 - Plumbing Fixture Connection Schedule & Spec 22 45 00 - 66</i>			
EWC-1	EHWM17C Elkay - 14GA SLIMLINE DUAL FTN	\$3,347.00	1
<i>Note: P001 - Plumbing Fixture Connection Schedule & Spec 22 45 00 - 67</i>			

Section Brand: Pioneer

Label	Product No. Description	List Price	Qty.
S-1	0084-GSAELS Pioneer - BAR/LAUNDRY-4" TWO 4" WRIST HDLS 4-3/32" GOOSENECK SPT-PVD PC	\$137.30	1
<i>Note: P001 - Plumbing Fixture Connection Schedule & Spec 22 45 00 - 66</i>			
<i>Note: Quoting as alternate, 1.5 GPM in lieu of 2.2 GPM.</i>			
S-6/S-7/S-8	0072-GSAELS-Q Pioneer - KITCHEN-CONCEALED 8" TWO 4" WRIST HDLS 4-3/32" GOOSENECK SPT 1/4 TURN-PVD PC	\$173.25	1
<i>Note: P001 - Plumbing Fixture Connection Schedule & Spec 22 45 00 - 67</i>			
<i>Note: Quoting as alternate, 1.5 GPM.</i>			

Section Brand: Powers

Label	Product No. Description	List Price	Qty.
SH-4	P910HH10LWY Powers - Pressure Balancing Valves, 1/2" Copper sweat connections, Low Flow Shower (1.5 gpm), Low Flow (1.5 gpm), Metal Hose, 30"Glide Rail, in-line Vacuum Breaker, Diverter, Concealed, 1/2" IPS Metal Handle	\$1,152.00	1
<i>Note: P001 - Plumbing Fixture Connection Schedule</i>			
SH-4 (spec)	P910HH101WY Powers - Pressure Balancing Valve, 1/2" Copper sweat connection, Low Flow Shower (1.5gpm), Arm & Flange, 24" Chrome ADA Wall Grab Bar System, Vacuum Breaker, in-Line, Diveter, Concealed, 1/2" IPS Metal Handle	\$1,119.00	1
<i>Note: Spec 22 45 00 - 67</i>			
EW-1 (mixing valve)	ES150-11 Powers - ES150 EMERGENCY TEMPER	\$1,126.00	1
<i>Note: Spec 22 45 00 - 67</i>			
<i>Note: Quoting as suggestion.</i>			

Section Brand: Watts Regulators

Label	Product No. Description	List Price	Qty.
TMV ASSE 1070	LFUSG-B M2 Watts - valve shall control temperature from a low of 1/4gpm, 3/8"Ø (10 mm) male compression (0204143)	\$297.50	1
<i>Note: P001 - Detail 1</i>			
<i>Note: Quoting as alternate.</i>			
Vent backflow	9D M3 : 1/2 Watts - forged brass body construction with stainless working parts throughout, atmospheric vent, 1/2"Ø (13 mm) pipe connection (0061935)	\$134.00	1
	9D M2 : 3/4 Watts - forged brass body construction with stainless working parts throughout, atmospheric vent, 3/4"Ø (19 mm) pipe connection (0061888)	\$137.50	1
<i>Note: Spec 22 11 19 - 62</i>			

Section Brand: Watts Drainage

Header: ***NOTE: Watts Drainage does not meet PA.DGS please be advised***

Label	Product No. Description	List Price	Qty.
S-1/S-9	TCA-411 Series Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		1
	TCA-411 Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.	\$989.50	1
	TCA-411-D Watts - back-to-back floor mounted carrier, heavy gauge steel offset uprights with welded feet, double cross steel plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.	\$1,411.00	1
Note: P001 - Plumbing Fixture Connection Schedule			
FD-1	FD-100-A5 Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 5" (127 mm) diameter, nickel bronze, round strainer		1
	FD-100-A5,2,3,4 Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size	\$481.00	1
	FD-100-A5,6 Watts - 6"Ø (152 mm)	\$601.50	1
Note: P001 - Plumbing Fixture Connection Schedule			
EWC-1	CA-431-1 Watts - floor mounted bi-level carrier, heavy gauge steel uprights with integral welded feet, universal steel hanger support plate, plated hardware.	\$1,214.50	1
Note: P001 - Plumbing Fixture Connection Schedule & Spec 22 45 00 - 67			
Shock Absorbers	SS Series Watts - pre-charged, all stainless steel shock arrestors with stainless steel bellows, and male IPS threaded connection. Designed to operate on all domestic and commercial lines up to 150 psi working pressure. Temperature range from -100°F to 300°F (-73°C to 149°C)		1
	SS-A Watts - 1-11 fixture units, 1/2" (13 mm) connection	\$549.50	1
	SS-B Watts - 12-32 fixture units, 3/4" (19 mm) connection	\$1,119.00	1
	SS-C Watts - 33-60, fixture units, 1" (25 mm) connection	\$1,672.00	1
	SS-D Watts - 61-113 fixture units, 1" (25 mm) connection	\$4,191.00	1
	SS-E Watts - 114-154 fixture units, 1" (25 mm) connection	\$4,731.50	1
	SS-F Watts - 155-330 fixture units, 1" (25 mm) connection	\$5,815.00	1
Note: Spec 22 11 19 - 62			
Cleanout (walls)	CO-380-RD Watts - cast iron body counter sunk, brass plug, round, stainless steel access cover and stainless steel vandal proof screw		1

	CO-380-RD,2	\$232.00	1
	Watts - 2"Ø (51 mm)		
	CO-380-RD,3	\$286.00	1
	Watts - 3"Ø (76 mm)		
	CO-380-RD,4	\$343.50	1
	Watts - 4"Ø (102 mm)		
	CO-380-RD,6	\$727.00	1
	Watts - 6"Ø (152 mm)		
Note: Spec 22 11 19 - 63			
Cleanout (floors)	CO-270		1
	Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 6-9/16" (167 mm) round, heavy duty, ductile iron top		
	CO-270,2,3,4	\$452.50	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
Note: Spec 22 11 19 - 63			
Cleanout (finished floors)	CO-200-R		1
	Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, nickel bronze top		
	CO-200-R,2	\$625.50	1
	Watts - 2"Ø (51 mm)		
	CO-200-R,3	\$661.00	1
	Watts - 3"Ø (76 mm)		
	CO-200-R,4	\$881.00	1
	Watts - 4"Ø (102 mm)		
Note: Spec 22 11 19 - 63			
<i>CARPET CLAMPING FLANGE (-CF) = \$285.00 LIST ADDER</i>			
<i>CARPET MARKER (-RC) = \$78.00 LIST ADDER</i>			
<i>NB HEAVY DUTY (-RX) = \$155.00 LIST ADDER</i>			
<i>TILE RECESS (-T) = NO ADDITIONAL</i>			
<i>TERRAZZO RECESS (-U) = \$354.00 LIST ADDER</i>			
Finished Walls	CO-460-RD		1
	Watts - cast iron stack, no-hub outlet, counter sunk brass plug, round, stainless steel access cover and stainless steel vandal proof screw		
	CO-460-RD,2	\$364.00	1
	Watts - 2"Ø (51 mm)		
	CO-460-RD,3	\$417.50	1
	Watts - 3"Ø (76 mm)		
	CO-460-RD,4	\$611.50	1
	Watts - 4"Ø (102 mm)		
Note: Spec 22 11 19 - 63			
Cleanout (exposed piping)	CO-380		1
	Watts - 6" (152 mm) diameter, cast iron body no-hub outlet, removable counter sunk brass plug		
	CO-380,2	\$96.25	1
	Watts - 2"Ø (51 mm)		
	CO-380,3	\$148.50	1
	Watts - 3"Ø (76 mm)		
	CO-380,4	\$205.50	1
	Watts - 4"Ø (102 mm)		

	CO-380,6	\$420.50	1
	Watts - 6"Ø (152 mm)		
Note: Spec 22 11 19 - 63			
WC-2 (spec)	ISCA-101-L/R	\$1,587.50	1
	Watts - single, horizontal, cast iron fitting, left/right side outlet		
	ISCA-101-D	\$2,967.00	1
	Watts - double, horizontal, epoxy coated, cast iron fitting, 4" no hub waste connection, 2" no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, cast iron, foot support		
	ISCA-121	\$1,801.00	1
	Watts - single, vertical, cast iron fitting		
	ISCA-121-D	\$3,182.00	1
	Watts - double, vertical, epoxy coated, cast iron fitting, 4"no hub waste connection, 2" no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support, adjustable for standard and wheelchair height, plated hardware and chrome nuts		
	ISCA-131-L/R	\$2,105.50	1
	Watts - single, vertical, cast iron fitting, left/right side outlet		
	ISCA-131-D	\$3,479.50	1
	Watts - double, vertical, epoxy coated, cast iron fitting, 4"no hub waste connection and 4" no hub side inlet, 2" no hub vent connection. Epoxy coated cast iron patented compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support		
Note: Spec 22 45 00 - 66			
Shower Floor Drain	FD-100-M5		1
	Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 5" x 5" (127 mm x 127 mm) nickel bronze, square strainer		
	FD-100-M5,2,3,4	\$643.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	FD-100-M5,6	\$763.00	1
	Watts - 6"Ø (152 mm)		
Note: Spec 22 45 00 - 67			
<i>Note: Quoting as suggestion.</i>			
FD-1 (stainless steel top)	FD-1100-A5		1
	Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 5" (127 mm) diameter, stainless steel, round strainer		
	FD-1100-A5,2,3,4	\$601.50	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	FD-1100-A5,6	\$721.50	1
	Watts - 6"Ø (152 mm)		
Note: Spec 22 45 00 - 68			
NOTE : ***NOTE: Watts Drainage does not meet PA.DGS please be advised***			

Special Terms:

All pricing is plus freight unless Mfr freight terms are met.

Pricing good for 30 days.

Pricing subject to change if Mfr pricing changes.

Terms

Above prices are net.

All taxes are extra.

Partial or expedited shipments, at customer request, may result in additional freight charges.

Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.

Please ensure that all quoted product meets your projects specifications.

Our company will only be responsible for products shown on the attached quotation.