



Address: 202 Commerce Blvd, Lawrence , Pennsylvania ,
15055 United States

Phone: (724) 745-5300

Quotation:
Q-709-S

To:	Contractor Holder 202 Commerce Blvd., Lawrence, Pennsylvania 15241	Bid Date:	2019-04-26
Attn.:	N/A	Expiry Date:	2019-05-26
Phone:	724-745-5300	Creator:	Drew Pomrenke , dpomrenke@jboconnor.com
		Sales Rep.:	Casey Devlin , cdevlin@jboconnor.com
		Shipping Address:	311 South Seventh Street, Connellsville, Pennsylvania, United States

Job Name: First Energy-WPP Connellsville Building 3 Connellsville, PA

Engineer: Firsching, Marstiller, Rusbarsky and Wolf Engineering, Inc.

Comments:

Section Brand: Sloan

Label	Product No. Description	List Price	Qty.
F-1/F-2	ST-2229 Sloan - Floor mount, Rear Outlet, ADA Top spud water closet, 1.1 to 1.6 gpf (2102229)	\$465.95	1
	Royal 111-1.6 HWS Sloan - Sensor Exposed Flushometer for Floor Mount or Wall Hung Water Closets, 11.5" Rough in, SMOOTH, Hardwired 1.6 gpf/6.0 Lpf, side mount over the handle (3910281)	\$582.00	1
	EL-451 Sloan - Box mount will operate up to 8 flush valves (0345125)	\$103.80	1
<i>Note: P201 - Plumbing Fixture Schedule</i>			
<i>Note: Quoting water closet as per description.</i>			
F-3	SU-1006-A Sloan - Urinal fixture only, 1.0 GPF, 3/4" top spud. Includes Dome strainer (1101006)	\$272.80	1
	ROYAL 186-1 HWS Sloan - ROYAL 186-1.0 SMOOTH HARDWIRE 1.0 gpf (3.8 Lpf) (3912717)	\$582.00	1
	EL-451 Sloan - Box mount will operate up to 8 flush valves (0345125)	\$103.80	1
<i>Note: P201 - Plumbing Fixture Schedule</i>			
F-4	ELRF-84000 Sloan - SloanStone® 4-Station Wall-Mounted Round Front Sink	\$5,216.00	1
<i>Note: P201 - Plumbing Fixture Schedule</i>			
F-5	SS-3021 Sloan - White vitreous china, Undermount rectangular lavatory fixture. Front overflow, 21-5/8" x 15-3/4" x 8-1/4" (3873021)	\$100.90	1
<i>Note: P201 - Plumbing Fixture Schedule</i>			
<i>Note: Quoting as alternate.</i>			
F-5	EFX-200.502.0040) Sloan - Automatic Sink Faucets, 1.5 gpm, Single Hole install, Polished Chrome, Below Deck Thermostatic Mixing Valve, Activated Sensor (3324461)	\$890.60	1
<i>Note: P201 - Plumbing Fixture Schedule</i>			

Section Brand: Pioneer

Label	Product No. Description	List Price	Qty.
F-4	0072-GSAELS-Q Pioneer - KITCHEN-CONCEALED 8" TWO 4" WRIST HDLS 4-3/32" GOOSENECK SPT 1/4 TURN-PVD PC	\$173.25	1

Note: P201 - Plumbing Fixture Schedule
Note: Quoting as alternate.

Section Brand: Powers

Label	Product No. Description	List Price	Qty.
F-4/F-5 (mixing valve)	LFE480-10 Powers - Lavatory Tempering Valve, 0.50 gpm minimum flow, 3/8" Compression Rough Bronze Finish	\$284.00	1

Note: P201 - Plumbing Fixture Schedule
Note: Quoting as alternate, without mounting bracket.

Section Brand: Watts Regulators

Label	Product No. Description	List Price	Qty.
Expansion Tank	PLT-5 Watts - Potable Water Expansion Tanks, drawn steel construction, rugged flexible butyl, diaphragm, 20 psi pre-charge pressure, 150 psi maximum pressure, 200°F maximum temperature, tank volume of 2.1 gallons (0067370)	\$90.50	1

Note: P201 - Women's Locker Room Electric Water Heater Schedule Notes

Section Brand: Watts Drainage

Header: *NOTE: Watts Drainage does not meet PA.DGS please be advised*****

Label	Product No. Description	List Price	Qty.
Floor Drain	FD-100-M5-7 Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 5" x 5" (127 mm x 127 mm) nickel bronze, square strainer, trap primer connection		1
	FD-100-M5-7,2,3,4 Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size	\$643.00	1
	FD-100-M5-7,6 Watts - 6"Ø (152 mm)	\$763.00	1
Trap Primer	LFTP300-DR Series Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap		1
	LFTP300T Watts - 1/2", Threaded Inlet and Outlet Connect	\$270.00	1
	LFTP300S Watts - 1/2", Soldered Inlet and Outlet Connect	\$270.00	1
	LFTP300-DU-DR Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap, distribution unit	\$189.00	1

Note: P101 - Concealed Safe Waste Trap Assembly Piping Schematic

F-3	CA-321	\$839.00	1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, universal steel hanger support plate and bottom bearing plate with integral mounting bracket, plated hardware.		
Note: P201 - Plumbing Fixture Schedule			
WHA	SS Series		1
	Watts - pre-charged, all stainless steel shock arrestors with stainless steel bellows, and male IPS threaded connection. Designed to operate on all domestic and commercial lines up to 150 psi working pressure. Temperature range from -100°F to 300°F (-73°C to 149°C)		
	SS-A	\$549.50	1
	Watts - 1-11 fixture units, 1/2" (13 mm) connection		
	SS-B	\$1,119.00	1
	Watts - 12-32 fixture units, 3/4" (19 mm) connection		
	SS-C	\$1,672.00	1
	Watts - 33-60, fixture units, 1" (25 mm) connection		
	SS-D	\$4,191.00	1
	Watts - 61-113 fixture units, 1" (25 mm) connection		
	SS-E	\$4,731.50	1
	Watts - 114-154 fixture units, 1" (25 mm) connection		
	SS-F	\$5,815.00	1
	Watts - 155-330 fixture units, 1" (25 mm) connection		

Note: P201 - Water Hammer Arrestor Schedule

NOTE : *NOTE: Watts Drainage does not meet PA.DGS please be advised*****

Special Terms:

All pricing is plus freight unless Mfr freight terms are met.

Pricing good for 30 days.

Pricing subject to change if Mfr pricing changes.

Terms

Above prices are net.

All taxes are extra.

Partial or expedited shipments, at customer request, may result in additional freight charges.

Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.

Please ensure that all quoted product meets your projects specifications.

Our company will only be responsible for products shown on the attached quotation.