



Address: 202 Commerce Blvd, Lawrence , Pennsylvania ,
15055 United States

Phone: (724) 745-5300

Quotation:
Q-711-S

| | | | |
|---------------|---|--------------------------|---|
| To: | Contractor Holder 202 Commerce Blvd., Lawrence, Pennsylvania 15241 | Bid Date: | 2019-04-26 |
| Attn.: | N/A | Expiry Date: | 2019-05-26 |
| Phone: | 724-745-5300 | Creator: | Drew Pomrenke , dpomrenke@jboconnor.com |
| | | Sales Rep.: | Casey Devlin , cdevlin@jboconnor.com |
| | | Shipping Address: | 300 Heritage Road, Chalkhill, Pennsylvania, United States |

Job Name: Heritage Shower House Farmington, PA

Engineer: Allen & Shariff Engineering

Comments:

Section Brand: Sloan

| Label | Product No. Description | List Price | Qty. |
|--|--|------------|------|
| WC-1 | ST-2029-A Sloan - ADA Floor Mount Universal, Top Spud (2102029) | \$160.65 | 1 |
| | Sloan 111 Sloan - Exposed Water Closet Flushometer, for floor mounted or wall hung top spud bowls, 1.6 gpf/6.0 Lpf (3780000) | \$192.80 | 1 |
| <i>Note: P1 - Plumbing Fixture Connection Schedule</i> | | | |
| WC-2 | ST-2009-STG Sloan - Standard Top Spud Floor Mount Water Closet (2172009) | \$160.10 | 1 |
| | Sloan 111 Sloan - Exposed Water Closet Flushometer, for floor mounted or wall hung top spud bowls, 1.6 gpf/6.0 Lpf (3780000) | \$192.80 | 1 |
| <i>Note: P1 - Plumbing Fixture Connection Schedule</i> | | | |
| U-1/U-2 | SU-1009-A Sloan - Universal Vitreous china, 3/4" top spud. 0.125, 0.25 and 0.5 GPF includes dome strainer. (1101009) | \$272.80 | 1 |
| | CROWN 186-0.125 Sloan - Exposed, Piston operated, 3/4" top spud 1 GPF (3122665) | \$217.35 | 1 |
| <i>Note: P1 - Plumbing Fixture Connection Schedule</i> | | | |
| L-1/L-1A | SS-3003 Sloan - Vitreous china wall mounted lavatory with backsplash, 4" centers, overflow, ADA compliant, 21" x 19.25" (3873003) | \$86.75 | 1 |
| <i>Note: P1 - Plumbing Fixture Connection Schedule</i> | | | |

Section Brand: Elkay

| Label | Product No. Description | List Price | Qty. |
|--|--|------------|------|
| DF-1 | EHWM217C Elkay - 14GA DUAL FTN | \$3,419.00 | 1 |
| <i>Note: P1 - Plumbing Fixture Connection Schedule</i> | | | |

Section Brand: Pioneer

| Label | Product No. Description | List Price | Qty. |
|--|---|------------|------|
| L-1/S-2 | 0084-GSAELS Pioneer - BAR/LAUNDRY-4" TWO 4" WRIST HDLS 4-3/32" GOOSENECK SPT-PVD PC | \$137.30 | 1 |
| <i>Note: P1 - Plumbing Fixture Connection Schedule</i> | | | |
| <i>Note: Quoting 1.5 GPM in lieu of 0.5 GPM.</i> | | | |
| L-1A | 1137-DLE Pioneer - LAV-4" CNTRS LVR HDL W/BRASS POP-UP DRAIN-PC | \$147.00 | 1 |
| <i>Note: P1 - Plumbing Fixture Connection Schedule</i> | | | |
| <i>Note: Quoting 1.2 GPM in lieu of 0.5 GPM.</i> | | | |
| S-1 | 0094-LE0-Q Pioneer - BAR/LAUNDRY-SHELL TYPE 4" LVR HDL 6" TUBE SPT 1/4 TURN-PC | \$89.80 | 1 |
| <i>Note: P1 - Plumbing Fixture Connection Schedule</i> | | | |
| <i>Note: Quoting as alternate, quoting lever handles in lieu of cross handles.</i> | | | |
| MB-1 | 0054-ULE-Q Pioneer - SERVICE SINK-7-7/8" TO 8-1/8" LVR HDL RIGID SPT 1/4 TURN-PC | \$193.00 | 1 |
| | CS-65001 Pioneer - ACCESSORY-STAINLESS STEEL MOP HANGER | \$60.50 | 1 |
| | CS-65002 Pioneer - ACCESSORY-HOSE BRACKET W/30" LONG HOSE | \$44.60 | 1 |
| <i>Note: P1 - Plumbing Fixture Connection Schedule</i> | | | |
| <i>Note: Quoting accessories as options.</i> | | | |
| <i>Note: Quoting lever handles in lieu of cross handles.</i> | | | |

Section Brand: Powers

| Label | Product No. Description | List Price | Qty. |
|--|---|------------|------|
| MV-2 | LFLM495-1 Powers - 1/2 LFLM495-1 | \$312.00 | 1 |
| <i>Note: P7 - Mixing Valve Schedule</i> | | | |
| <i>Note: Quoting without mounting bracket.</i> | | | |
| SH-1 | P910HH1000 Powers - Pressure Balancing Valve, 1/2" Copper sweat connection, Low Flow Shower (1.5 gpm), Arm & Flange | \$407.00 | 1 |
| <i>Note: P1 - Plumbing Fixture Connection Schedule</i> | | | |
| SH-2/SH-3 | P910HH10NWX Powers - 1/2" copper sweat connection, Low Flow Shower (1.5gpm), Arm & Flange, Professional, Metal Hose, 30" Glide Rail, Vacuum Breaker,in-Line, Diverter, Concealed, 1/2" IPS Metal Handle | \$1,038.00 | 1 |
| <i>Note: P1 - Plumbing Fixture Connection Schedule</i> | | | |
| LAV (mixing valve) | LFE480-10 Powers - Lavatory Tempering Valve, 0.50 gpm minimum flow, 3/8" Compression Rough Bronze Finish | \$284.00 | 1 |
| <i>Note: P6 - Detail 5</i> | | | |

Section Brand: Watts Regulators

| Label | Product No. Description | List Price | Qty. |
|--|--|------------|------|
| Domestic Water Service BFP | LF009M2-QT : 2 Watts - Lead Free cast copper silicon alloy body for 1/4" to 2" and fused epoxy coated cast iron body for 2-1/2" and 3", replaceable seats and silicone seat discs, internal pressure differential relief valve in between check modules resilient seated isolation valves, resilient seated screw driver slotted test cocks, quarter turn ball-valves, 2"Ø (51 mm) pipe connection (0391007) | \$1,548.00 | 1 |
| | 909-AGF Watts - 909-AGF Air Gap (0881378) | \$208.00 | 1 |
| | LF777SI : 2 Watts - lead free cast copper silicon alloy body, #20 mesh, 304 stainless steel screen, lead free copper silicon alloy retainer cap tapped for closure plug, NBR gasket, lead free brass plug, 2"Ø (51 mm) valve (0379116) | \$314.00 | 1 |
| <i>Note: P4 - First Floor Plumbing Supply Plan</i> | | | |
| <i>Note: Quoting as suggestion.</i> | | | |
| ET-1 | PLT-5 Watts - Potable Water Expansion Tanks, drawn steel construction, rugged flexible butyl, diaphragm, 20 psi pre-charge pressure, 150 psi maximum pressure, 200°F maximum temperature, tank volume of 2.1 gallons (0067370) | \$90.50 | 1 |
| <i>Note: P7 - Expansion Tank Schedule</i> | | | |
| MV-1 | LFUSG-B-M2 Watts - Lead Free brass body construction, copper thermostat with stainless steel springs, integral checks and 40 mesh stainless steel screens, 4-port with cap for three port application, "H" pattern body, ASSE 1070 and cUPC, valve shall control temperature from a low of 1/4gpm, 3/8"Ø (10 mm) male compression (0204143) | \$297.50 | 1 |
| <i>Note: P7 - Mixing Valve Schedule</i> | | | |
| <i>Note: Quoting without wall bracket.</i> | | | |

Section Brand: Watts Drainage

Header: ***NOTE: Watts Drainage does not meet PA.DGS please be advised***

| Label | Product No. Description | List Price | Qty. |
|---|--|------------|------|
| FD-1 | FD-100-A6-7 Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 6" (152 mm) diameter, nickel bronze, round strainer, trap primer connection | | 1 |
| | FD-100-A6-7,2,3,4 Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size | \$588.50 | 1 |
| | FD-100-A6-7,6 Watts - 6"Ø (152 mm) | \$709.00 | 1 |
| <i>Note: P1 - Drain and Specialities Schedule</i> | | | |
| <i>Note: Trap seal by others.</i> | | | |
| FD-2 | FD-320-7 Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 7-7/8" (200 mm) diameter, ductile iron, round grate, trap primer connection | | 1 |
| | FD-320-7,2,3,4 Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size | \$711.50 | 1 |
| | FD-320-7,6 Watts - 6"Ø (152 mm) | \$830.00 | 1 |
| <i>Note: P1 - Drain and Specialities Schedule</i> | | | |
| <i>Note: Trap seal by others.</i> | | | |

| | | | | |
|-------------------|---|--|------------|---|
| TD-1 | D-SS | | \$672.00 | 1 |
| | Watts - UV stabilized talc-filled polypropylene channels with integral 4" (102 mm) no-hub bottom outlet(s), pre-sloped trench, 6" (152 mm) wide, including frame connectors, grate lockdowns and construction covers, ductile iron frame, framed anchored grate, stainless steel slotted, Class A | | | |
| | Note: P1 - Drain and Specialties Schedule | | | |
| | Please note trench drain price is per foot. | | | |
| | Note: Quoting as alternate. | | | |
| HB-1 | HY-725 | | | 1 |
| | Watts - 3/4" (19 mm) diameter hose connection, 3/4" (19 mm) female x 1" (25 mm) male pipe connection, non-freeze hydrant, all bronze head, wall mount, concealed, bronze wall casing, chrome plated face, integral vacuum breaker, nickel bronze box and door | | | |
| | HY-725,-6,-8 | | \$1,547.00 | 1 |
| | Watts - 6" (152 mm), 8" (203 mm) thick | | | |
| | HY-725,-10,-12,-14 | | \$1,690.00 | 1 |
| | Watts - 10" (254 mm), 12" (305 mm), 14" (356 mm) thick | | | |
| | HY-725,-16,-18 | | \$1,830.00 | 1 |
| | Watts - 16" (406 mm), 18" (457 mm) thick | | | |
| | Note: P1 - Drain and Specialties Schedule | | | |
| U-1/U-2 | CA-321 | | \$839.00 | 1 |
| | Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, universal steel hanger support plate and bottom bearing plate with integral mounting bracket, plated hardware. | | | |
| | Note: P1 - Plumbing Fixture Connection Schedule | | | |
| L-1 | TCA-411 Series | | | 1 |
| | Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device. | | | |
| | TCA-411 | | \$989.50 | 1 |
| | Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device. | | | |
| | TCA-411-D | | \$1,411.00 | 1 |
| | Watts - back-to-back floor mounted carrier, heavy gauge steel offset uprights with welded feet, double cross steel plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device. | | | |
| | Note: P1 - Plumbing Fixture Connection Schedule | | | |
| DF-1 | CA-431-1 | | \$1,214.50 | 1 |
| | Watts - floor mounted bi-level carrier, heavy gauge steel uprights with integral welded feet, universal steel hanger support plate, plated hardware. | | | |
| | Note: P1 - Plumbing Fixture Connection Schedule | | | |
| Floor Cleanout | CO-200-R | | | 1 |
| | Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, nickel bronze top | | | |
| | CO-200-R,2 | | \$625.50 | 1 |
| | Watts - 2"Ø (51 mm) | | | |
| | CO-200-R,3 | | \$661.00 | 1 |
| | Watts - 3"Ø (76 mm) | | | |

| | | | |
|--|---|------------|---|
| | CO-200-R,4 | \$881.00 | 1 |
| | Watts - 4"Ø (102 mm) | | |
| Note: P6 - Detail 1 | | | |
| CARPET CLAMPING FLANGE (-CF) = \$285.00 LIST ADDER | | | |
| CARPET MARKER (-RC) = \$78.00 LIST ADDER | | | |
| NB HEAVY DUTY (-RX) = \$155.00 LIST ADDER | | | |
| TILE RECESS (-T) = NO ADDITIONAL | | | |
| TERRAZZO RECESS (-U) = \$354.00 LIST ADDER | | | |
| Wall | CO-460-RD | | 1 |
| Cleanout | Watts - cast iron stack, no-hub outlet, counter sunk brass plug, round, stainless steel access cover and stainless steel vandal proof screw | | |
| | CO-460-RD,2 | \$364.00 | 1 |
| | Watts - 2"Ø (51 mm) | | |
| | CO-460-RD,3 | \$417.50 | 1 |
| | Watts - 3"Ø (76 mm) | | |
| | CO-460-RD,4 | \$611.50 | 1 |
| | Watts - 4"Ø (102 mm) | | |
| Note: P6 - Detail 3 | | | |
| Wall | CO-300-S7 | \$604.00 | 1 |
| Cleanout | Watts - scoriated, square, access cover, nickel bronze, concealed mounting flanges, 7" (148 mm) square | | |
| Access Cover | | | |
| Note: P6 - Detail 3 | | | |
| SA | LF15M2-DR Series | | 1 |
| | Watts - pre-charged copper water hammer arrestor with polypropylene piston, EPDM o-ring seal and brass NPT threaded connection. Designed to operate on all domestic and commercial lines up to 150psi (10.6 bar) working pressure. Temperature range from 33°F to 180°F (0.5°C to 82°C) | | |
| | LF15M2-A-DR | \$175.00 | 1 |
| | Watts - 1-11 fixture units, 1/2" (13 mm) connection | | |
| | LF15M2-B-DR | \$335.50 | 1 |
| | Watts - 12-32 fixture units, 3/4" (19 mm) connection | | |
| | LF15M2-C-DR | \$529.50 | 1 |
| | Watts - 33-60, fixture units, 1" (25 mm) connection | | |
| | LF15M2-D-DR | \$1,118.00 | 1 |
| | Watts - 61-113 fixture units, 1" (25 mm) connection | | |
| | LF15M2-E-DR | \$1,391.00 | 1 |
| | Watts - 114-154 fixture units, 1" (25 mm) connection | | |
| | LF15M2-F-DR | \$1,656.00 | 1 |
| | Watts - 155-330 fixture units, 1" (25 mm) connection | | |

Note: P7 - Shock Arrestor Schedule

NOTE : ***NOTE: Watts Drainage does not meet PA.DGS please be advised***

Special Terms:

All pricing is plus freight unless Mfr freight terms are met.

Pricing good for 30 days.

Pricing subject to change if Mfr pricing changes.

Terms

Above prices are net.

All taxes are extra.

Partial or expedited shipments, at customer request, may result in additional freight charges.

Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.

Please ensure that all quoted product meets your projects specifications.

Our company will only be responsible for products shown on the attached quotation.