



Address: 202 Commerce Blvd, Lawrence , Pennsylvania ,
15055 United States

Phone: (724) 745-5300

Quotation:
Q-739-S

| | | | |
|---------------|---|--------------------------|---|
| To: | Contractor Holder 202 Commerce Blvd., Lawrence, Pennsylvania 15241 | Bid Date: | 2019-05-24 |
| Attn.: | N/A | Expiry Date: | 2019-06-23 |
| Phone: | 724-745-5300 | Creator: | Drew Pomrenke , dpomrenke@jboconnor.com |
| | | Sales Rep.: | Casey Devlin , cdevlin@jboconnor.com |
| | | Shipping Address: | 2907 Pleasant Valley Blvd, Altoona, Pennsylvania, United States |

Job Name: Expand for Specialty Clinic on 3rd Floor Altoona, PA

Architect: Derby Enterprises

Comments:

Section Brand: Sloan

| Label | Product No. Description | List Price | Qty. |
|-------|--|------------|------|
| P-103 | ST-2459 Sloan - Vitreous China, ADA compliant water closet bowl only, 1.28 GPF, 1.6 GPF, and dual flush 1.6/1.1 GPF with 1-1/2" IPS top spud (2102459) | \$132.60 | 1 |

| | | | |
|--|--|----------|---|
| | ROYAL 111 SMO M Sloan - Sensor Exposed Flushometer for Floor Mount or Wall Hung Water Closets, 11.5" Rough in, SMO, Battery-powered 1.6 gpf/6.0 Lpf, side mount operator (3910176) | \$515.05 | 1 |
|--|--|----------|---|

Note: Spec 22 4000 - 6

Note: Quoting water closet as suggestion no model specified.

| | | | |
|-------|---|---------|---|
| P-418 | SS-3003 Sloan - Vitreous china wall mounted lavatory with backsplash, 4" centers, overflow, ADA compliant, 21" x 19.25" (3873003) | \$86.75 | 1 |
|-------|---|---------|---|

| | | | |
|--|--|----------|---|
| | SF-2200 Sloan - Sensor activated, electronic, gooseneck hand washing faucet for tempered or hot/cold water operation. 4" trim plate, ADA compliant, 6 VDC, chrome plated brass. 2.2 GPM Laminar flow (3362109) | \$470.10 | 1 |
|--|--|----------|---|

| | | | |
|--|---|---------|---|
| | SPF-6 Sloan - Plug-In 6 VDC for SF Series | \$32.05 | 1 |
|--|---|---------|---|

Note: Spec 22 4000 - 6

Note: Quoting water closet as suggestion no model specified.

Section Brand: Elkay

| Label | Product No. Description | List Price | Qty. |
|-------|--|------------|------|
| P-524 | LRADQ3321650 Elkay - 18 Gauge Stainless Steel 33' x 21.25' x 6.5' Double Bowl Top Mount Kitchen Sink | \$1,379.00 | 1 |

| | | | |
|--|------------------------------|----------|---|
| | LK99 Elkay - DRAIN | \$120.00 | 2 |
|--|------------------------------|----------|---|

Note: Spec 22 4000 - 7

Note: Quoting as suggestion no model specified.

| | | | |
|-------------|--|----------|---|
| P-528/P-529 | LR20220 Elkay - 18 Gauge Stainless Steel 19.5' x 22' x 7.625' Single Bowl Top Mount Kitchen Sink | \$848.00 | 1 |
|-------------|--|----------|---|

LK99

\$120.00 2

Elkay - DRAIN

Note: Spec 22 4000 - 8

Note: Quoting as suggestion no model specified.

Section Brand: Pioneer

| Label | Product No. Description | List Price | Qty. |
|-------|--|------------|------|
| P-502 | 0054-ULE-Q Pioneer - SERVICE SINK-7-7/8" TO 8-1/8" LVR HDL RIGID SPT 1/4 TURN-PC | \$193.00 | 1 |
| | CS-65001 Pioneer - ACCESSORY-STAINLESS STEEL MOP HANGER | \$60.50 | 1 |
| | CS-65002 Pioneer - ACCESSORY-HOSE BRACKET W/30" LONG HOSE | \$44.60 | 1 |

Note: Spec 22 4000 - 7

Note: Quoting as suggestion no model specified.

Note: Quoting accessories as options.

| | | | |
|----------------------|---|----------|---|
| P-524 (option 21) | 0084-GSAELS Pioneer - BAR/LAUNDRY-4" TWO 4" WRIST HDLS 4-3/32" GOOSENECK SPT-PVD PC | \$137.30 | 1 |
|----------------------|---|----------|---|

Note: Spec 22 4000 - 8
Note: Quoting as suggestion no model specified.
Note: Quoting faucet with 4" centres.

| | | | |
|---------------------|--|----------|---|
| P-524 (option 2) | 0072-GSAELS-Q Pioneer - KITCHEN-CONCEALED 8" TWO 4" WRIST HDLS 4-3/32" GOOSENECK SPT 1/4 TURN-PVD PC | \$173.25 | 1 |
|---------------------|--|----------|---|

Note: Spec 22 4000 - 8
Note: Quoting as suggestion no model specified.
Note: Quoting faucet with 8" centres.

| | | | |
|-------|--|----------|---|
| P-529 | 0123-LE6 Pioneer - KITCHEN-TOPMOUNT 8" LVR HDL 8" D STYLE SPT W/SIDE SPRAY ASSY-PC | \$157.00 | 1 |
|-------|--|----------|---|

Note: Spec 22 4000 - 8
Note: Quoting as suggestion no model specified.
Note: Quoting lever handles in lieu of wrist blades.

Section Brand: Powers

| Label | Product No. Description | List Price | Qty. |
|--|---|------------|------|
| ASSE 1070 Point of Use Mixing Valve | LFE480-10 Powers - Lavatory Tempering Valve, 0.50 gpm minimum flow, 3/8" Compression Rough Bronze Finish | \$284.00 | 1 |

Note: 1-B-1-2-3-P1 - Drawing Notes #5 & Spec 22 0523 - 9

Section Brand: Watts Drainage**Header:** ***NOTE: Watts Drainage does not meet PA.DGS please be advised***

| Label | Product No. Description | List Price | Qty. |
|-------------------------|--|------------|------|
| WHA (piston type) | LF15M2-DR Series Watts - pre-charged copper water hammer arrestor with polypropylene piston, EPDM o-ring seal and brass NPT threaded connection. Designed to operate on all domestic and commercial lines up to 150psi (10.6 bar) working pressure. Temperature range from 33°F to 180°F (0.5°C to 82°C) | | 1 |
| | LF15M2-A-DR Watts - 1-11 fixture units, 1/2" (13 mm) connection | \$175.00 | 1 |

| | | | |
|---|---|------------|---|
| | LF15M2-B-DR | \$335.50 | 1 |
| | Watts - 12-32 fixture units, 3/4" (19 mm) connection | | |
| | LF15M2-C-DR | \$529.50 | 1 |
| | Watts - 33-60, fixture units, 1" (25 mm) connection | | |
| | LF15M2-D-DR | \$1,118.00 | 1 |
| | Watts - 61-113 fixture units, 1" (25 mm) connection | | |
| | LF15M2-E-DR | \$1,391.00 | 1 |
| | Watts - 114-154 fixture units, 1" (25 mm) connection | | |
| | LF15M2-F-DR | \$1,656.00 | 1 |
| | Watts - 155-330 fixture units, 1" (25 mm) connection | | |
| Note: 1-B-1-2-3-P1 - Drawing Notes #6 & Spec 22 1100 - 8 | | | |
| Downspout | RD-980 | \$1,314.00 | 1 |
| Boot | Watts - epoxy coated, 5" x 4" x 24", cast iron, countersunk securing strap, 4" no hub pipe connection | | |
| Note: 1-B-1-2-3-R-P2 - Detail 1 & Spec 22 1400 - 10 | | | |
| Backwater Valve | BV-200 | | 1 |
| | Watts - cast iron body, no-hub outlet, bronze seat and flapper | | |
| | BV-203 | \$2,037.00 | 1 |
| | Watts - 3" (76 mm) pipe size | | |
| | BV-204 | \$2,505.00 | 1 |
| | Watts - 4" (102 mm) pipe size | | |
| | BV-206 | \$3,597.00 | 1 |
| | Watts - 6" (152 mm) pipe size | | |
| Note: Spec 22 0523 - 7 | | | |
| <i>Note: Quoting as suggestion no model specified.</i> | | | |
| Trap | LFTP300-DR Series | | 1 |
| Primer /TP-1 | Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap | | |
| | LFTP300T | \$270.00 | 1 |
| | Watts - 1/2", Threaded Inlet and Outlet Connect | | |
| | LFTP300S | \$270.00 | 1 |
| | Watts - 1/2", Soldered Inlet and Outlet Connect | | |
| | LFTP300-DU-DR | \$189.00 | 1 |
| | Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap, distribution unit | | |
| Note: Spec 22 1100 - 8 & Spec 22 1100 - 9 | | | |
| Floor Cleanout Square | CO-200-S | | 1 |
| | Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" x 5" (127 mm x 127 mm) square, nickel bronze top | | |
| | CO-200-S,2 | \$625.50 | 1 |
| | Watts - 2"Ø (51 mm) | | |
| | CO-200-S,3 | \$661.00 | 1 |
| | Watts - 3"Ø (76 mm) | | |
| | CO-200-S,4 | \$881.00 | 1 |
| | Watts - 4"Ø (102 mm) | | |
| Note: Spec 22 1100 - 8 & Spec 22 1400 - 9 | | | |
| <i>Note: Quoting as suggestion no model specified.</i> | | | |
| <i>NB HEAVY DUTY (-SX) = \$155.00 LIST ADDER</i> | | | |
| <i>TILE RECESS (-TS) = NO ADDITIONAL</i> | | | |
| <i>TERRAZZO RECESS (-US) = \$354.00 LIST ADDER</i> | | | |

| | | | |
|--|---|----------|---|
| Cleanout wall | CO-460-RD | | 1 |
| | Watts - cast iron stack, no-hub outlet, counter sunk brass plug, round, stainless steel access cover and stainless steel vandal proof screw | | |
| | CO-460-RD,2 | \$364.00 | 1 |
| | Watts - 2"Ø (51 mm) | | |
| | CO-460-RD,3 | \$417.50 | 1 |
| | Watts - 3"Ø (76 mm) | | |
| | CO-460-RD,4 | \$611.50 | 1 |
| | Watts - 4"Ø (102 mm) | | |
| Note: Spec 22 1100 - 8 & Spec 22 1400 - 9 | | | |
| Note: Quoting as suggestion no model specified. | | | |
| Cleanout Access Cover | CO-300-S7 | \$604.00 | 1 |
| | Watts - scoriated, square, access cover, nickel bronze, concealed mounting flanges, 7" (148 mm) square | | |
| Note: Spec 22 1100 - 8 & Spec 22 1400 - 9 | | | |
| Note: Quoting as suggestion no model specified. | | | |
| Cleanout horizontal | CO-380 | | 1 |
| | Watts - 6" (152 mm) diameter, cast iron body no-hub outlet, removable counter sunk brass plug | | |
| | CO-380,2 | \$96.25 | 1 |
| | Watts - 2"Ø (51 mm) | | |
| | CO-380,3 | \$148.50 | 1 |
| | Watts - 3"Ø (76 mm) | | |
| | CO-380,4 | \$205.50 | 1 |
| | Watts - 4"Ø (102 mm) | | |
| | CO-380,6 | \$420.50 | 1 |
| | Watts - 6"Ø (152 mm) | | |
| Note: Spec 22 1100 - 8 & Spec 22 1400 - 9 | | | |
| Note: Quoting as suggestion no model specified. | | | |
| FD-C (round) | FD-100-A6 | | 1 |
| | Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 6" (152 mm) diameter, nickel bronze, round strainer | | |
| | FD-100-A6,2,3,4 | \$588.50 | 1 |
| | Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size | | |
| | FD-100-A6,6 | \$708.50 | 1 |
| | Watts - 6"Ø (152 mm) | | |
| Note: Spec 22 1100 - 9 | | | |
| Note: Quoting as suggestion no model specified. | | | |
| FD-C (square) | FD-100-M6 | | 1 |
| | Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 6" x 6" (152 mm x 152 mm) nickel bronze, square strainer | | |
| | FD-100-M6,2,3,4 | \$716.50 | 1 |
| | Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size | | |
| | FD-100-M6,6 | \$835.00 | 1 |
| | Watts - 6"Ø (152 mm) | | |
| Note: Spec 22 1100 - 9 | | | |
| Note: Quoting as suggestion no model specified. | | | |
| RD | RD-300 | | 1 |
| | Watts - 16-5/8" (422 mm) diameter cast iron body, flashing clamp, no-hub outlet, 15-1/4" (387 mm) diameter, polyethylene dome | | |
| | RD-300,2,3,4 | \$707.50 | 1 |
| | Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size | | |

| | | | |
|---|---|------------|---|
| | RD-300,5,6 | \$1,010.00 | 1 |
| | Watts - 5"Ø (127 mm), 6"Ø (152 mm) outlet size | | |
| | RD-300,8,10 | \$1,313.00 | 1 |
| | Watts - 8"Ø (203 mm), 10"Ø (254 mm) outlet size | | |
| Note: Spec 22 1400 - 10; | | | |
| <i>Note: Quoting as suggestion no model specified.</i> | | | |
| <i>SUMP RECEIVER (-B) = \$268.50 LIST ADDER</i> | | | |
| <i>UNDERDECK CLAMP (-D) = \$240.50 LIST ADDER</i> | | | |
| <i>DECK FLANGE/ADJ. EXTENSION (-F) = \$659.50 LIST ADDER</i> | | | |
| <i>DUCTILE IRON DOME (-K) = \$210.50 LIST ADDER</i> | | | |
| <i>2" EXTERNAL WATER DAM (-R) = \$230.50 LIST ADDER</i> | | | |
| <i>ADJUSTABLE INTERNAL WATER DAM (-W) = \$423.00 LIST ADDER</i> | | | |
| Expansion Joints | RD-900 | | 1 |
| | Watts - neoprene expansion joint, no hub (MJ) clamps | | |
| | RD-900,2 | \$298.00 | 1 |
| | Watts - 2"Ø (51 mm) | | |
| | RD-900,3 | \$345.50 | 1 |
| | Watts - 3"Ø (76 mm) | | |
| | RD-900,4 | \$404.00 | 1 |
| | Watts - 4"Ø (102 mm) | | |
| Note: Spec 22 1400 - 10 | | | |
| <i>Note: Quoting as suggestion no model specified.</i> | | | |
| Downspout Nozzle | RD-940 | | 1 |
| | Watts - cast nickel bronze, anchor flange and pre-drilled counter-sunk mounting holes | | |
| | RD-940,2,3,4 | \$1,083.00 | 1 |
| | Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size | | |
| | RD-940,5,6 | \$1,942.00 | 1 |
| | Watts - 5"Ø (127 mm), 6"Ø (152 mm) outlet size | | |
| | RD-940,8 | \$2,655.00 | 1 |
| | Watts - 8"Ø (203 mm) | | |
| | RD-940,10 | \$3,464.00 | 1 |
| | Watts - 10"Ø (254 mm) | | |
| | RD-940,12 | \$4,289.00 | 1 |
| | Watts - 12"Ø (305 mm) | | |
| Note: Spec 22 1400 - 10 | | | |
| <i>Note: Quoting as suggestion no model specified.</i> | | | |
| P-103 | ISCA-101-L/R | \$1,587.50 | 1 |
| | Watts - single, horizontal, cast iron fitting, left/right side outlet | | |
| | ISCA-101-D | \$2,967.00 | 1 |
| | Watts - double, horizontal, epoxy coated, cast iron fitting, 4" no hub waste connection, 2" no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, cast iron, foot support | | |
| | ISCA-121 | \$1,801.00 | 1 |
| | Watts - single, vertical, cast iron fitting | | |
| | ISCA-121-D | \$3,182.00 | 1 |
| | Watts - double, vertical, epoxy coated, cast iron fitting, 4"no hub waste connection, 2" no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support, adjustable for standard and wheelchair height, plated hardware and chrome nuts | | |
| | ISCA-131-L/R | \$2,105.50 | 1 |
| | Watts - single, vertical, cast iron fitting, left/right side outlet | | |

| | | | |
|-------------------------------|--|------------|---|
| | ISCA-131-D | \$3,479.50 | 1 |
| | Watts - double, vertical, epoxy coated, cast iron fitting, 4"no hub waste connection and 4" no hub side inlet, 2" no hub vent connection. Epoxy coated cast iron patented compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support | | |
| Note: Spec 22 4000 - 6 | | | |
| P-418 | TCA-411 Series | | 1 |
| | Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device. | | |
| | TCA-411 | \$989.50 | 1 |
| | Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device. | | |
| | TCA-411-D | \$1,411.00 | 1 |
| | Watts - back-to-back floor mounted carrier, heavy gauge steel offset uprights with welded feet, double cross steel plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device. | | |

Note: Spec 22 4000 - 6

NOTE : ***NOTE: Watts Drainage does not meet PA.DGS please be advised***

Special Terms:

All pricing is plus freight unless Mfr freight terms are met.
Pricing good for 30 days.
Pricing subject to change if Mfr pricing changes.

Terms

Above prices are net.
All taxes are extra.
Partial or expedited shipments, at customer request, may result in additional freight charges.
Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.
Please ensure that all quoted product meets your projects specifications.
Our company will only be responsible for products shown on the attached quotation.