



Address: 202 Commerce Blvd, Lawrence , Pennsylvania ,
15055 United States

Phone: (724) 745-5300

Quotation:
Q-734-S

To:	Contractor Holder 202 Commerce Blvd., Lawrence, Pennsylvania 15241	Bid Date:	2019-05-22
Attn.:	N/A	Expiry Date:	2019-06-21
Phone:	724-745-5300	Creator:	Drew Pomrenke , dpomrenke@jboconnor.com
		Sales Rep.:	Casey Devlin , cdevlin@jboconnor.com
		Shipping Address:	1 Foster Avenue, Pittsburgh, Pennsylvania, United States

Job Name: Planet Fitness - Crafton Pittsburg,PA

Engineer: Aedifica **Architect:** Sargenti Architects

Comments:

Section Brand: Sloan

Label	Product No. Description	List Price	Qty.
WC-1	ST-2459-STG Sloan - Vitreous China, ADA compliant water closet bowl only, 1.28 GPF, 1.6 GPF, and dual flush 1.6/1.1 GPF with 1-1/2" IPS top spud, with Sloan-Tec Hydrophobic antibacterial glaze (2172459)	\$157.55	1
	Royal 111-1.28 ES-S Sloan - Hardwired 1.28 gpf/4.8 Lpf, electronic sensor solenoid operated (3450049)	\$697.65	1
	EL-154 Sloan - 50 VA Transformer (0345154PK)	\$47.00	1
<i>Note: P-300 - Plumbing Fixture Schedule</i>			
UR-1	SU-1009-A Sloan - Universal Vireous china, 3/4" top spud. 0.125, 0.25 and 0.5 GPF includes dome strainer. (1101009)	\$272.80	1
	G2 8186-0.5 Sloan - Exposed, Battery Powered, Sensor Operated G2 Model Urinal Flushometer(3250424)	\$637.25	1
<i>Note: P-300 - Plumbing Fixture Schedule</i> <i>Note: Quoting urinal as suggestion, model specified for lav.</i>			
LAV-1	SS-3001 Sloan - Standard undermount lavatory, 19-1/2" x 17-1/2" outside, 17" x 14" inside dimensions (3873001)	\$76.50	1
	EAF-100-PLG-ISM-CP-0.35-MLM-IR-IQ-FCT Sloan - Optima Faucet Plug Adapter Power Supply, Integrated Side Mixer, Polished Chrome Finish, 0.35 gpm, Multi-Laminar Spray, Infrared Sensor, Optima® Hardwired-Powered Deck-Mounted Mid Body Faucet. (3335157)	\$843.10	1
	EAF-37 Sloan - 6 VDC Box mount adapter, will serve up to 10 EAF faucets (0335037)	\$110.10	1

Note: P-300 - Plumbing Fixture Schedule

Section Brand: Elkay

Label	Product No. Description	List Price	Qty.
EWC-1	VRCGRNTL8WSK Elkay - VRCGRN8TL W/EZH2O	\$2,772.00	1

*Note: P-300 - Plumbing Fixture Schedule***Section Brand: Pioneer**

Label	Product No. Description	List Price	Qty.
MSB-1	0054-ULE-Q Pioneer - SERVICE SINK-7-7/8" TO 8-1/8" LVR HDL RIGID SPT 1/4 TURN-PC	\$193.00	1
	CS-65001 Pioneer - ACCESSORY-STAINLESS STEEL MOP HANGER	\$60.50	1
	CS-65002 Pioneer - ACCESSORY-HOSE BRACKET W/30" LONG HOSE	\$44.60	1

*Note: P-300 - Plumbing Fixture Schedule**Note: Quoting as alternate, lever handles in lieu of cross handles.***Section Brand: Powers**

Label	Product No. Description	List Price	Qty.
SH-1	P910HH1000 Powers - Pressure Balancing Valve, 1/2" Copper sweat connection, Low Flow Shower (1.5 gpm), Arm & Flange	\$407.00	1
SH-2	P910HH101WY Powers - Pressure Balancing Valve, 1/2" Copper sweat connection, Low Flow Shower (1.5gpm), Arm & Flange, 24" Chrome ADA Wall Grab Bar System, Vacuum Breaker, in-Line, Diveter, Concealed, 1/2" IPS Metal Handle	\$1,119.00	1
TMV-1	LFLM495-1 Powers - 1/2 LFLM495-1	\$312.00	1

*Note: P-300 - Plumbing Fixture Schedule**Note: Quoting as alternate.**Note: P-300 - Plumbing Fixture Schedule**Note: Quoting as alternate.**Note: P-300 - Plumbing Fixture Schedule***Section Brand: Watts Regulators**

Label	Product No. Description	List Price	Qty.
RPZPB	LF909M1-QT : 1 1/2 Watts - Lead Free cast copper silicon alloy body, replaceable seats, internal pressure differential relief valve in between check modules tight closing resilient seated shut-off valve, quarter turn ball-valves, 1-1/2"Ø (38 mm) pipe connection (0391011)	\$2,919.00	1
	909-AGF Watts - 909-AGF Air Gap (0881378)	\$208.00	1
	LF777SI : 1 1/2 Watts - lead free cast copper silicon alloy body, #20 mesh, 304 stainless steel screen, lead free copper silicon alloy retainer cap tapped for closure plug, NBR gasket, lead free brass plug, 1-1/2"Ø (38 mm) valve (0379115)	\$213.00	1

Note: P-300 - Plumbing Fixture Schedule

RPZPB (alternate)	LF009M2-QT : 1 1/2	\$1,304.00	1
Watts - Lead Free cast copper silicon alloy body for 1/4" to 2" and fused epoxy coated cast iron body for 2-1/2" and 3", replaceable seats and silicone seat discs, internal pressure differential relief valve in between check modules resilient seated isolation valves, resilient seated screw driver slotted test cocks, quarter turn ball-valves, 1-1/2"Ø (38 mm) pipe connection (0391006)			

	909-AGF	\$208.00	1
Watts - 909-AGF Air Gap (0881378)			

	LF777SI : 1 1/2	\$213.00	1
Watts - lead free cast copper silicon alloy body, #20 mesh, 304 stainless steel screen, lead free copper silicon alloy retainer cap tapped for closure plug, NBR gasket, lead free brass plug, 1-1/2"Ø (38 mm) valve (0379115)			

Note: P-300 - Plumbing Fixture Schedule

WH-1 (option 1)	SC8-4	\$81.25	1
Watts - adjustable packing nut, cast brass body, wall mount, Watts Model 8B tamper-proof vacuum breaker with break-away screw, lawn faucet, 3/4" female NPT regular pattern with cast iron hand wheel (0611450)			

Note: P-300 - Plumbing Fixture Schedule

Note: Quoting as alternate with vacuum breaker.

WH-1 option 2) (backflow)	LF009M3-QT : 3/4	\$673.00	1
Watts - Lead Free cast copper silicon alloy body for 1/4" to 2" and fused epoxy coated cast iron body for 2-1/2" and 3", replaceable seats and silicone seat discs, internal pressure differential relief valve in between check modules resilient seated isolation valves, resilient seated screw driver slotted test cocks, quarter turn ball-valves, 3/4"Ø (19 mm) pipe connection (0391003)			

	909-AGC	\$106.50	1
Watts - 909-AGC Air Gap (0881376)			

	LF777SI : 3/4	\$91.50	1
Watts - lead free cast copper silicon alloy body, #20 mesh, 304 stainless steel screen, lead free copper silicon alloy retainer cap tapped for closure plug, NBR gasket, lead free brass plug, 3/4"Ø (19 mm) valve (0379112)			

Note: P-300 - Plumbing Fixture Schedule

RPZBFP 2"	LF009M2-QT : 2	\$1,548.00	1
Watts - Lead Free cast copper silicon alloy body for 1/4" to 2" and fused epoxy coated cast iron body for 2-1/2" and 3", replaceable seats and silicone seat discs, internal pressure differential relief valve in between check modules resilient seated isolation valves, resilient seated screw driver slotted test cocks, quarter turn ball-valves, 2"Ø (51 mm) pipe connection (0391007)			

	909-AGF	\$208.00	1
Watts - 909-AGF Air Gap (0881378)			

	LF777SI : 2	\$314.00	1
Watts - lead free cast copper silicon alloy body, #20 mesh, 304 stainless steel screen, lead free copper silicon alloy retainer cap tapped for closure plug, NBR gasket, lead free brass plug, 2"Ø (51 mm) valve (0379116)			

Note: P-400 - Water Riser Diagram A

Note: Quoting size as per line size.

Section Brand: Watts Drainage

Header: ***NOTE: Watts Drainage does not meet PA.DGS please be advised***

Label	Product No. Description	List Price	Qty.
FD-1	FD-1100-M6		1
Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 6" x 6" (152 mm x 152 mm), stainless steel, square strainer			

	FD-1100-M6,2,3,4	\$834.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	FD-1100-M6,6	\$954.00	1
	Watts - 6"Ø (152 mm)		
Note: P-300 - Plumbing Fixture Schedule			
TD-1	P-RSS	\$659.00	1
	Watts - UV stabilized talc-filled polypropylene channels with integral 4" (102 mm) no-hub bottom outlet, pre-sloped trench, pre-sloped trench, 6" (152 mm) wide, including frame connectors, grate lockdowns and construction covers, UV stabilized glass-filled polypropylene frame, framed anchored grate, reinforced stainless steel slotted, Class C		
Note: P-300 - Plumbing Fixture Schedule Please note trench drain price is per foot.			
FCO	CO-410		1
	Watts - cast iron body scoriated access housing, heavy duty, ductile iron cover, securing thumb screws		
	CO-410,3,4	\$423.00	1
	Watts - 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	CO-410,6	\$558.50	1
	Watts - 6"Ø (152 mm)		
Note: P-300 - Plumbing Fixture Schedule			
WCO-1	CO-380-RD		1
	Watts - cast iron body counter sunk, brass plug, round, stainless steel access cover and stainless steel vandal proof screw		
	CO-380-RD,2	\$232.00	1
	Watts - 2"Ø (51 mm)		
	CO-380-RD,3	\$286.00	1
	Watts - 3"Ø (76 mm)		
	CO-380-RD,4	\$343.50	1
	Watts - 4"Ø (102 mm)		
	CO-380-RD,6	\$727.00	1
	Watts - 6"Ø (152 mm)		
Note: P-300 - Plumbing Fixture Schedule			
WC-1	ISCA-101-L/R	\$1,587.50	1
	Watts - single, horizontal, cast iron fitting, left/right side outlet		
	ISCA-101-D	\$2,967.00	1
	Watts - double, horizontal, epoxy coated, cast iron fitting, 4" no hub waste connection, 2" no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, cast iron, foot support		
	ISCA-121	\$1,801.00	1
	Watts - single, vertical, cast iron fitting		
	ISCA-121-D	\$3,182.00	1
	Watts - double, vertical, epoxy coated, cast iron fitting, 4"no hub waste connection, 2" no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support, adjustable for standard and wheelchair height, plated hardware and chrome nuts		
	ISCA-131-L/R	\$2,105.50	1
	Watts - single, vertical, cast iron fitting, left/right side outlet		

	ISCA-131-D	\$3,479.50	1
	Watts - double, vertical, epoxy coated, cast iron fitting, 4"no hub waste connection and 4" no hub side inlet, 2" no hub vent connection. Epoxy coated cast iron patented compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support		
Note: P-300 - Plumbing Fixture Schedule			
UR-1	CA-321	\$839.00	1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, universal steel hanger support plate and bottom bearing plate with integral mounting bracket, plated hardware.		
Note: P-300 - Plumbing Fixture Schedule			
LAV-1	TCA-411 Series		1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
	TCA-411	\$989.50	1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
	TCA-411-D	\$1,411.00	1
	Watts - back-to-back floor mounted carrier, heavy gauge steel offset uprights with welded feet, double cross steel plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
Note: P-300 - Plumbing Fixture Schedule			
EWC-1	CA-431-1	\$1,214.50	1
	Watts - floor mounted bi-level carrier, heavy gauge steel uprights with integral welded feet, universal steel hanger support plate, plated hardware.		
Note: P-300 - Plumbing Fixture Schedule			
TP-1	LFTP300-DR Series		1
	Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap		
	LFTP300T	\$270.00	1
	Watts - 1/2", Threaded Inlet and Outlet Connect		
	LFTP300S	\$270.00	1
	Watts - 1/2", Soldered Inlet and Outlet Connect		
	LFTP300-DU-DR	\$189.00	1
	Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap, distribution unit		
Note: P-300 - Plumbing Fixture Schedule & Trap Primer Detail			
<i>Note: Quoting as alternate.</i>			
Floor Cleanout	CO-200-R		1
	Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, nickel bronze top		
	CO-200-R,2	\$625.50	1
	Watts - 2"Ø (51 mm)		
	CO-200-R,3	\$661.00	1
	Watts - 3"Ø (76 mm)		
	CO-200-R,4	\$881.00	1
	Watts - 4"Ø (102 mm)		
Note: P-300 - Floor Cleanout Detail			
<i>Note: Quoting as suggestion.</i>			

Wall Cleanout	CO-460-RD Watts - cast iron stack, no-hub outlet, counter sunk brass plug, round, stainless steel access cover and stainless steel vandal proof screw		1
	CO-460-RD,2 Watts - 2"Ø (51 mm)	\$364.00	1
	CO-460-RD,3 Watts - 3"Ø (76 mm)	\$417.50	1
	CO-460-RD,4 Watts - 4"Ø (102 mm)	\$611.50	1

Note: P-300 - Wall Cleanout Detail

Note: Quoting as suggestion.

NOTE : ***NOTE: Watts Drainage does not meet PA.DGS please be advised***

Special Terms:

All pricing is plus freight unless Mfr freight terms are met.

Pricing good for 30 days.

Pricing subject to change if Mfr pricing changes.

Terms

Above prices are net.

All taxes are extra.

Partial or expedited shipments, at customer request, may result in additional freight charges.

Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.

Please ensure that all quoted product meets your projects specifications.

Our company will only be responsible for products shown on the attached quotation.