



Address: 202 Commerce Blvd, Lawrence , Pennsylvania ,
15055 United States

Phone: (724) 745-5300

Quotation:
Q-740-S

To:	Contractor Holder 202 Commerce Blvd., Lawrence, Pennsylvania 15241	Bid Date:	2019-05-24
Attn.:	N/A	Expiry Date:	2019-06-23
Phone:	724-745-5300	Creator:	Drew Pomrenke , dpomrenke@jboconnor.com
		Sales Rep.:	Casey Devlin , cdevlin@jboconnor.com
		Shipping Address:	107 Concord Street, Union City, Pennsylvania, United States

Job Name: Union City Area Middle-High School Reno Union City, PA

Engineer: Tower Engineering

Comments:

Section Brand: Sloan

Label	Product No. Description	List Price	Qty.
WC-1/WC-2	ST-2459 Sloan - Vitreous China, ADA compliant water closet bowl only, 1.28 GPF, 1.6 GPF, and dual flush 1.6/1.1 GPF with 1-1/2" IPS top spud (2102459)	\$132.60	1
	Royal 111 Sloan - Exposed 1 1/2" top spud. 1.6 GPF (3010000)	\$211.60	1
<i>Note: Spec 22 4000 - 5</i>			
WC-3	ST-2029-A Sloan - ADA Floor Mount Universal, Top Spud (2102029)	\$160.65	1
	Royal 111 Sloan - Exposed 1 1/2" top spud. 1.6 GPF (3010000)	\$211.60	1
<i>Note: Spec 22 4000 - 5</i>			
U-1/U-2	SU-1006-A Sloan - Urinal fixture only, 1.0 GPF, 3/4" top spud. Includes Dome strainer (1101006)	\$272.80	1
	Royal 186-1 Sloan - Exposed 3/4" top spud, 1.0 GPF (3012636)	\$211.60	1
<i>Note: Spec 22 4000 - 6</i>			
L-1	SS-3003 Sloan - Vitreous china wall mounted lavatory with backsplash, 4" centers, overflow, ADA compliant, 21" x 19.25" (3873003)	\$86.75	1
<i>Note: Spec 22 4000 - 6</i>			
WF-1	EW-42000 Sloan - Double-Station Lavatory System	\$4,400.00	1
<i>Note: Spec 22 4000 - 7</i>			
<i>Note: Quoting as alternate. (P.O.A)</i>			
WF-2	EW-43000 Sloan - Triple-Station Lavatory System	\$6,607.00	1
<i>Note: Spec 22 4000 - 7</i>			
<i>Note: Quoting as alternate. (P.O.A)</i>			

Section Brand: Elkay

Label	Product No. Description	List Price	Qty.
S-1	LRAD3722550 Elkay - 18 Gauge Stainless Steel 37' x 22' x 5.5' Double Bowl Top Mount Kitchen Sink	\$1,475.00	1
	LK99 Elkay - DRAIN	\$120.00	2
<i>Note: Spec 22 4000 - 8</i>			
EWC-1	EZSDWSLK Elkay - EZH20 - NO FILTER	\$1,407.00	1
<i>Note: Spec 22 4700 - 2</i>			
<i>Note: Quoting as alternate.</i>			

Section Brand: Pioneer

Label	Product No. Description	List Price	Qty.
L-1	L-6161 Pioneer - LAV-4" SINGLE METAL LVR HDL LESS POP-UP HOLE-CP	\$66.00	1
<i>Note: Spec 22 4000 - 6</i>			
<i>Note: Quoting 1.2 GPM in lieu of 0.5 GPM.</i>			
S-1	0072-GSAELS-Q Pioneer - KITCHEN-CONCEALED 8" TWO 4" WRIST HDLS 4-3/32" GOOSENECK SPT 1/4 TURN-PVD PC	\$173.25	1
<i>Note: Spec 22 4000 - 8</i>			
<i>Note: Quoting 1.5 GPM.</i>			

Section Brand: Powers

Label	Product No. Description	List Price	Qty.
TMV (L-1)	LFE480-10 Powers - Lavatory Tempering Valve, 0.50 gpm minimum flow, 3/8" Compression Rough Bronze Finish	\$284.00	1
<i>Note: Spec 22 1119 - 3/4 & Spec 22 4000 - 7</i>			

Section Brand: Watts Regulators

Label	Product No. Description	List Price	Qty.
Vent BFP ASSE 1012	9D M3 : 1/2 Watts - forged brass body construction with stainless working parts throughout, atmospheric vent, 1/2"Ø (13 mm) pipe connection (0061935)	\$134.00	1
	9D M2 : 3/4 Watts - forged brass body construction with stainless working parts throughout, atmospheric vent, 3/4"Ø (19 mm) pipe connection (0061888)	\$137.50	1
<i>Note: Spec 22 1119 - 3</i>			
Double Check Detector	757DCDA-OSY-CFM : 6 Watts - 304 schedule 40 stainless steel housing and sleeve with groove end connections, reversible elastomeric discs, UL/FM outside stem & yoke gate valve, flange connections, cubic feet per minute reading, 6"Ø (152 mm) pipe connection (0111547)	\$6,974.00	1
<i>Note: Spec 22 1119 - 3</i>			
Hose Bibbs	SC8-3 Watts - adjustable packing nut, cast brass body, wall mount, Watts Model 8B tamper-proof vacuum breaker with break-away screw, no kink faucet, 1/2" copper sweat connection with vacuum breaker (0611350)	\$81.25	1

SC8-4		\$81.25	1
Watts - adjustable packing nut, cast brass body, wall mount, Watts Model 8B tamper-proof vacuum breaker with break-away screw, lawn faucet, 3/4" female NPT regular pattern with cast iron hand wheel (0611450)			

Note: Spec 22 1119 - 4

Section Brand: Watts Drainage

Header: ***NOTE: Watts Drainage does not meet PA.DGS please be advised***

Label	Product No. Description	List Price	Qty.
Water Hammer Arrestor	LF15M2-DR Series Watts - pre-charged copper water hammer arrestor with polypropylene piston, EPDM o-ring seal and brass NPT threaded connection. Designed to operate on all domestic and commercial lines up to 150psi (10.6 bar) working pressure. Temperature range from 33°F to 180°F (0.5°C to 82°C)		1
	LF15M2-A-DR Watts - 1-11 fixture units, 1/2" (13 mm) connection	\$175.00	1
	LF15M2-B-DR Watts - 12-32 fixture units, 3/4" (19 mm) connection	\$335.50	1
	LF15M2-C-DR Watts - 33-60, fixture units, 1" (25 mm) connection	\$529.50	1
	LF15M2-D-DR Watts - 61-113 fixture units, 1" (25 mm) connection	\$1,118.00	1
	LF15M2-E-DR Watts - 114-154 fixture units, 1" (25 mm) connection	\$1,391.00	1
	LF15M2-F-DR Watts - 155-330 fixture units, 1" (25 mm) connection	\$1,656.00	1

Note: Spec 22 1119 - 5

Floor Cleanout	CO-200X-R Watts - 7" (178 mm) diameter, cast iron body inside caulk outlet, brass plug, 5" (127 mm) round, nickel bronze top		1
	CO-200X-R,2 Watts - 2"Ø (51 mm)	\$625.50	1
	CO-200X-R,3 Watts - 3"Ø (76 mm)	\$661.00	1
	CO-200X-R,4 Watts - 4"Ø (102 mm)	\$881.00	1

Note: Spec 22 1319 - 2 & Spec 22 1423 - 2

Wall Cleanout	CO-460-RD Watts - cast iron stack, no-hub outlet, counter sunk brass plug, round, stainless steel access cover and stainless steel vandal proof screw		1
	CO-460-RD,2 Watts - 2"Ø (51 mm)	\$364.00	1
	CO-460-RD,3 Watts - 3"Ø (76 mm)	\$417.50	1
	CO-460-RD,4 Watts - 4"Ø (102 mm)	\$611.50	1

Note: Spec 22 1319 - 2 & Spec 22 1423 - 2

FD-1	FD-100-A6-5-7 Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 6" (152 mm) diameter nickel bronze, adjustable round strainer, sediment bucket, trap primer connection		1
------	---	--	---

	FD-100-A6-5-7,2,3,4	\$696.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	FD-100-A6-5-7,6	\$817.00	1
	Watts - 6"Ø (152 mm)		
Note: Spec 22 1319 - 3			
<i>Note: Trap guard by others.</i>			
RD-1	RD-300-D-F-K81		1
	Watts - 16-5/8" (422 mm) diameter cast iron body, flashing clamp, no-hub outlet, 15-1/4" (387 mm) diameter, rough bronze dome, underdeck clamp, adjustable extension flange		
	RD-300-D-F-K81,2,3,4	\$2,435.50	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	RD-300-D-F-K81,5,6	\$2,738.00	1
	Watts - 5"Ø (127 mm), 6"Ø (152 mm) outlet size		
	RD-300-D-F-K81,8,10	\$3,040.50	1
	Watts - 8"Ø (203 mm), 10"Ø (254 mm) outlet size		
Note: Spec 22 1423 - 3			
Expansion Joint	RD-900		1
	Watts - neoprene expansion joint, no hub (MJ) clamps		
	RD-900,2	\$298.00	1
	Watts - 2"Ø (51 mm)		
	RD-900,3	\$345.50	1
	Watts - 3"Ø (76 mm)		
	RD-900,4	\$404.00	1
	Watts - 4"Ø (102 mm)		
Note: Spec 22 1423 - 3			
WC-1/WC-2	ISCA-101-L/R	\$1,587.50	1
	Watts - single, horizontal, cast iron fitting, left/right side outlet		
	ISCA-101-D	\$2,967.00	1
	Watts - double, horizontal, epoxy coated, cast iron fitting, 4" no hub waste connection, 2" no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, cast iron, foot support		
	ISCA-121	\$1,801.00	1
	Watts - single, vertical, cast iron fitting		
	ISCA-121-D	\$3,182.00	1
	Watts - double, vertical, epoxy coated, cast iron fitting, 4"no hub waste connection, 2" no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support, adjustable for standard and wheelchair height, plated hardware and chrome nuts		
	ISCA-131-L/R	\$2,105.50	1
	Watts - single, vertical, cast iron fitting, left/right side outlet		
	ISCA-131-D	\$3,479.50	1
	Watts - double, vertical, epoxy coated, cast iron fitting, 4"no hub waste connection and 4" no hub side inlet, 2" no hub vent connection. Epoxy coated cast iron patented compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support		
Note: Spec 22 4000 - 5			
U-1/U-2	CA-321	\$839.00	1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, universal steel hanger support plate and bottom bearing plate with integral mounting bracket, plated hardware.		

Note: Spec 22 4000 - 6

L-1	TCA-411 Series		1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
	TCA-411	\$989.50	1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
	TCA-411-D	\$1,411.00	1
	Watts - back-to-back floor mounted carrier, heavy gauge steel offset uprights with welded feet, double cross steel plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
Note: Spec 22 4000 - 6			
EWC-1 (bi level)	CA-431-1	\$1,214.50	1
	Watts - floor mounted bi-level carrier, heavy gauge steel uprights with integral welded feet, universal steel hanger support plate, plated hardware.		
Note: Spec 22 4700 - 2			
EWC-1 (single level)	CA-421	\$752.00	1
	Watts - floor mounted plate type carrier, heavy gauge steel uprights with integral welded feet, universal steel hanger support plate, plated hardware.		
Note: Spec 22 4700 - 2			
NOTE : ***NOTE: Watts Drainage does not meet PA.DGS please be advised***			

Special Terms:

All pricing is plus freight unless Mfr freight terms are met.
Pricing good for 30 days.
Pricing subject to change if Mfr pricing changes.

Terms

Above prices are net.
All taxes are extra.
Partial or expedited shipments, at customer request, may result in additional freight charges.
Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.
Please ensure that all quoted product meets your projects specifications.
Our company will only be responsible for products shown on the attached quotation.