

Address: 202 Commerce Blvd, Lawrence , Pennsylvania , 15055 United States

Phone: (724) 745-5300

Quotation:

Q-783-S To: **Contractor Holder Bid Date:** 2019-06-20 202 Commerce Blvd., Lawrence, Pennsylvania Expiry Date: 2019-07-20 15241 **Creator:** Drew Pomrenke, Attn.: N/A dpomrenke@jboconnor.com Phone: 724-745-5300 Sales Rep.: Casey Devlin , cdevlin@jboconnor.com Shipping Address: 2907 Pleasant Valley Blvd, Altoona, Pennsylvania, United States

Job Name: Pact Outpatient Clinics Construction Altoona, PA

Engineer: Harrell Design Group

Comments:

Section Brand: Sloan

| Label | Product No. Description | List Price | Qty |
|-----------|---|------------|-----|
| P103 | ST-2459 | \$132.60 | 1 |
| | Sloan - Vitreous China, ADA compliant water closet bowl only, 1.28 GPF, 1.6 GPF, and dual flush 1.6/1.1 GPF with 1-1/2" IPS top spud (2102459) | | |
| | ROYAL 111 SMO M | \$515.05 | 1 |
| | Sloan - Sensor Exposed Flushometer for Floor Mount or Wall Hung Water Closets, 11.5" Rough in, SMO, Battery-powered 1.6 gpf/6.0 Lpf, side mount operator (3910176) | | |
| | P1 - Plumbing Fixture Schedule & Spec 22 4000 - 5/6 ting as suggestion no model specified. | | |
| P201 | SU-1009-A | \$272.80 | 1 |
| | Sloan - Universal Vireous china, 3/4" top spud. 0.125, 0.25 and 0.5 GPF includes dome strainer. (1101009) | | |
| | Royal 186-0.5 ES-S | \$679.65 | 1 |
| | Sloan - Optima sensor activated flushometer for exposed urinals. Equipped with 24V AC solenoid operator and optima sensor EL-1500-L. 3/4" top spud. 0.5 GPM (3452674) | | |
| | EL-154 | \$47.00 | 1 |
| | Sloan - Box mount, up to 10 flush valves can be operated by one transformer (0345154) | | |
| | P1 - Plumbing Fixture Schedule & Spec 22 4000 - 6 ting as suggestion no model specified. | | |
| P414 | SS-3003 | \$86.75 | 1 |
| | Sloan - Vitreous china wall mounted lavatory with backsplash, 4" centers, overflow, ADA compliant, 21" x 19.25" (3873003) | | |
| (sensor - | SF-2250-4 | \$442.10 | 1 |
| schedule) | Sloan - Sensor activated, electronic, gooseneck hand washing faucet for tempered or hot/cold water operation. 4" trim plate, ADA compliant, Battery operated. (3362104) | | |
| | P1 - Plumbing Fixture Schedule & Spec 22 4000 - 5 ting as suggestion no model specified. | | |

Section Brand: Elkay

| Label | Product No. Description | List Price | Qty. |
|-------|----------------------------|------------|------|
| P-528 | LR20220 | \$848.00 | 1 |
| | | | |

Elkay - 18 Gauge Stainless Steel 19.5' x 22' x 7.625' Single Bowl Top Mount Kitchen Sink

| | LK99 | \$120.00 | 1 |
|---------|---|------------|---|
| | Elkay - DRAIN | | |
| Note: 1 | -1-P1 - Plumbing Fixture Schedule & Spec 22 4000 - 8 | | |
| P530 | ESS4924RSACC | \$5,497.00 | 1 |
| | Elkay - SINK & SENSOR FAUCET PACKAGE | | |
| | pec 22 4000 - 8/9 uoting as suggestion no model specified. | | |
| P609 | LRPBMV28K | \$4,988.00 | 1 |
| | Elkay - FTNS VR W/FILTER, ECH8, MF200 | | |
| Note: S | pec 22 4000 - 9 | | |

Note: Quoting as suggestion no model specified.

Section Brand: Pioneer

| Label | Product No. | List Price | Qty. |
|--------------------|--|------------|------|
| | Description | | |
| P414 | 0072-GSAELS-Q | \$173.25 | 1 |
| (manual - spec) | Pioneer - KITCHEN-CONCEALED 8" TWO 4" WRIST HDLS 4-3/32" GOOSENECK SPT 1/4 TURN- PVD PC | | |
| Note: Sp | ec 22 4000 - 5 | | |
| Note: Quo | ting as suggestion no model specified. | | |
| P502 | 0054-ULE-Q | \$193.00 | 1 |
| | Pioneer - SERVICE SINK-7-7/8" TO 8-1/8" LVR HDL RIGID SPT 1/4 TURN-PC | | |
| Note: Sp | ec 22 4000 - 7 | | |
| Note: Quo | ting as suggestion no model specified. | | |
| Note: Quo | ting lever handles. | | |
| P528 | K-5372 | \$113.00 | 1 |
| | Pioneer - KITCHEN-8" TWO LVR HDL GOOSENECK SPT W/SIDE SPRAY-CP | | |
| Note: Sp | ec 22 4000 - 8 | | |
| Note: Quo | ting as suggestion no model specified. | | |

Section Brand: Powers

| Label | Product No. Description | List Price | Qty. |
|----------|---|------------|------|
| TV-1 | LFE480-10 | \$284.00 | 1 |
| | Powers - Lavatory Tempering Valve, 0.50 gpm minimum flow, 3/8" Compression Rough Bronze Finish | | |
| Note: 1- | 1-P1 - Thermostatic Mixing Valve Schedule & Spec 22 0523 - 9 | | |

Note: 1-1-P1 - Thermostatic Mixing Valve Schedule & Spec 22 0523 - 9

Section Brand: Watts Drainage

Header: ***NOTE: Watts Drainage does not meet PA.DGS please be advised***

| Label | Product No. Description | List Price | Qty. |
|-------|---|------------|------|
| P103 | ISCA-101-L/R-US | | 1 |
| | Watts - single, horizontal, cast iron fitting,left/right side outlet, Buy American Compliant | | |
| | ISCA-101-D-US | \$2,967.00 | 1 |
| | Watts - double, horizontal, epoxy coated, cast iron fitting, 4" no hub waste connection, 2" no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, cast iron, foot support, Buy American Act Compliant | | |
| | ISCA-121-US | \$1,801.00 | 1 |
| | Watts - vertical, cast iron fitting, 4"Ø no hub waste connection, 2"Ø no hub vent connection. Cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, epoxy coated, cast iron, foot support, Buy American Act Compliant | | |

| | ISCA-121-D-US | \$3,182.00 | 1 |
|---|---|----------------------|---------|
| | Watts - double, vertical, epoxy coated, cast iron fitting, 4"no hub waste connection, 2" no hub | | |
| | vent connection. Epoxy coated cast iron patent pending compression seal faceplate | | |
| | assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy | | |
| | coated, cast iron, foot support, adjustable for standard and wheelchair height, plated hardware and chrome nuts. Buy American Compliant | | |
| | ISCA-131-L/R-US | \$2,105.50 | 1 |
| | Watts - single, vertical, cast iron fitting, left/right side outlet, Buy American Compliant | φ2,105.50 | 1 |
| | ISCA-131-D-US | \$3,480.00 | 1 |
| | | \$3,480.00 | T |
| | Watts - double, vertical, epoxy coated, cast iron fitting, 4"no hub waste connection and 4" no hub side inlet, 2" no hub vent connection. Epoxy coated cast iron patented compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support, Buy American Act Compliant | | |
| Vote: 1-1 | -P1 - Plumbing Fixture Schedule | | |
| 201 | CA-321-US | \$839.00 | 1 |
| | Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, universal steel hanger support plate and bottom bearing plate with integral mounting bracket, plated hardware.Buy American Compliant. | | |
| Vote: 1-1 | -P1 - Plumbing Fixture Schedule | | |
| 9414 | TCA-411-US Series | | 1 |
| | Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross | | - |
| | plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device. Buy American Compliant. | | |
| | TCA-411-US | \$989.50 | 1 |
| | Watts - Single, Concealed Arms | | |
| | TCA-411-D-US | \$1,411.00 | 1 |
| | Watts - Back to Back, Concealed Arms | | |
| Vote: 1-1 | -P1 - Plumbing Fixture Schedule | | |
| | CA-431-1-US | \$1,215.00 | 1 |
| 609 | | | |
| 609 | Watts - floor mounted bi-level carrier, heavy gauge steel uprights with integral welded feet, | ψ1,215.00 | T |
| 609 | Watts - floor mounted bi-level carrier, heavy gauge steel uprights with integral welded feet, universal steel hanger support plate, plated hardware.Buy American Compliant | φ 1,213.00 | Ţ |
| | | φ ι ,213.00 | Ţ |
| Vote: 1-1 | universal steel hanger support plate, plated hardware.Buy American Compliant | \$1,215.00 | 1 |
| lote: 1-1 Cleanout | universal steel hanger support plate, plated hardware.Buy American Compliant -P1 - Plumbing Fixture Schedule & Spec 22 4000 - 9 | ÷1,215.00 | |
| <i>lote:</i> 1-1 Ileanout | universal steel hanger support plate, plated hardware.Buy American Compliant -P1 - Plumbing Fixture Schedule & Spec 22 4000 - 9 CO-200-R-US Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, | \$625.50 | |
| <i>lote:</i> 1-1 Ileanout | universal steel hanger support plate, plated hardware.Buy American Compliant -P1 - Plumbing Fixture Schedule & Spec 22 4000 - 9 CO-200-R-US Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, nickel bronze top, Buy American Act compliant | | 1 |
| <i>lote:</i> 1-1 Ileanout | universal steel hanger support plate, plated hardware.Buy American Compliant -P1 - Plumbing Fixture Schedule & Spec 22 4000 - 9 CO-200-R-US Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, nickel bronze top, Buy American Act compliant CO-200-R-US,2 | | 1 |
| <i>lote:</i> 1-1 leanout | universal steel hanger support plate, plated hardware.Buy American Compliant -P1 - Plumbing Fixture Schedule & Spec 22 4000 - 9 CO-200-R-US Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, nickel bronze top, Buy American Act compliant CO-200-R-US,2 Watts - 2"Ø (51 mm) | \$625.50 | 1 |
| <i>lote:</i> 1-1 Cleanout | universal steel hanger support plate, plated hardware.Buy American Compliant -P1 - Plumbing Fixture Schedule & Spec 22 4000 - 9 CO-200-R-US Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, nickel bronze top, Buy American Act compliant CO-200-R-US,2 Watts - 2"Ø (51 mm) CO-200-R-US,3 | \$625.50 | 1 |
| lote: 1-1 Cleanout | universal steel hanger support plate, plated hardware.Buy American Compliant -P1 - Plumbing Fixture Schedule & Spec 22 4000 - 9 CO-200-R-US Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, nickel bronze top, Buy American Act compliant CO-200-R-US,2 Watts - 2"Ø (51 mm) CO-200-R-US,3 Watts - 3"Ø (76 mm) | \$625.50 \$661.00 | 1 |
| <i>lote: 1-1</i> Cleanout Cound | universal steel hanger support plate, plated hardware.Buy American Compliant -P1 - Plumbing Fixture Schedule & Spec 22 4000 - 9 CO-200-R-US Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, nickel bronze top, Buy American Act compliant CO-200-R-US,2 Watts - 2"Ø (51 mm) CO-200-R-US,3 Watts - 3"Ø (76 mm) CO-200-R-US,4 | \$625.50 \$661.00 | 1 |
| Note: 1-1 Cleanout Round | universal steel hanger support plate, plated hardware.Buy American Compliant -P1 - Plumbing Fixture Schedule & Spec 22 4000 - 9 CO-200-R-US Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, nickel bronze top, Buy American Act compliant CO-200-R-US,2 Watts - 2"Ø (51 mm) CO-200-R-US,3 Watts - 3"Ø (76 mm) CO-200-R-US,4 Watts - 4"Ø (102 mm) ec 22 1300 - 8 & Spec 22 1400 - 8 ting as suggestion no model specified. | \$625.50 \$661.00 | 1 |
| Vote: 1-1 Cleanout Round Vote: Spe Vote: Quo CARPET CL | universal steel hanger support plate, plated hardware.Buy American Compliant -P1 - Plumbing Fixture Schedule & Spec 22 4000 - 9 CO-200-R-US Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, nickel bronze top, Buy American Act compliant CO-200-R-US,2 Watts - 2"Ø (51 mm) CO-200-R-US,3 Watts - 3"Ø (76 mm) CO-200-R-US,4 Watts - 4"Ø (102 mm) ac 22 1300 - 8 & Spec 22 1400 - 8 ting as suggestion no model specified. CAMPING FLANGE (-CF) = \$285.00 LIST ADDER | \$625.50 \$661.00 | 1 |
| Note: 1-1 Cleanout Round Note: Spe Note: Quo CARPET CL CARPET M | universal steel hanger support plate, plated hardware.Buy American Compliant -P1 - Plumbing Fixture Schedule & Spec 22 4000 - 9 CO-200-R-US Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, nickel bronze top, Buy American Act compliant CO-200-R-US,2 Watts - 2"Ø (51 mm) CO-200-R-US,3 Watts - 3"Ø (76 mm) CO-200-R-US,4 Watts - 4"Ø (102 mm) ec 22 1300 - 8 & Spec 22 1400 - 8 ting as suggestion no model specified. AMPING FLANGE (-CF) = \$285.00 LIST ADDER ARKER (-RC) = \$78.00 LIST ADDER | \$625.50 \$661.00 | 1 |
| Note: 1-1 Cleanout tound Note: Spe Note: Quo CARPET CL CARPET M NB HEAVY | universal steel hanger support plate, plated hardware.Buy American Compliant -P1 - Plumbing Fixture Schedule & Spec 22 4000 - 9 CO-200-R-US Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, nickel bronze top, Buy American Act compliant CO-200-R-US,2 Watts - 2"Ø (51 mm) CO-200-R-US,3 Watts - 3"Ø (76 mm) CO-200-R-US,4 Watts - 4"Ø (102 mm) ac 22 1300 - 8 & Spec 22 1400 - 8 ting as suggestion no model specified. CAMPING FLANGE (-CF) = \$285.00 LIST ADDER | \$625.50 \$661.00 | 1 |
| Note: 1-1 Cleanout Round Note: Spe Note: Quo CARPET CL CARPET M. NB HEAVY TILE RECES | universal steel hanger support plate, plated hardware.Buy American Compliant -P1 - Plumbing Fixture Schedule & Spec 22 4000 - 9 CO-200-R-US Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, nickel bronze top, Buy American Act compliant CO-200-R-US,2 Watts - 2"Ø (51 mm) CO-200-R-US,3 Watts - 3"Ø (76 mm) CO-200-R-US,4 Watts - 4"Ø (102 mm) 2c 22 1300 - 8 & Spec 22 1400 - 8 ting as suggestion no model specified. AMPING FLANGE (-CF) = \$285.00 LIST ADDER ARKER (-RC) = \$78.00 LIST ADDER 'DUTY (-RX) = \$155.00 LIST ADDER | \$625.50 \$661.00 | 1 |
| Note: 1-1 Cleanout Round Note: Spe Note: Quo CARPET CL CARPET M. NB HEAVY TILE RECES TERRAZZO | universal steel hanger support plate, plated hardware.Buy American Compliant -P1 - Plumbing Fixture Schedule & Spec 22 4000 - 9 CO-200-R-US Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, nickel bronze top, Buy American Act compliant CO-200-R-US,2 Watts - 2"Ø (51 mm) CO-200-R-US,3 Watts - 3"Ø (76 mm) CO-200-R-US,4 Watts - 4"Ø (102 mm) ec 22 1300 - 8 & Spec 22 1400 - 8 ting as suggestion no model specified. AMPING FLANGE (-CF) = \$285.00 LIST ADDER ARKER (-RC) = \$78.00 LIST ADDER 'DUTY (-RX) = \$155.00 LIST ADDER S5 (-T) = NO ADDITIONAL | \$625.50 \$661.00 | 1 |
| Cleanout Round Note: Spe Note: Quo CARPET CL CARPET M, NB HEAVY TILE RECES | universal steel hanger support plate, plated hardware.Buy American Compliant -P1 - Plumbing Fixture Schedule & Spec 22 4000 - 9 CO-200-R-US Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, nickel bronze top, Buy American Act compliant CO-200-R-US,2 Watts - 2"Ø (51 mm) CO-200-R-US,3 Watts - 3"Ø (76 mm) CO-200-R-US,4 Watts - 4"Ø (102 mm) ec 22 1300 - 8 & Spec 22 1400 - 8 ting as suggestion no model specified. CAMPING FLANGE (-CF) = \$285.00 LIST ADDER ARKER (-RC) = \$78.00 LIST ADDER 'DUTY (-RX) = \$155.00 LIST ADDER S5 (-T) = NO ADDITIONAL D RECESS (-U) = \$354.00 LIST ADDER | \$625.50 \$661.00 | 1 1 1 1 |
| Note: 1-1 Cleanout Round Note: Spe Vote: Quo CARPET CL CARPET M. VB HEAVY TILE RECES TERRAZZC Cleanout | universal steel hanger support plate, plated hardware.Buy American Compliant -P1 - Plumbing Fixture Schedule & Spec 22 4000 - 9 CO-200-R-US Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, nickel bronze top, Buy American Act compliant CO-200-R-US,2 Watts - 2"Ø (51 mm) CO-200-R-US,3 Watts - 3"Ø (76 mm) CO-200-R-US,4 Watts - 4"Ø (102 mm) ec 22 1300 - 8 & Spec 22 1400 - 8 ting as suggestion no model specified. AMPING FLANGE (-CF) = \$285.00 LIST ADDER ARKER (-RC) = \$78.00 LIST ADDER S5 (-T) = NO ADDITIONAL D RECESS (-U) = \$354.00 LIST ADDER CO-200-S-US | \$625.50 \$661.00 | 1 1 1 1 |
| Note: 1-1 Cleanout Round Note: Spe Note: Quo CARPET CL CARPET M VB HEAVY TILE RECES TERRAZZC Cleanout Cleanout | universal steel hanger support plate, plated hardware.Buy American Compliant -P1 - Plumbing Fixture Schedule & Spec 22 4000 - 9 CO-200-R-US Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, nickel bronze top, Buy American Act compliant CO-200-R-US,2 Watts - 2"Ø (51 mm) CO-200-R-US,3 Watts - 3"Ø (76 mm) CO-200-R-US,4 Watts - 4"Ø (102 mm) ec 22 1300 - 8 & Spec 22 1400 - 8 ting as suggestion no model specified. AMPING FLANGE (-CF) = $$285.00 \ LIST \ ADDER$ ARKER (-RC) = $$78.00 \ LIST \ ADDER$ CO-200-R-US,4 Vatts - 5" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" x 5" (127 mm x | \$625.50 \$661.00 | 1 1 1 1 |

| | CO-200-S-US,3 | \$661.00 | 1 |
|--------------------------------------|---|------------|---|
| | Watts - 3"Ø (76 mm) | | |
| | CO-200-S-US,4 | \$881.00 | 1 |
| | Watts - 4"Ø (102 mm) | | |
| Note: Quoi NB HEAVY TILE RECES | cc 22 1300 - 8 & Spec 22 1400 - 8 ting as suggestion no model specified. DUTY (-SX) = \$155.00 LIST ADDER 55 (-TS) = NO ADDITIONAL D RECESS (-US) = \$354.00 LIST ADDER | | |
| Wall | CO-460-RD-US | | 1 |
| Cleanout tee | Watts - cast iron stack, no-hub outlet, counter sunk, brass plug, round, stainless steel access cover and stainless steel vandal proof screw, Buy American Compliant | | |
| | CO-460-RD-US,2 | \$364.00 | 1 |
| | Watts - 2"Ø (51 mm) | | |
| | CO-460-RD-US,3 | \$417.50 |] |
| | Watts - 3"Ø (76 mm) | | |
| | CO-460-RD-US,4 | \$611.50 | 1 |
| | Watts - 4"Ø (102 mm) | | |
| Note: Spe | oc 22 1300 - 8 | | |
| FD-D | FD-100-A7-US | | |
| (round) | Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 7" (178 mm) diameter nickel bronze, adjustable round strainer, Buy American Compliant | | |
| | FD-100-A7-US,2,3,4 | \$680.00 | |
| | Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size | | |
| | FD-100-A7-US,6 | \$799.00 | |
| | Watts - 6"Ø (152 mm) | | |
| Note: Spe | oc 22 1300 - 9 | | |
| Note: Quo | ting as suggestion no model specified. | | |
| FD-D | FD-100-M8-US | | |
| (square) | Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 8" x 8" (203 mm x 203 mm), nickel bronze, square strainer,Buy American Compliant | | |
| | FD-100-M8-US,2,3,4 | \$1,041.00 | |
| | Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size | | |
| | FD-100-M8-US,6 | \$1,161.00 | |
| | Watts - 6"Ø (152 mm) | | |
| Note: Spe | oc 22 1300 - 9 | | |
| Note: Quoi | ting as suggestion no model specified. | | |
| FD-E | FD-340-Y-5-US | | - |
| | Watts - 12-1/2" (318 mm) diameter cast iron body no-hub outlet, 12-1/2" (318 mm) diameter, ductile iron grate, sediment bucket, Buy American Compliant | | |
| | FD-340-Y-5,2,3,4,5,6,8 | \$1,301.00 | |
| | Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm), 5"Ø (127 mm), 6"Ø (152 mm), 8"Ø (203 mm) outlet size | | |
| | ec 22 1300 - 10 ting as suggestion no model specified. | | |
| FD-F | FD-320-Y-1-5-US | | |
| | Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 8" (203 mm) diameter, nickel bronze top, sediment bucket, Buy American Act Compliant | | |
| | FD-320-Y-1-5-US,2,3,4 | \$1,186.00 | |
| | Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size | | |

| | FD-320-Y-1-5-US,6 | \$1,306.00 | 1 |
|--------------------------|---|------------|---|
| | Watts - 6"Ø (152 mm) | | |
| | c 22 1300 - 10 ing as suggestion no model specified. | | |
| FD-M | FD-100-A5-F4-1-US | | 1 |
| ™ | Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 5" (127 mm) diameter nickel bronze, adjustable round strainer, 4"Ø (102 mm) nickel bronze funnel, Buy American Compliant | | T |
| | FD-100-A5-F4-1-US,2,3,4 | \$909.00 | 1 |
| | Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size | | |
| | FD-100-A5-F4-1-US,6 | \$1,029.00 | 1 |
| | Watts - 6"Ø (152 mm) | | |
| | c 22 1300 - 10 ing as suggestion no model specified. | | |
| | | | 1 |
| ROOI Drain | RD-300-US Watts - 16-5/8" (422 mm) diameter cast iron body, flashing clamp, no-hub outlet, 15-1/4" (387 mm) diameter, polyethylene dome, Buy American Compliant | | 1 |
| | RD-300-US,2,3,4 | \$707.50 | 1 |
| | Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size | | |
| | RD-300-US,5,6 | \$1,010.00 | 1 |
| | Watts - 5"Ø (127 mm), 6"Ø (152 mm) outlet size | | _ |
| | RD-300-US,8,10 | \$1,313.00 | 1 |
| | Watts - 8"Ø (203 mm), 10"Ø (254 mm) outlet size | | |
| DUCTILE IR 2" EXTERNA | IGE/ADJ. EXTENSION (-F) = \$659.50 LIST ADDER ON DOME (-K) = \$210.50 LIST ADDER AL WATER DAM (-R) = \$230.50 LIST ADDER .E INTERNAL WATER DAM (-W) = \$423.00 LIST ADDER | | |
| Downspout | RD-940-US | | 1 |
| Nozzle | Watts - cast nickel bronze, anchor flange and pre-drilled counter-sunk mounting holes, no hub, Buy American Act Compliant | | |
| | RD-940-US,2,3,4 | \$1,083.00 | 1 |
| | Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size | | |
| | RD-940-US,5,6 | \$1,942.00 | 1 |
| | Watts - 5"Ø (127 mm), 6"Ø (152 mm) outlet size | | |
| | RD-940-US,8 | \$2,655.00 | 1 |
| | Watts - 8"Ø (203 mm) | | |
| | c 22 1400 - 9 ing as suggestion no model specified. | | |
| P801 | HY-420-US | | 1 |
| | Watts - 3/4" (19 mm) diameter hose connection, 3/4" (19 mm) female x 1" (25 mm) male pipe connection, non-freeze hydrant, all bronze head, seat casting and internal working parts, wall mount, bronze wall casing, chrome plated face, integral vacuum breaker, loose key, Buy American Act Compliant | | |
| | HY-420-US,-4,-6,-8 | \$864.50 | 1 |
| | Watts - 4" (102 mm), 6" (152 mm), 8" (203 mm) thick | | |
| | HY-420-US,-10,-12,-14 | \$1,006.00 | 1 |
| | Watts - 10" (254 mm), 12" (305 mm), 14" (356 mm) thick | | |
| | HY-420-US,-16,-18 | \$1,146.50 | 1 |
| | | | |

Watts - 16" (406 mm), 18" (457 mm) thick

HY-420-US,-20,-22,-24

Watts - 20" (508 mm), 22" (559 mm), 24" (610 mm) thick

Note: Spec 22 400 - 8 Note: Quoting as suggestion no model specified.

NOTE : ***NOTE: Watts Drainage does not meet PA.DGS please be advised***

Special Terms:

All pricing is plus freight unless Mfr freight terms are met. Pricing good for 30 days. Pricing subject to change if Mfr pricing changes.

Terms

Above prices are net.

All taxes are extra.

Partial or expedited shipments, at customer request, may result in additional freight charges.

Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.

Please ensure that all quoted product meets your projects specifications.

Our company will only be responsible for products shown on the attached quotation.