



Address: 202 Commerce Blvd, Lawrence , Pennsylvania ,
15055 United States

Phone: (724) 745-5300

Quotation:
Q-937-S

To: **Contractor Holder**
202 Commerce Blvd., Lawrence, Pennsylvania
15241
Attn.: N/A
Phone: 724-745-5300

Bid Date: 2019-10-10
Expiry Date: 2019-11-08
Creator: Drew Pomrenke ,
dpomrenke@jboconnor.com
Sales Rep.: Casey Devlin , cdevlin@jboconnor.com
Shipping Address: , Ebensburg, Pennsylvania, United States

Job Name: Central Cambria Maintenance

Engineer: ECKLES Engineering

Comments:

Section Brand: Sloan

Label	Product No. Description	List Price	Qty.
U-1	SU-1009-A Sloan - Universal Vireous china, 3/4" top spud. 0.125, 0.25 and 0.5 GPF includes dome strainer. (1101009)	\$272.80	1

	ROYAL 186-0.125 DBP Sloan - Flushometer, Urinal, Manually activated, 0.125 gpf/0.5 Lpf, dual by-pass (3912633)	\$211.60	1
--	--	----------	---

Note: DWG P701 - Water Closets and Urinal Schedules

L-1	SS-3003 Sloan - Vitreous china wall mounted lavatory with backsplash, 4" centers, overflow, ADA compliant, 21" x 19.25" (3873003)	\$86.75	1
-----	---	---------	---

Note: DWG P701 - Lavatories and Sinks Schedule

Section Brand: Elkay

Label	Product No. Description	List Price	Qty.
D-1	VRCHDTL8SC Elkay - T/L 14GA ADA VR COOLER	\$5,546.00	1

Note: DWG P701 - Water Coolers Schedule

D-1	LZS8L Elkay - BARRIER FREE	\$1,048.00	1
-----	--------------------------------------	------------	---

Note: DWG P701 - Water Coolers Schedule

S-1	LRAD2521554 Elkay - 18 Gauge Stainless Steel 25' x 21.25' x 5.5' Single Bowl Top Mount Kitchen Sink	\$925.00	1
-----	---	----------	---

	LK99 Elkay - DRAIN	\$120.00	1
--	------------------------------	----------	---

Note: DWG P701 - Lavatories and Sinks Schedule

Note: Quoting 18 gauge in lieu of 16 gauge.

Section Brand: Pioneer

Label	Product No. Description	List Price	Qty.
L-1	1137-LE Pioneer - LAV-4" CNTRS LVR HDL-PC	\$115.00	1
<i>Note: DWG P701 - Lavatories and Sinks Schedule</i> <i>Note: Quoting 1.2 GPM in lieu of 1.5 GPM.</i>			
S-1	2LG161H Pioneer - KIT-LEGACY 8" SINGLE LVR HDL W/SIDE SPRAY 3/8" FLEX-CP	\$176.00	1
<i>Note: DWG P701 - Lavatories and Sinks Schedule</i>			
LT-1	0054-ULERC-Q Pioneer - SERVICE SINK-7-7/8" TO 8-1/8" LVR HDL RIGID SPT 1/4 TURN-ROUGH CP	\$171.00	1
<i>Note: DWG P701 - Lavatories and Sinks Schedule</i> <i>Note: Quoting lever handles in lieu of cross handles.</i>			

Section Brand: Powers

Label	Product No. Description	List Price	Qty.
L-1 (mixing valve)	LFE480-10 Powers - Lavatory Tempering Valve, 0.50 gpm minimum flow, 3/8" Compression Rough Bronze Finish	\$284.00	1
<i>Note: DWG P701 - Lavatories and Sinks Schedule Footnotes #9</i>			
Water Tempering Equipment Mixing Valve	ES150-11 Powers - ES150 EMERGENCY TEMPER	\$1,126.00	1
<i>Note: Spec 22 4500 - 2</i> <i>Note: Quoting as suggestion no model specified.</i>			

Section Brand: Watts Drainage

Header: ***NOTE: Watts Drainage does not meet PA.DGS please be advised***

Label	Product No. Description	List Price	Qty.
U-1	CA-321 Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, universal steel hanger support plate and bottom bearing plate with integral mounting bracket, plated hardware.	\$839.00	1
<i>Note: DWG P701 - Water Closets and Urinals Schedules</i>			
D-1	CA-431-1 Watts - floor mounted bi-level carrier, heavy gauge steel uprights with integral welded feet, universal steel hanger support plate, plated hardware.	\$1,214.50	1
<i>Note: DWG P701 - Water Coolers Schedule</i>			
D-1	CA-421 Watts - floor mounted plate type carrier, heavy gauge steel uprights with integral welded feet, universal steel hanger support plate, plated hardware.	\$752.00	1
<i>Note: DWG P701 - Water Coolers Schedule</i>			
L-1	TCA-411 Series Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		1

	TCA-411	\$989.50	1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
	TCA-411-D	\$1,411.00	1
	Watts - back-to-back floor mounted carrier, heavy gauge steel offset uprights with welded feet, double cross steel plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
Note: DWG P701 - Lavatories and Sinks Schedule			
FD-1	FD-100-A6-5		1
	Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 6" (152 mm) diameter nickel bronze, adjustable round strainer, sediment bucket		
	FD-100-A6-5,2,3,4	\$696.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	FD-100-A6-5,6	\$816.50	1
	Watts - 6"Ø (152 mm)		
Note: DWG P701 - Floor Drain and Trench Drain Schedule			
<i>Note: Trap seal guard by others.</i>			
FD-2	FD-320-Y-5-F4-50		1
	Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 8" (203 mm) diameter, ductile iron, heavy duty, round grate, 4" (102 mm) cast iron funnel, sediment bucket		
	FD-320-Y-5-F4-50,2,3,4	\$825.50	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	FD-320-Y-5-F4-50,6	\$945.50	1
	Watts - 6"Ø (152 mm)		
Note: DWG P701 - Floor Drain and Trench Drain Schedule			
<i>Note: Trap seal guard by others.</i>			
TD-1	DX-DI	\$1,133.00	1
	Watts - UV stabilized talc-filled polypropylene channels with 6" (152 mm) no-hub bottom or end outlet(s), pre-sloped trench, 12" (305 mm) wide, including frame connectors, grate lockdowns and construction covers, ductile iron frame, framed anchored grate, ductile iron, Class F		
Note: DWG P701 - Floor Drain and Trench Drain Schedule			
<i>Please note trench drain price is per foot.</i>			
WH-1	HY-725-88		1
	Watts - 3/4" (19 mm) diameter hose connection, 3/4" (19 mm) female x 1" (25 mm) male pipe connection, non-freeze hydrant, all bronze head, wall mount, concealed, bronze wall casing, chrome plated face, integral vacuum breaker, nickel bronze box and door, wall clamp		
	HY-725-88,-6,-8	\$1,547.00	1
	Watts - 6" (152 mm), 8" (203 mm) thick		
	HY-725-88,-10,-12,-14	\$1,690.00	1
	Watts - 10" (254 mm), 12" (305 mm), 14" (356 mm) thick		
	HY-725-88,-16,-18	\$1,830.00	1
	Watts - 16" (406 mm), 18" (457 mm) thick		
	HY-725-88,-20,-22,-24	\$1,870.00	1
	Watts - 20" (508 mm), 22" (559 mm), 24" (610 mm) thick		
Note: DWG P701 - Plumbing Fixture Connection Schedule & Spec 22 1119 - 5			
Nonfreeze Hot and Cold Hydrant	HY-700		1
	Watts - 3/4" (19 mm) diameter hose connection, 3/4" (19 mm) female x 1" (25 mm) male pipe connection, non-freeze, dual-temp, all bronze head, wall mount, concealed, polished bronze hydrant face, integral vacuum breaker, stainless steel and door, galvanized casing, 8-1/2" x 6-1/2" (165 mm)		

	HY-700,-6,-8	\$3,868.00	1
	Watts - 6" (152 mm), 8" (203 mm) thick		
	HY-700,-10,-12,-14	\$4,093.50	1
	Watts - 10" (254 mm), 12" (305 mm), 14" (356 mm) thick		
	HY-700,-16,-18	\$4,323.00	1
	Watts - 16" (406 mm), 18" (457 mm) thick		
Note: Spec 22 1119 - 6			
<i>Note: Quoting stainless steel cover in lieu of nickel bronze.</i>			
Water Hammer Arresters	SS Series		1
	Watts - pre-charged, all stainless steel shock arrestors with stainless steel bellows, and male IPS threaded connection. Designed to operate on all domestic and commercial lines up to 150 psi working pressure. Temperature range from -100°F to 300°F (-73°C to 149°C)		
	SS-A	\$549.50	1
	Watts - 1-11 fixture units, 3/4" (19 mm) connection		
	SS-B	\$1,119.00	1
	Watts - 12-32 fixture units, 1" (25 mm) connection		
	SS-C	\$1,672.00	1
	Watts - 33-60, fixture units, 1" (25 mm) connection		
	SS-D	\$4,191.00	1
	Watts - 61-113 fixture units, 1" (25 mm) connection		
	SS-E	\$4,731.50	1
	Watts - 114-154 fixture units, 1" (25 mm) connection		
	SS-F	\$5,815.00	1
	Watts - 155-330 fixture units, 1" (25 mm) connection		
Note: Spec 22 1119 - 7			
Exposed Cleanout	CO-460		1
	Watts - cast iron stack, no-hub outlet, counter sunk brass plug		
	CO-460,2	\$228.00	1
	Watts - 2"Ø (51 mm)		
	CO-460,3	\$284.00	1
	Watts - 3"Ø (76 mm)		
	CO-460,4	\$441.00	1
	Watts - 4"Ø (102 mm)		
Note: Spec 22 1319 - 2			
Floor Cleanout	CO-200-RX		1
	Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, heavy duty, nickel bronze top		
	CO-200-RX,2	\$778.05	1
	Watts - 2"Ø (51 mm)		
	CO-200-RX,3	\$815.50	1
	Watts - 3"Ø (76 mm)		
	CO-200-RX,4	\$1,035.50	1
	Watts - 4"Ø (102 mm)		
Note: Spec 22 1319 - 3			
Wall Cleanout	CO-460-RD		1
	Watts - cast iron stack, no-hub outlet, counter sunk brass plug, round, stainless steel access cover and stainless steel vandal proof screw		
	CO-460-RD,2	\$364.00	1
	Watts - 2"Ø (51 mm)		

	CO-460-RD,3	\$417.50	1
	Watts - 3"Ø (76 mm)		
	CO-460-RD,4	\$611.50	1
	Watts - 4"Ø (102 mm)		
Note: Spec 22 1319 - 3			
Vent Caps	RD-680-VC		1
	Watts - cast iron, vandal proof cover		
	RD-680-VC,2,3,4	\$471.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	RD-680-VC,6	\$670.50	1
	Watts - 6"Ø (152 mm)		
	RD-680-VC,8	\$768.50	1
	Watts - 8"Ø (203 mm)		
Note: Spec 22 1319 - 5			
Expansion Joints	RD-900		1
	Watts - neoprene expansion joint, no hub (MJ) clamps		
	RD-900,2	\$298.00	1
	Watts - 2"Ø (51 mm)		
	RD-900,3	\$345.50	1
	Watts - 3"Ø (76 mm)		
	RD-900,4	\$404.00	1
	Watts - 4"Ø (102 mm)		

Note: Spec 22 1319 - 5

Note: Quoting as alternate.

NOTE : ***NOTE: Watts Drainage does not meet PA.DGS please be advised***

Special Terms:

All pricing is plus freight unless Mfr freight terms are met.

Pricing good for 30 days.

Pricing subject to change if Mfr pricing changes.

Terms

Above prices are net.

All taxes are extra.

Partial or expedited shipments, at customer request, may result in additional freight charges.

Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.

Please ensure that all quoted product meets your projects specifications.

Our company will only be responsible for products shown on the attached quotation.