



Address: 202 Commerce Blvd, Lawrence , Pennsylvania ,
15055 United States

Phone: (724) 745-5300

Quotation:
Q-592-S

To:	Contractor Holder 202 Commerce Blvd., Lawrence, Pennsylvania 15241	Bid Date:	2019-02-12
Attn.:	N/A	Expiry Date:	2019-03-14
Phone:	724-745-5300	Creator:	Drew Pomrenke , dpomrenke@jboconnor.com
		Sales Rep.:	Casey Devlin , cdevlin@jboconnor.com
		Shipping Address:	590 Crane Avenue, Pittsburgh, Pennsylvania, United States

Job Name: PPS South Hills Middle School Pittsburgh, PA

Comments:

Section Brand: Sloan

Label	Product No. Description	List Price	Qty.
P-1/P-2	ST-2459 Sloan - Vitreous China, ADA compliant water closet bowl only, 1.28 GPF, 1.6 GPF, and dual flush 1.6/1.1 GPF with 1-1/2" IPS top spud (2102459)	\$132.60	1
	Royal 111-1.28 Sloan - Exposed Water Closet Flushometer, for floor mounted or wall hung top spud bowls 1.28 GPF (3910168)	\$211.60	1
<i>Note: P-8: Plumbing Fixture Connection Schedule; Spec 22 42 13.13 - 2</i>			
P-3/P-4	SU-1006-A Sloan - Urinal fixture only, 1.0 GPF, 3/4" top spud. Includes Dome strainer (1101006)	\$272.80	1
	SLOAN 186-1 Sloan - Exposed 3/4" top spud 1 GPF (3782624)	\$192.80	1
<i>Note: P-8: Plumbing Fixture Connection Schedule; Spec 22 42 13.16 - 2</i>			
P-5	ELS-62000 Sloan - SloanStone® 2-Station Wall-Mounted Lavatory System Sink		1
<i>Note: P-8: Plumbing Fixture Connection Schedule; Spec 22 42 33 - 2,3; Please be Advised, model is P.O.A.</i>			
P-6	ELS-63000 Sloan - SloanStone® 3-Station Wall-Mounted Lavatory System Sink		1
<i>Note: P-8: Plumbing Fixture Connection Schedule; Spec 22 42 33 - 2,3; Please be Advised, model is P.O.A.</i>			
P-7/P-8	SS-3003 Sloan - Vitreous china wall mounted lavatory with backsplash, 4" centers, overflow, ADA compliant, 21" x 19.25" (3873003)	\$86.75	1
<i>Note: P-8: Plumbing Fixture Connection Schedule; Spec 22 42 16.13 - 2</i>			

Section Brand: Pioneer

Label	Product No. Description	List Price	Qty.
P-5/P-6 /P-7/P-8	3LG121 Pioneer - LAV-LEGACY 4" TWO ADA WRIST BLADE HDL-CP	\$96.00	1
<i>Note: P-8: Plumbing Fixture Connection Schedule; Spec 22 42 16.13 - 2</i>			

Section Brand: Watts Regulators

Label	Product No. Description	List Price	Qty.
TMV	LFUSG-B-M2 Watts - Lead Free brass body construction, copper thermostat with stainless steel springs, integral checks and 40 mesh stainless steel screens, 4-port with cap for three port application, "H" pattern body, ASSE 1070 and cUPC, valve shall control temperature from a low of 1/4gpm, 3/8"Ø (10 mm) male compression (0204143)	\$297.50	1

Note: Spec 22 42 16.13 - 3

Section Brand: Watts Drainage

Header: ***NOTE: Watts Drainage does not meet PA.DGS please be advised***

Label	Product No. Description	List Price	Qty.
FD-6"	FD-104-A6-7 Watts - epoxy coated 8-1/8" (206 mm) diameter cast iron body reversible flashing clamp with primary and secondary weepholes no-hub outlet, 6" (152 mm) diameter, nickel bronze, adjustable round strainer, 4" (102 mm), trap primer tapping	\$588.50	1

Note: P-1: Enlarged Plumbing Demolition Plan - Ground Floor Notes #9; Spec 22 13 19 - 1,2

FD-8"	FD-104-A8-7 Watts - epoxy coated 8-1/8" (206 mm) diameter cast iron body reversible flashing clamp with primary and secondary weepholes no-hub outlet, 8" (203 mm) diameter, nickel bronze, adjustable round strainer, 4" (102 mm), trap primer tapping	\$851.50	1
-------	---	----------	---

Note: P-1: Enlarged Plumbing Demolition Plan - Ground Floor Notes #9; Spec 22 13 19 - 1,2

TP	LFTP300-DR Series Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap		1
	LFTP300S Watts - 1/2", Soldered Inlet and Outlet Connect	\$270.00	1
	LFTP300T Watts - 1/2", Threaded Inlet and Outlet Connect	\$270.00	1
	LFTP300-DU-DR Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap, distribution unit	\$189.00	1

Note: P-1: Enlarged Plumbing Demolition Plan - Ground Floor Notes #10; Spec 22 11 19 - 3, Spec 22 13 19 - 1,2

P-1/P-2	ISCA-103-L/R Watts - single, horizontal, epoxy coated, cast iron fitting, 4"Ø no hub waste connection, left/right side outlet, 2"Ø no hub vent connection. Epoxy coated cast iron patented compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support, adjustable for standard and wheelchair height, ductile iron rear anchor support, stainless steel support rods and hardware, chrome plated nuts.	\$3,284.00	1
	ISCA-103-D Watts - double, horizontal, epoxy coated, cast iron fitting, 4"Ø no hub waste connection, 2"Ø no hub vent connection. Epoxy coated cast iron patented compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support, adjustable for standard and wheelchair height, ductile iron rear anchor support, stainless steel support rods and hardware, chrome plated nuts.	\$6,328.00	1
	ISCA-123 Watts - single, vertical, epoxy coated, cast iron fitting, 4"Ø no hub waste connection, 2"Ø no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support, adjustable for standard and wheelchair height, ductile iron rear anchor support, stainless steel support rods and hardware, chrome plated nuts.	\$3,713.00	1

	ISCA-123-D	\$7,154.00	1
	Watts - double, vertical, epoxy coated, cast iron fitting, 4"Ø no hub waste connection, 2"Ø no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support, adjustable for standard and wheelchair height, stainless steel support rods and hardware, chrome plated nuts.		
	ISCA-133-L/R	\$4,017.50	1
	Watts - single, vertical, epoxy coated, cast iron fitting, 4"Ø no hub waste connection and 4"Ø no hub side inlets, left/right side outlet, 2"Ø no hub vent connection. Epoxy coated cast iron patented compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support, adjustable for standard and wheelchair height, ductile iron rear anchor support, stainless steel support rods and hardware, chrome plated nuts.		
	ISCA-133-D	\$7,454.00	1
	Watts - double, vertical, epoxy coated, cast iron fitting, 4"Ø no hub waste connection and 4"Ø no hub side inlets, 2"Ø no hub vent connection. Epoxy coated cast iron patented compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support, adjustable for standard and wheelchair height, plated hardware and chrome cap nuts.		
	Note: P-8: Plumbing Fixture Connection Schedule; Spec 22 42 13.13 - 2		
P-3/P-4	CA-321	\$839.00	1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, universal steel hanger support plate and bottom bearing plate with integral mounting bracket, plated hardware.		
	Note: P-8: Plumbing Fixture Connection Schedule; Spec 22 42 13.16 - 2,3		
P-7/P-8	TCA-411 Series		1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
	TCA-411	\$989.50	1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
	TCA-411-D	\$1,411.00	1
	Watts - back-to-back floor mounted carrier, heavy gauge steel offset uprights with welded feet, double cross steel plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
	Note: P-8: Plumbing Fixture Connection Schedule; P-8: Plumbing Fixture Connection Schedule; Spec 22 42 16.13 - 2		
WHA	LF15M2-DR Series		1
	Watts - pre-charged copper water hammer arrestor with polypropylene piston, EPDM o-ring seal and brass NPT threaded connection. Designed to operate on all domestic and commercial lines up to 150psi (10.6 bar) working pressure. Temperature range from 33°F to 180°F (0.5°C to 82°C)		
	LF15M2-A-DR	\$175.00	1
	Watts - 1-11 fixture units, 1/2" (13 mm) connection		
	LF15M2-B-DR	\$335.50	1
	Watts - 12-32 fixture units, 3/4" (19 mm) connection		
	LF15M2-C-DR	\$529.50	1
	Watts - 33-60, fixture units, 1" (25 mm) connection		
	LF15M2-D-DR	\$1,118.00	1
	Watts - 61-113 fixture units, 1" (25 mm) connection		
	LF15M2-E-DR	\$1,391.00	1
	Watts - 114-154 fixture units, 1" (25 mm) connection		

	LF15M2-F-DR	\$1,656.00	1
	Watts - 155-330 fixture units, 1" (25 mm) connection		
Note: Spec 22 11 19 - 3			
EXPOSED CO	CO-460		1
	Watts - cast iron stack, no-hub outlet, counter sunk brass plug		
	CO-460,2	\$228.00	1
	Watts - 2"Ø (51 mm)		
	CO-460,3	\$284.00	1
	Watts - 3"Ø (76 mm)		
	CO-460,4	\$441.00	1
	Watts - 4"Ø (102 mm)		
Note: Spec 22 13 19 - 2			
FCO	CO-200P-R		1
	Watts - 7" (178 mm) diameter, cast iron body push-on outlet, brass plug, 5" (127 mm) round, nickel bronze top		
	CO-200P-R,2	\$625.50	1
	Watts - 2"Ø (51 mm)		
	CO-200P-R,3	\$661.00	1
	Watts - 3"Ø (76 mm)		
	CO-200P-R,4	\$881.00	1
	Watts - 4"Ø (102 mm)		
Note: Spec 22 13 19 - 2;			
CARPET CLAMPING FLANGE (-CF) = \$285.00 LIST ADDER			
CARPET MARKER (-RC) = \$78.00 LIST ADDER			
NB HEAVY DUTY (-RX) = \$155.00 LIST ADDER			
TILE RECESS (-T) = NO ADDITIONAL			
TERRAZZO RECESS (-U) = \$354.00 LIST ADDER			
WCO	CO-460-RD		1
	Watts - cast iron stack, no-hub outlet, counter sunk brass plug, round, stainless steel access cover and stainless steel vandal proof screw		
	CO-460-RD,2	\$364.00	1
	Watts - 2"Ø (51 mm)		
	CO-460-RD,3	\$417.50	1
	Watts - 3"Ø (76 mm)		
	CO-460-RD,4	\$611.50	1
	Watts - 4"Ø (102 mm)		
Note: Spec 22 13 19 - 2			
NOTE : ***NOTE: Watts Drainage does not meet PA.DGS please be advised***			

Special Terms:

All pricing is plus freight unless Mfr freight terms are met.
Pricing good for 30 days.
Pricing subject to change if Mfr pricing changes.
Watts Drainage does not meet PA.DGS please be advised.

Terms

Above prices are net.
All taxes are extra.
Partial or expedited shipments, at customer request, may result in additional freight charges.
Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.
Please ensure that all quoted product meets your projects specifications.
Our company will only be responsible for products shown on the attached quotation.