



**Address:** 202 Commerce Blvd, Lawrence , Pennsylvania ,  
15055 United States

**Phone:** (724) 745-5300

**Quotation:**  
**Q-601-S**

<b>To:</b>	<b>Contractor Holder</b> 202 Commerce Blvd., Lawrence, Pennsylvania 15241	<b>Bid Date:</b>	2019-02-19
<b>Attn.:</b>	N/A	<b>Expiry Date:</b>	2019-03-21
<b>Phone:</b>	724-745-5300	<b>Creator:</b>	Drew Pomrenke , dpomrenke@jboconnor.com
		<b>Sales Rep.:</b>	Casey Devlin , cdevlin@jboconnor.com
		<b>Shipping Address:</b>	, Pittsburgh, Pennsylvania, United States

**Job Name: PPS West Liberty Elementary School - Pittsburgh, PA**

**Engineer:** Loftus Engineering, LLC    **Architect:** IKM Incorporated

**Comments:**

**Section Brand: Sloan**

Label	Product No. Description	List Price	Qty.
WC-1/WC-2	<b>ST-2459</b> Sloan - Vitreous China, ADA compliant water closet bowl only, 1.28 GPF, 1.6 GPF, and dual flush 1.6/1.1 GPF with 1-1/2" IPS top spud (2102459)	\$132.60	1
	<b>Sloan 111-1.28</b> Sloan - Exposed water closet flushometer, 1.28 gpf/4.8 Lpf (3780046)	\$192.80	1

*Note: P001 - Plumbing Fixture Schedule*

L-1	<b>SS-3003</b> Sloan - Vitreous china wall mounted lavatory with backsplash, 4" centers, overflow, ADA compliant, 21" x 19.25" (3873003)	\$86.75	1
-----	---	---------	---

*Note: P001 - Plumbing Fixture Schedule*

**Section Brand: Elkay**

Label	Product No. Description	List Price	Qty.
S-1	<b>DRKADQ251760C</b> Elkay - 18 Gauge Stainless Steel 25' x 17' x 6' Single Bowl Top Mount Sink Kit	\$1,757.00	1
	<b>LK99</b> Elkay - DRAIN	\$120.00	1

*Note: P001 - Plumbing Fixture Schedule*

S-2	<b>LGR43220</b> Elkay - 18 Gauge Stainless Steel 43' x 22' x 10' Triple Bowl Top Mount Kitchen Sink	\$3,322.00	1
	<b>LK99</b> Elkay - DRAIN	\$120.00	1

*Note: P001 - Plumbing Fixture Schedule*

EWC-1	<b>LVRGRNTL8C</b> Elkay - FILTERED T/L ADA GREEN COOLER	\$2,344.00	1
-------	--	------------	---

*Note: P001 - Plumbing Fixture Schedule*

**Section Brand: Pioneer**

Label	Product No. Description	List Price	Qty.
L-1/L-2	<b>3LG121</b> Pioneer - LAV-LEGACY 4" TWO ADA WRIST BLADE HDL-CP	\$96.00	1
<i>Note: P001 - Plumbing Fixture Schedule; Please be advised, Model is 1.2 GPM not 2.2 GPM</i>			
S-1	<b>5PM330</b> Pioneer - BAR-PREMIUM SINGLE LVR HDL GOOSENECK RIGID SPT-CP	\$193.00	1
<i>Note: P001 - Plumbing Fixture Schedule; Please be advised, Model is 1.5 GPM not 2.2 GPM</i>			
<b>NOTE :</b> No Equal Cross for S-2 Faucet.			

**Section Brand: Powers**

Label	Product No. Description	List Price	Qty.
S-2	<b>LFLM495-1</b> Powers - 1/2 LFLM495-1	\$312.00	1
<i>Note: P001 - Plumbing Fixture Schedule</i>			

**Section Brand: Watts Regulators**

Label	Product No. Description	List Price	Qty.
L-1/L-2	<b>LFMMVM1-US : 1/2</b> Watts - Lead Free cast copper silicon alloy body, solid wax hydraulic principle thermostat, integral filter washers and check valves, ASSE 1069, ASSE 1070, ASSE 1017, cUPC AND IAPMO listed, valve shall control temperature from a low of 1/2gpm, 5gpm at 10psi and 8gpm at 20psi drop across the valve, 1/2"Ø valve, union solder (0559115)	\$314.00	1
<i>Note: P001 - Plumbing Fixture Schedule</i>			
ET-1	<b>PLT-5</b> Watts - Potable Water Expansion Tanks, drawn steel construction, rugged flexible butyl, diaphragm, 20 psi pre-charge pressure, 150 psi maximum pressure, 200°F maximum temperature, tank volume of 2.1 gallons (0067370)	\$90.50	1
<i>Note: P001 - Plumbing Fixture Schedule</i>			
FIRE BFP	<b>LF757DCDA-OSY-GPM : 6</b> Watts - 304 schedule 40 stainless steel housing and sleeve with groove end connections, reversible elastomer discs, UL/FM outside stem & yoke gate valve, flange connections, gallons per minute reading, 6"Ø (152 mm) pipe connection (0122717)	\$7,498.00	1
<i>Note: P001 - Fire Water Service Entrance Detail</i>			

**Section Brand: Watts Drainage**

**Header:** \*\*\*NOTE: Watts Drainage does not meet PA.DGS please be advised\*\*\*

Label	Product No. Description	List Price	Qty.
WC-1/WC-2	<b>ISCA-103-L/R</b> Watts - single, horizontal, epoxy coated, cast iron fitting, 4"Ø no hub waste connection, left/right side outlet, 2"Ø no hub vent connection. Epoxy coated cast iron patented compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support, adjustable for standard and wheelchair height, ductile iron rear anchor support, stainless steel support rods and hardware, chrome plated nuts.	\$3,284.00	1

	<b>ISCA-103-D</b>	\$6,328.00	1
	Watts - double, horizontal, epoxy coated, cast iron fitting, 4"Ø no hub waste connection, 2"Ø no hub vent connection. Epoxy coated cast iron patented compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support, adjustable for standard and wheelchair height, ductile iron rear anchor support, stainless steel support rods and hardware, chrome plated nuts.		
	<b>ISCA-123</b>	\$3,713.00	1
	Watts - single, vertical, epoxy coated, cast iron fitting, 4"Ø no hub waste connection, 2"Ø no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support, adjustable for standard and wheelchair height, ductile iron rear anchor support, stainless steel support rods and hardware, chrome plated nuts.		
	<b>ISCA-123-D</b>	\$7,154.00	1
	Watts - double, vertical, epoxy coated, cast iron fitting, 4"Ø no hub waste connection, 2"Ø no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support, adjustable for standard and wheelchair height, stainless steel support rods and hardware, chrome plated nuts.		
	<b>ISCA-133-L/R</b>	\$4,017.50	1
	Watts - single, vertical, epoxy coated, cast iron fitting, 4"Ø no hub waste connection and 4"Ø no hub side inlets, left/right side outlet, 2"Ø no hub vent connection. Epoxy coated cast iron patented compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support, adjustable for standard and wheelchair height, ductile iron rear anchor support, stainless steel support rods and hardware, chrome plated nuts.		
	<b>ISCA-133-D</b>	\$7,454.00	1
	Watts - double, vertical, epoxy coated, cast iron fitting, 4"Ø no hub waste connection and 4"Ø no hub side inlets, 2"Ø no hub vent connection. Epoxy coated cast iron patented compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support, adjustable for standard and wheelchair height, plated hardware and chrome cap nuts.		
<b>Note: P001 - Plumbing Fixture Schedule</b>			
L-1/L-2	<b>TCA-411 Series</b>		1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
	<b>TCA-411</b>	\$989.50	1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
	<b>TCA-411-D</b>	\$1,411.00	1
	Watts - back-to-back floor mounted carrier, heavy gauge steel offset uprights with welded feet, double cross steel plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
<b>Note: P001 - Plumbing Fixture Schedule</b>			
S-1	<b>SI-742</b>	\$1,234.00	1
	Watts - epoxy coated, cast aluminum body, gasketed cover, removable stainless steel sediment basket, 2" (51 mm) IPS threaded connections. 10" (254 mm) clearance required above cover to remove sediment bucket.		
<b>Note: P001 - Plumbing Fixture Schedule</b>			
EWC-1	<b>CA-431-1</b>	\$1,214.50	1
	Watts - floor mounted bi-level carrier, heavy gauge steel uprights with integral welded feet, universal steel hanger support plate, plated hardware.		
<b>Note: P001 - Plumbing Fixture Schedule</b>			

FD-1	<b>FD-104-A6-7</b>	\$588.50	1
	Watts - epoxy coated 8-1/8" (206 mm) diameter cast iron body reversible flashing clamp with primary and secondary weepholes no-hub outlet, 6" (152 mm) diameter, nickel bronze, adjustable round strainer, 4" (102 mm), trap primer tapping		
	<b>Note: P001 - Floor Drain Schedule / Cleanout Schedule</b>		
FD-2	<b>FD-103-A6-7</b>	\$588.50	1
	Watts - epoxy coated 8-1/8" (206 mm) diameter cast iron body reversible flashing clamp with primary and secondary weepholes no-hub outlet, 6" (152 mm) diameter, nickel bronze, adjustable round strainer, 3" (76 mm), Trap primer tapping		
	<b>Note: P001 - Floor Drain Schedule / Cleanout Schedule</b>		
WCO-1	<b>CO-300-S7-6</b>	\$700.00	1
	Watts - scoriated, square, access cover, nickel bronze, concealed mounting flanges, 7" (148 mm) square, vandal proof		
	<b>CO-460</b>		1
	Watts - cast iron stack, no-hub outlet, counter sunk brass plug		
	<b>CO-460,2</b>	\$228.00	1
	Watts - 2"Ø (51 mm)		
	<b>CO-460,3</b>	\$284.00	1
	Watts - 3"Ø (76 mm)		
	<b>CO-460,4</b>	\$441.00	1
	Watts - 4"Ø (102 mm)		
	<b>Note: P001 - Floor Drain Schedule / Cleanout Schedule</b>		
FCO-1	<b>CO-200-R-6</b>		1
	Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, nickel bronze top, vandal proof		
	<b>CO-200-R-6,2</b>	\$721.50	1
	Watts - 2"Ø (51 mm)		
	<b>CO-200-R-6,3</b>	\$757.00	1
	Watts - 3"Ø (76 mm)		
	<b>CO-200-R-6,4</b>	\$977.00	1
	Watts - 4"Ø (102 mm)		
	<b>Note: P001 - Floor Drain Schedule / Cleanout Schedule;</b> <b>CARPET CLAMPING FLANGE (-CF) = \$225.00 LIST ADDER</b> <b>CARPET MARKER (-RC) = \$61.00 LIST ADDER</b> <b>NB HEAVY DUTY (-RX) = \$122.00 LIST ADDER</b> <b>TILE RECESS (-T) = NO ADDITIONAL</b> <b>TERRAZZO RECESS (-U) = \$279.00 LIST ADDER</b>		
WHA	<b>SS Series</b>		1
	Watts - pre-charged, all stainless steel shock arrestors with stainless steel bellows, and male IPS threaded connection. Designed to operate on all domestic and commercial lines up to 150 psi working pressure. Temperature range from -100°F to 300°F (-73°C to 149°C)		
	<b>SS-A</b>	\$549.50	1
	Watts - 1-11 fixture units, 1/2" (13 mm) connection		
	<b>SS-B</b>	\$1,119.00	1
	Watts - 12-32 fixture units, 3/4" (19 mm) connection		
	<b>SS-C</b>	\$1,672.00	1
	Watts - 33-60, fixture units, 1" (25 mm) connection		
	<b>SS-D</b>	\$4,191.00	1
	Watts - 61-113 fixture units, 1" (25 mm) connection		
	<b>SS-E</b>	\$4,731.50	1
	Watts - 114-154 fixture units, 1" (25 mm) connection		

	<b>SS-F</b>	\$5,815.00	1
	Watts - 155-330 fixture units, 1" (25 mm) connection		
<b>Note: P001 - Floor Drain Schedule / Cleanout Schedule;</b>			
TP	<b>LFTP300-DR Series</b>		1
	Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap		
	<b>LFTP300S</b>	\$270.00	1
	Watts - 1/2", Soldered Inlet and Outlet Connect		
	<b>LFTP300T</b>	\$270.00	1
	Watts - 1/2", Threaded Inlet and Outlet Connect		
	<b>LFTP300-DU-DR</b>	\$189.00	1
	Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap, distribution unit		

**Note: P001 - Trap Primer Detail**

**NOTE : \*\*\*NOTE: Watts Drainage does not meet PA.DGS please be advised\*\*\***

**Special Terms:**

All pricing is plus freight unless Mfr freight terms are met.  
Pricing good for 30 days.  
Pricing subject to change if Mfr pricing changes.  
Watts Drainage does not meet PA.DGS please be advised.

**Terms**

Above prices are net.  
All taxes are extra.  
Partial or expedited shipments, at customer request, may result in additional freight charges.  
Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.  
Please ensure that all quoted product meets your projects specifications.  
Our company will only be responsible for products shown on the attached quotation.