



Address: 202 Commerce Blvd, Lawrence , Pennsylvania ,
15055 United States

Phone: (724) 745-5300

Quotation:
Q-606-S

To:	Contractor Holder 202 Commerce Blvd., Lawrence, Pennsylvania 15241	Bid Date:	2019-02-18
Attn.:	N/A	Expiry Date:	2019-03-20
Phone:	724-745-5300	Creator:	Drew Pomrenke , dpomrenke@jboconnor.com
		Sales Rep.:	Casey Devlin , cdevlin@jboconnor.com
		Shipping Address:	450 Pike Street, 45750, Marietta, Ohio, United States

Job Name: Planet Fitness Tenant Improvement

Comments:

Please Note: Not Enough Information to Cross Water Softener.

Section Brand: Sloan

Label	Product No. Description	List Price	Qty.
P20	ST-2459 Sloan - Vitreous China, ADA compliant water closet bowl only, 1.28 GPF, 1.6 GPF, and dual flush 1.6/1.1 GPF with 1-1/2" IPS top spud (2102459)	\$132.60	1
	Royal 111-1.28 ES-S Sloan - Hardwired 1.28 gpf/4.8 Lpf, electronic sensor solenoid operated (3450049)	\$697.65	1
<i>Note: P1.0 - Plumbing Fixtures</i>			
P22	SU-7009-A Sloan - Universal Vitreous china, 3/4" top spud, small urinal. 0.125 to 0.5 GPF (1107009)	\$178.45	1
	ROYAL 186-0.125 ES-S Sloan - Exposed Hardwired 0.125 gpf/0.5 Lpf, electronic sensor solenoid operated (3452632)	\$632.20	1
<i>Note: P1.0 - Plumbing Fixtures</i>			
P23	EAF-100-P-ISM-CP Sloan - Electronic operated automatic hand washing faucet for pre tempered or hot and cold water. Integral temperature control sput mixer (ISM) 6 VDC plug in transformer (3335004)	\$843.10	1
<i>Note: P1.0 - Plumbing Fixtures</i>			
P24	SS-3165 Sloan - 21" x 20" Wall Hung Ledgeback Lavatory-Single hole (3873165)	\$198.15	1
	EAF-100-P-ISM-CP Sloan - Electronic operated automatic hand washing faucet for pre tempered or hot and cold water. Integral temperature control sput mixer (ISM) 6 VDC plug in transformer (3335004)	\$843.10	1
<i>Note: P1.0 - Plumbing Fixtures</i>			

Section Brand: Elkay

Label	Product No. Description	List Price	Qty.
P32	EZSTL8WSLK Elkay - BFS VERS BI-LVL 8GPH LT GRY	\$2,301.00	1
<i>Note: P1.0 - Plumbing Fixtures</i>			

Section Brand: Pioneer

Label	Product No. Description	List Price	Qty.
P31	0054-ULE-Q Pioneer - SERVICE SINK-7-7/8" TO 8-1/8" LVR HDL RIGID SPT 1/4 TURN-PC	\$193.00	1

Note: P1.0 - Plumbing Fixtures

Section Brand: Powers

Label	Product No. Description	List Price	Qty.
P25/P27	P905HG1000 Powers - Chrome-plated ABS faceplate with color graphic insert, ADA-compliant metal lever handle	\$364.00	1

Note: P1.0 - Plumbing Fixtures

P26/P28	P905H0001W Powers - Pressure Balancing Valves, 1/2" Copper Sweat Connections, Low Flow (1.5 gpm), Metal Hose, 24" ADA Guard Rail, in-line Vacuum Breaker	\$717.00	1
---------	--	----------	---

Note: P1.0 - Plumbing Fixtures

Section Brand: Watts Drainage

Header: *NOTE: Watts Drainage does not meet PA.DGS please be advised*****

Label	Product No. Description	List Price	Qty.
P20	ISCA-103-L/R Watts - single, horizontal, epoxy coated, cast iron fitting, 4"Ø no hub waste connection, left/right side outlet, 2"Ø no hub vent connection. Epoxy coated cast iron patented compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support, adjustable for standard and wheelchair height, ductile iron rear anchor support, stainless steel support rods and hardware, chrome plated nuts.	\$3,284.00	1
	ISCA-103-D Watts - double, horizontal, epoxy coated, cast iron fitting, 4"Ø no hub waste connection, 2"Ø no hub vent connection. Epoxy coated cast iron patented compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support, adjustable for standard and wheelchair height, ductile iron rear anchor support, stainless steel support rods and hardware, chrome plated nuts.	\$6,328.00	1
	ISCA-123 Watts - single, vertical, epoxy coated, cast iron fitting, 4"Ø no hub waste connection, 2"Ø no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support, adjustable for standard and wheelchair height, ductile iron rear anchor support, stainless steel support rods and hardware, chrome plated nuts.	\$3,713.00	1
	ISCA-123-D Watts - double, vertical, epoxy coated, cast iron fitting, 4"Ø no hub waste connection, 2"Ø no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support, adjustable for standard and wheelchair height, stainless steel support rods and hardware, chrome plated nuts.	\$7,154.00	1
	ISCA-133-L/R Watts - single, vertical, epoxy coated, cast iron fitting, 4"Ø no hub waste connection and 4"Ø no hub side inlets, left/right side outlet, 2"Ø no hub vent connection. Epoxy coated cast iron patented compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support, adjustable for standard and wheelchair height, ductile iron rear anchor support, stainless steel support rods and hardware, chrome plated nuts.	\$4,017.50	1

	ISCA-133-D	\$7,454.00	1
	Watts - double, vertical, epoxy coated, cast iron fitting, 4"Ø no hub waste connection and 4"Ø no hub side inlets, 2"Ø no hub vent connection. Epoxy coated cast iron patented compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support, adjustable for standard and wheelchair height, plated hardware and chrome cap nuts.		
	Note: P1.0 - Plumbing Fixtures		
P22	CA-321	\$839.00	1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, universal steel hanger support plate and bottom bearing plate with integral mounting bracket, plated hardware.		
	Note: P1.0 - Plumbing Fixtures		
P32	CA-421	\$752.00	1
	Watts - floor mounted plate type carrier, heavy gauge steel uprights with integral welded feet, universal steel hanger support plate, plated hardware.		
	Note: P1.0 - Plumbing Fixtures		
P36	P-SP	\$582.00	1
	Watts - UV stabilized talc-filled polypropylene channels with integral 4" (102 mm) no-hub bottom outlet, pre-sloped trench, pre-sloped trench, 6" (152 mm) wide, including frame connectors, grate lockdowns and construction covers, UV stabilized glass-filled polypropylene frame, framed anchored grate, stainless steel perforated, Class A		
	FG-SS	\$195.50	1
	Watts - Stainless Steel Frame Guard		
	Note: P1.0 - Plumbing Fixtures; Please Note: Trench Drain Price is Per Foot.		
	NOTE : ***NOTE: Watts Drainage does not meet PA.DGS please be advised***		

Special Terms:

All pricing is plus freight unless Mfr freight terms are met.
Pricing good for 30 days.
Pricing subject to change if Mfr pricing changes.
Watts Drainage does not meet PA.DGS please be advised.

Terms

Above prices are net.
All taxes are extra.
Partial or expedited shipments, at customer request, may result in additional freight charges.
Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.
Please ensure that all quoted product meets your projects specifications.
Our company will only be responsible for products shown on the attached quotation.