



Address: 202 Commerce Blvd, Lawrence , Pennsylvania ,
15055 United States

Phone: (724) 745-5300

Quotation:
Q-664-S

To: **Contractor Holder**
202 Commerce Blvd., Lawrence, Pennsylvania
15241
Attn.: N/A
Phone: 724-745-5300

Bid Date: 2019-03-29
Expiry Date: 2019-04-28
Creator: Drew Pomrenke ,
dpomrenke@jboconnor.com
Sales Rep.: Casey Devlin , cdevlin@jboconnor.com
Shipping Address: 224 Penn
Street, Bedford, Pennsylvania, United
States

Job Name: Bedford Fire Department No. 1 Bedford, PA

Engineer: Stiffler, McGraw

Comments:

Section Brand: Sloan

Label	Product No. Description	List Price	Qty.
LAV-1	SS-3003 Sloan - Vitreous china wall mounted lavatory with backsplash, 4" centers, overflow, ADA compliant, 21" x 19.25" (3873003)	\$86.75	1

Note: P.601 - Plumbing Fixture Schedule
Note: Quoting as suggestion, no model specified.

UR-1	SU-1009-A Sloan - Universal Vireous china, 3/4" top spud. 0.125, 0.25 and 0.5 GPF includes dome strainer. (1101009)	\$272.80	1
	ROYAL 186-0.5 Sloan - Exposed 3/4" top spud 0.5 GPF (3912697)	\$211.60	1

Note: P.601 - Plumbing Fixture Schedule

Section Brand: Elkay

Label	Product No. Description	List Price	Qty.
EWC-1 Alterante	EMABFTL8SC Elkay - BAR FREE BILEVEL 8 GL	\$1,758.00	1

Note: P.601 - Plumbing Fixture Schedule

KS-1	LRAD2918550 Elkay - 18 Gauge Stainless Steel 29' x 18' x 5.5' Double Bowl Top Mount Kitchen Sink	\$1,295.00	1
	LK99 Elkay - DRAIN	\$120.00	1

Note: P.601 - Plumbing Fixture Schedule

US-1	WNSF81240 Elkay - SCULLERY	\$2,907.00	1
------	--------------------------------------	------------	---

Note: P.601 - Plumbing Fixture Schedule
Note: Quoting as alternate, quoting 14 gauge in lieu of 16 gauge.

Section Brand: Pioneer

Label	Product No. Description	List Price	Qty.
LAV-1	1137-AELS Pioneer - LAV-4" CNTRS 4" WRIST HDL-PVD PC	\$132.00	1
<i>Note: P.601 - Plumbing Fixture Schedule</i>			
<i>Note: Quoting 1.2 GPM in lieu of 1.5 GPM.</i>			
MS-1	0054-ULE-Q Pioneer - SERVICE SINK-7-7/8" TO 8-1/8" LVR HDL RIGID SPT 1/4 TURN-PC	\$193.00	1
	CS-65001 Pioneer - ACCESSORY-STAINLESS STEEL MOP HANGER	\$60.50	1
	CS-65002 Pioneer - ACCESSORY-HOSE BRACKET W/30" LONG HOSE	\$44.60	1
<i>Note: P.601 - Plumbing Fixture Schedule</i>			
<i>Note: Quoting as suggestion, no model specified.</i>			

Section Brand: Halsey Taylor

Label	Product No. Description	List Price	Qty.
EWC-1	HAC8BLSS-NF Halsey Taylor - HAC, ADA, 8GPH, BI-LVL, SS	\$1,758.00	1
<i>Note: P.601 - Plumbing Fixture Schedule</i>			
<i>Note: Quoting non filtered as suggestion.</i>			

Section Brand: Powers

Label	Product No. Description	List Price	Qty.
DS-1 (option 1)	ETV200AEQ000 Powers - HydroGuard Emergency Tempering Valve, 32.9 gpm, Rough Bronze, Bottom/Top, Stainless Steel, Wall Mounted	\$4,218.00	1
<i>Note: P.601 - Plumbing Fixture Schedule & Spec 22 1119 - 5</i>			
DS-1 (option 2)	ETV200AEN000 Powers - HydroGuard Emergency Tempering Valve, 32.9 gpm, Rough Bronze, Bottom/Top, Stainless Steel, Recessed	\$4,218.00	1
<i>Note: P.601 - Plumbing Fixture Schedule & Spec 22 1119 - 5</i>			
SH-1	P910HH102WY Powers - Pressure Balancing Mixing Valve, 1/2" copper sweat connections, Low Flow Shower (1.5gpm), Arm & Flange, 36" Chrome ADA Wall Grab Bar System, Vacuum Breaker,in-Line, Diverter Concealed, 1/2" IPS Metal Handle	\$1,132.00	1
<i>Note: P.601 - Plumbing Fixture Schedule</i>			
<i>Note: Quoting as alternate.</i>			

Section Brand: Watts Regulators

Label	Product No. Description	List Price	Qty.
3" Double Check Valve	LF007-OSY : 3 Watts - Lead Free cast copper silicon alloy body for 1/2" to 2" connections or fused epoxy coated cast iron body for 2-1/2" to 3" connections, replaceable seat and seat discs, resilient seated isolation valves, UL/FM outside stem & yoke gate valve, flange connections, 3"Ø (76 mm) pipe connection (0122637)	\$6,177.00	1

	77F-DI-FDA-125 : 3	\$680.50	1
	Watts - lead free cast iron body, graphite gasket, drain/blowoff connection furnished with closure plug, flange ends, ANSI B16.1 Class 125, 200 psi at 210°F WOG, non-shock, 3"Ø (76 mm) valve (0825211)		
	Note: P.100 - Plumbing Basement Floor Plan		

HB-1	SC8-4	\$81.25	1
	Watts - adjustable packing nut, cast brass body, wall mount, Watts Model 8B tamper-proof vacuum breaker with break-away screw, lawn faucet, 3/4" female NPT regular pattern with cast iron hand wheel (0611450)		
	Note: P.601 - Plumbing Fixture Schedule		
	Note: Quoting as alternate.		

Section Brand: Watts Drainage

Header: ***NOTE: Watts Drainage does not meet PA.DGS please be advised***

Label	Product No. Description	List Price	Qty.
EWC-1	CA-431-1	\$1,214.50	1
	Watts - floor mounted bi-level carrier, heavy gauge steel uprights with integral welded feet, universal steel hanger support plate, plated hardware.		

Note: P.601 - Plumbing Fixture Schedule & Spec 22 4716 - 2

FD-1	FD-324-Y	\$508.00	1
	Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 8" (203 mm) diameter, ductile iron grate, 4"Ø (102 mm)		

Note: P.601 - Plumbing Fixture Schedule

FD-2	FD-344-Y-1-5	\$2,052.00	1
	Watts - 12-1/2" (318 mm) diameter cast iron body no-hub outlet, 12-1/2" (318 mm) diameter, nickel bronze, 4"(102 mm), round grate, sediment bucket		

Note: P.601 - Plumbing Fixture Schedule

LAV-1	TCA-411 Series		1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		

	TCA-411	\$989.50	1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		

	TCA-411-D	\$1,411.00	1
	Watts - back-to-back floor mounted carrier, heavy gauge steel offset uprights with welded feet, double cross steel plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		

Note: P.601 - Plumbing Fixture Schedule

TD-1	D-DI	\$522.50	1
	Watts - UV stabilized talc-filled polypropylene channels with integral 4" (102 mm) no-hub bottom outlet(s), pre-sloped trench, 6" (152 mm) wide, including frame connectors, grate lockdowns and construction covers, ductile iron frame, framed anchored grate, ductile iron, Class F		

Note: P.601 - Plumbing Fixture Schedule

Please note trench drain price is per foot.

Note: Quoting as alternate.

UR-1	CA-321	\$839.00	1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, universal steel hanger support plate and bottom bearing plate with integral mounting bracket, plated hardware.		

Note: P.601 - Plumbing Fixture Schedule

WH-1	HY-700		1
	Watts - 3/4" (19 mm) diameter hose connection, 3/4" (19 mm) female x 1" (25 mm) male pipe connection, non-freeze, dual-temp, all bronze head, wall mount, concealed, polished bronze hydrant face, integral vacuum breaker, nickel bronze box and door, galvanized casing, 8-1/2" x 6-1/2" (165 mm)		
	HY-700,-6,-8	\$3,868.00	1
	Watts - 6" (152 mm), 8" (203 mm) thick		
	HY-700,-10,-12,-14	\$4,093.50	1
	Watts - 10" (254 mm), 12" (305 mm), 14" (356 mm) thick		
	HY-700,-16,-18	\$4,323.00	1
	Watts - 16" (406 mm), 18" (457 mm) thick		
Note: P.601 - Plumbing Fixture Schedule			
Floor Cleanout	CO-200-R		1
	Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, nickel bronze top		
	CO-200-R,2	\$625.50	1
	Watts - 2"Ø (51 mm)		
	CO-200-R,3	\$661.00	1
	Watts - 3"Ø (76 mm)		
	CO-200-R,4	\$881.00	1
	Watts - 4"Ø (102 mm)		
Note: P.601 - Detail 6 & Spec 22 1319 - 2			
Exterior Cleanout	CO-300-MF	\$1,391.00	1
	Watts - epoxy coated, 11" (279 mm) diameter, cast iron body, 8" (203 mm) round, extra heavy duty, ductile iron top		
	CO-380		1
	Watts - 6" (152 mm) diameter, cast iron body no-hub outlet, removable counter sunk brass plug		
	CO-380,2	\$96.25	1
	Watts - 2"Ø (51 mm)		
	CO-380,3	\$148.50	1
	Watts - 3"Ø (76 mm)		
	CO-380,4	\$205.50	1
	Watts - 4"Ø (102 mm)		
	CO-380,6	\$420.50	1
	Watts - 6"Ø (152 mm)		
Note: P.601 - Detail 5			
Wall Hydrant	HY-420		1
	Watts - 3/4" (19 mm) diameter hose connection, 3/4" (19 mm) female x 1" (25 mm) male pipe connection, non-freeze hydrant, all bronze head, seat casting and internal working parts, wall mount, bronze wall casing, chrome plated face, integral vacuum breaker		
	HY-420,-4,-6,-8	\$864.50	1
	Watts - 4" (102 mm), 6" (152 mm), 8" (203 mm) thick		
	HY-420,-10,-12,-14	\$1,006.00	1
	Watts - 10" (254 mm), 12" (305 mm), 14" (356 mm) thick		
	HY-420,-16,-18	\$1,146.50	1
	Watts - 16" (406 mm), 18" (457 mm) thick		
Note: Spec 22 1119 - 8			
Note: Quoting as suggestion.			

Post hydrant	HY-600 Watts - non-freeze, all bronze head, post hydrant with decorative cast iron housing, bronze face		1
	HY-600-3-3/4 Watts - 3' (914 mm) depth 3/4" (19 mm) connection size	\$2,185.00	1
	HY-600-4-3/4 Watts - non-freeze, all bronze head, seat casting and internal working parts, post hydrant with decorative epoxy coated cast iron housing, bronze face, loose key, 4' (1219 mm) depth, 3/4" (19 mm) connection size	\$2,356.50	1
	HY-600-5-3/4 Watts - non-freeze, all bronze head, seat casting and internal working parts, post hydrant with decorative epoxy coated cast iron housing, bronze face, loose key, 5' (1524 mm) depth, 3/4" (19 mm) connection size	\$2,530.00	1
Note: Spec 22 1119 - 9 Note: Quoting as suggestion.			
WHA	LF15M2-DR Series Watts - pre-charged copper water hammer arrestor with polypropylene piston, EPDM o-ring seal and brass NPT threaded connection. Designed to operate on all domestic and commercial lines up to 150psi (10.6 bar) working pressure. Temperature range from 33°F to 180°F (0.5°C to 82°C)		1
	LF15M2-A-DR Watts - 1-11 fixture units, 1/2" (13 mm) connection	\$175.00	1
	LF15M2-B-DR Watts - 12-32 fixture units, 3/4" (19 mm) connection	\$335.50	1
	LF15M2-C-DR Watts - 33-60, fixture units, 1" (25 mm) connection	\$529.50	1
	LF15M2-D-DR Watts - 61-113 fixture units, 1" (25 mm) connection	\$1,118.00	1
	LF15M2-E-DR Watts - 114-154 fixture units, 1" (25 mm) connection	\$1,391.00	1
	LF15M2-F-DR Watts - 155-330 fixture units, 1" (25 mm) connection	\$1,656.00	1
Note: Spec 22 1119 - 10			
Trap Primer	LFTP300-DR Series Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap		1
	LFTP300T Watts - 1/2", Threaded Inlet and Outlet Connect	\$270.00	1
	LFTP300S Watts - 1/2", Soldered Inlet and Outlet Connect	\$270.00	1
	LFTP300-DU-DR Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap, distribution unit	\$189.00	1
Note: Spec 22 1119 - 10			
Exposed Cleanout	CO-460 Watts - cast iron stack, no-hub outlet, counter sunk brass plug		1
	CO-460,2 Watts - 2"Ø (51 mm)	\$228.00	1
	CO-460,3 Watts - 3"Ø (76 mm)	\$284.00	1

CO-460,4	\$441.00	1
Watts - 4"Ø (102 mm)		
Note: Spec 22 1319 - 2		
Vent Caps RD-680-VC		1
Watts - cast iron, vandal proof cover		
RD-680-VC,2,3,4	\$471.00	1
Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
RD-680-VC,6	\$670.50	1
Watts - 6"Ø (152 mm)		
RD-680-VC,8	\$768.50	1
Watts - 8"Ø (203 mm)		

Note: Spec 22 1319 - 6

NOTE : ***NOTE: Watts Drainage does not meet PA.DGS please be advised***

Special Terms:

All pricing is plus freight unless Mfr freight terms are met.

Pricing good for 30 days.

Pricing subject to change if Mfr pricing changes.

Terms

Above prices are net.

All taxes are extra.

Partial or expedited shipments, at customer request, may result in additional freight charges.

Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.

Please ensure that all quoted product meets your projects specifications.

Our company will only be responsible for products shown on the attached quotation.