

Address: 202 Commerce Blvd, Lawrence , Pennsylvania , 15055 United States

Phone: (724) 745-5300

Quotation:

15055 Unite	ed States		Q-647-S
To:	Contractor Holder	Bid Date:	2019-03-11
	202 Commerce Blvd., Lawrence, Pennsylvania	Expiry Date:	2019-04-10
	15241	Creator:	Drew Pomrenke ,
Attn.:	N/A		dpomrenke@jboconnor.com
Phone:	724-745-5300	Sales Rep.:	Casey Devlin , cdevlin@jboconnor.com
		Shipping Address:	600 Forbes Ave
			15282, Pittsburgh, Pennsylvania, United
			States

Job Name: Duquesne Univ Rockwell Hall 6th Floor & Skywalk - Pittsburgh, PA

Engineer: CJL Engineering Architect: LGA Partners

Comments:

Section Brand: Sloan

Label	Product No. Description	List Price	Qty.
WC-1/WC-2	ST-2459	\$132.60	1
	Sloan - Vitreous China, ADA compliant water closet bowl only, 1.28 GPF, 1.6 GPF, and dual flush 1.6/1.1 GPF with 1-1/2" IPS top spud (2102459)		
	WES 111	\$237.00	1
	Sloan - Exposed water closet flushometer with dual-flush features, for floor mounted or wall hung top spud bowls. Antimicrobial coating on handle 1.6/1.1 GPF (3720000)		
Note: P00.	1 - Plumbing Fixture Schedule; Spec 22 40 00 - 3		
WC-3	ST-2009-A	\$86.75	1
	Sloan - Standard Height Universal, Top Spud (3873103)		
	WES 111	\$237.00	1
	Sloan - Exposed water closet flushometer with dual-flush features, for floor mounted or wall hung top spud bowls. Antimicrobial coating on handle 1.6/1.1 GPF (3720000)		
Note: P00.	1 - Plumbing Fixture Schedule; Spec 22 40 00 - 3		
UR-1/UR-2	SU-1009-A	\$272.80	1
	Sloan - Universal Vireous china, 3/4" top spud. 0.125, 0.25 and 0.5 GPF includes dome strainer. (1101009)		
	ROYAL 186-0.125-BN-DBP	\$841.90	1
	Sloan - Flushometer, Urinal, Manually activated, 0.125 gpf/0.5 Lpf, dual by-pass brush nickel finish (3912728)		
Note: P00.	1 - Plumbing Fixture Schedule; Spec 22 40 00 - 4		
L-1	SF-2100-4	\$486.40	1
	Sloan - Sensor activated, electronic, pedestal hand washing faucet for tempered or hot/cold water operated. ADA compliant, 6 VDC plug in transformer with battery backup. 4" trim plate. (3362103)		
Note: P00	1 - Plumbing Fixture Schedule; Spec 22 40 00 - 5		

Note: P001 - Plumbing Fixture Schedule; Spec 22 40 00 - 5

Section Brand: Elkay

Label	Product No. Description	List Price	Qty.
S-1	ELUHAD161655	\$641.00	1

Elkay - 18 Gauge Stainless Steel 18.5' x 18.5' x 5.375' Single Bowl Undermount Kitchen Sink

	LK18	\$64.00	1
	Elkay - DRAIN		
Note: PO	01 - Plumbing Fixture Schedule; Spec 22 40 00 - 5		
EWB-1	LZWSSM	\$1,355.00	1
	Elkay - EZH2O SURFACE MOUNT FILTERED BTL FLR		
Note: P0	01 - Plumbing Fixture Schedule; Spec 22 40 00 - 6		
EWC-1	EZSTL8SFC	\$1,751.00	1
	Elkay - VERSATILE BI-LVL GF PREP 8GPH SS		
Note: PO	01 - Plumbing Fixture Schedule; Spec 22 47 00 - 2		
EWC-2	EZS8SF	\$1,012.00	1
	Elkay - BARRIER FREE PREP FOR GF		
Note: PO	01 - Plumbing Fixture Schedule; Spec 22 47 00 - 2		

Section Brand: Powers

Label	Product No. Description	List Price	Qty.
L-1/S-1/S-	LFE480-10	\$284.00	1
2	Powers - Lavatory Tempering Valve, 0.50 gpm minimum flow, 3/8" Compression Rough Bronze Finish		

Note: P001 - Plumbing Fixture Schedule; Spec 22 40 00 - 5

Section Brand: Watts Regulators

Label	Product No. Description	List Price	Qty.
DCV	LF7: 3/8	\$202.00	1
	Watts - Lead Free cast copper silicon alloy body, silicon disc, 3/8"Ø (10 mm) pipe connection (0792076)		
	21. Rhumphing Sintering Cabady da		

Note: P001 - Plumbing Fixture Schedule

Section Brand: Watts Drainage

Header: ***NOTE: Watts Drainage does not meet PA.DGS please be advised***

Label	Product No. Description	List Price	Qty.
WC-1/WC-2	ISCA-103-L/R	\$3,284.00	1
	Watts - single, horizontal, epoxy coated, cast iron fitting, 4"Ø no hub waste connection, left/right side outlet, 2"Ø no hub vent connection. Epoxy coated cast iron patented compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support, adjustable for standard and wheelchair height, ductile iron rear anchor support, stainless steel support rods and hardware, chrome plated nuts.		
	ISCA-103-D	\$6,328.00	1
	Watts - double, horizontal, epoxy coated, cast iron fitting, 4"Ø no hub waste connection, 2"Ø no hub vent connection. Epoxy coated cast iron patented compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support, adjustable for standard and wheelchair height, ductile iron rear anchor support, stainless steel support rods and hardware, chrome plated nuts.		
	ISCA-123	\$3,713.00	1
	Watts - single, vertical, epoxy coated, cast iron fitting, 4"Ø no hub waste connection, 2"Ø no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support, adjustable for standard and wheelchair height, ductile iron rear anchor support, stainless steel support rods and hardware, chrome plated nuts.		

	ISCA-123-D	\$7,154.00	1
	Watts - double, vertical, epoxy coated, cast iron fitting, 4"Ø no hub waste connection, 2"Ø no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support, adjustable for standard and wheelchair height, stainless steel support rods and hardware, chrome plated nuts.		
	ISCA-133-L/R	\$4,017.50	1
	Watts - single, vertical, epoxy coated, cast iron fitting, 4"Ø no hub waste connection and 4"Ø no hub side inlets, left/right side outlet, 2"Ø no hub vent connection. Epoxy coated cast iron patented compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support, adjustable for standard and wheelchair height, ductile iron rear anchor support, stainless steel support rods and hardware, chrome plated nuts.		
	ISCA-133-D	\$7,454.00	1
	Watts - double, vertical, epoxy coated, cast iron fitting, 4"Ø no hub waste connection and 4"Ø no hub side inlets, 2"Ø no hub vent connection. Epoxy coated cast iron patented compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support, adjustable for standard and wheelchair height, plated hardware and chrome cap nuts.		
Note: P00	1 - Plumbing Fixture Schedule		
UR-1/UR-2	CA-321	\$839.00	1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, universal steel hanger support plate and bottom bearing plate with integral mounting bracket, plated hardware.		
Note: P00	1 - Plumbing Fixture Schedule		
S-2	TCA-411 Series		1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
	TCA-411	\$989.50	1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
	TCA-411-D	\$1,411.00	1
	Watts - back-to-back floor mounted carrier, heavy gauge steel offset uprights with welded feet, double cross steel plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
Note: P00	1 - Plumbing Fixture Schedule		
EWC-1	CA-431-1	\$1,214.50	1
	Watts - floor mounted bi-level carrier, heavy gauge steel uprights with integral welded feet, universal steel hanger support plate, plated hardware.		
Note: P00	1 - Plumbing Fixture Schedule		
EWC-2	CA-421	\$752.00	1
	Watts - floor mounted plate type carrier, heavy gauge steel uprights with integral welded feet, universal steel hanger support plate, plated hardware.		
Note: P00	1 - Plumbing Fixture Schedule		
TP	LFTP300-DR Series		1
	Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap		<u>.</u>
	LFTP300S	\$270.00	1
	Watts - 1/2", Soldered Inlet and Outlet Connect		
	LFTP300T	\$270.00	1
	Watts - 1/2", Threaded Inlet and Outlet Connect		

	LFTP300-DU-DR	\$189.00	1
	Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap, distribution		
	unit		
Note: PO	01 - Plumbing Fixture Schedule		
CO-TEE	CO-460		1
	Watts - cast iron stack, no-hub outlet, counter sunk brass plug		
	CO-460,2	\$228.00	1
	Watts - 2"Ø (51 mm)		
	CO-460,3	\$284.00	1
	Watts - 3"Ø (76 mm)		
	CO-460,4	\$441.00	1
	Watts - 4"Ø (102 mm)		
Note: Sp	pec 22 13 19 - 3		
WCO	CO-460-RD		1
	Watts - cast iron stack, no-hub outlet, counter sunk brass plug, round, stainless steel access cover and stainless steel vandal proof screw		
	CO-460-RD,2	\$364.00	1
	Watts - 2"Ø (51 mm)		
	CO-460-RD,3	\$417.50	1
	Watts - 3"Ø (76 mm)		
	CO-460-RD,4	\$611.50	1
	Watts - 4"Ø (102 mm)		
Note: Sp	pec 22 13 19 - 3		
FCO	CO-200X-R		1
	Watts - 7" (178 mm) diameter, cast iron body inside caulk, brass plug, 5" (127 mm) round, nickel bronze top		
	CO-200X-R,2	\$625.50	1
	Watts - 2"Ø (51 mm)		
	CO-200X-R,3	\$661.00	1
	Watts - 3"Ø (76 mm)		
	CO-200X-R,4	\$881.00	1
	Watts - 4"Ø (102 mm)		
CARPET C CARPET M NB HEAV TILE RECE	Dec 22 13 19 - 3; CLAMPING FLANGE (-CF) = \$225.00 LIST ADDER MARKER (-RC) = \$61.00 LIST ADDER Y DUTY (-RX) = \$122.00 LIST ADDER ESS (-T) = NO ADDITIONAL YO RECESS (-U) = \$279.00 LIST ADDER		
FCO-SS	CO-1200-R		1
	Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5-1/8" (130 mm) round, heavy duty, stainless steel top		1
	CO-1200-R,2	\$838.00	1
	Watts - 2"Ø (51 mm)		-
	CO-1200-R,3	\$873.00	1
			-

	CO-1200-R,4	\$1,094.00	1
	Watts - 4"Ø (102 mm)		
CARPET CL CARPET MA NB HEAVY	c 22 13 19 - 4; AMPING FLANGE (-CF) = \$225.00 LIST ADDER IRKER (-RC) = \$61.00 LIST ADDER DUTY (-RX) = \$122.00 LIST ADDER S (-T) = NO ADDITIONAL		
TERRAZZO	RECESS (-U) = \$279.00 LIST ADDER		
PVC-CO	CO-200-R-60		1
	Watts - 7" (178 mm) diameter, PVC body with poly plug, 5" (127 mm) round, nickel bronze top		
	CO-200-R-60,2	\$625.50	1
	Watts - 2"Ø (51 mm)		
	CO-200-R-60,3	\$661.00	1
	Watts - 3"Ø (76 mm)		
	CO-200-R-60,4	\$881.00	1
	Watts - 4"Ø (102 mm)		
CARPET CL CARPET MA NB HEAVY TILE RECES	c 22 13 19 - 5; AMPING FLANGE (-CF) = \$285.00 LIST ADDER IRKER (-RC) = \$78.00 LIST ADDER DUTY (-RX) = \$155.00 LIST ADDER S (-T) = NO ADDITIONAL PECECS (-11) = \$254.00 LIST ADDER		
	RECESS (-U) = \$354.00 LIST ADDER		
/ENT CAP	RD-680-VC		1
	Watts - cast iron, vandal proof cover	¢ 471 00	1
	RD-680-VC,2,3,4	\$471.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size	+ 670 50	
	RD-680-VC,6	\$670.50	1
	Watts - 6"Ø (152 mm)	+700 50	- 1
	RD-680-VC,8	\$768.50	1
Nata: Cno	Watts - 8"Ø (203 mm)		
	c 22 13 19 - 5;		- 1
OINT	I RD-900 Watts - neoprene expansion joint, no hub (MJ) clamps		1
		¢208.00	1
	RD-900,2	\$298.00	Т
	Watts - 2"Ø (51 mm) RD-900,3	\$345.50	1
	Watts - 3"Ø (76 mm)	\$545.50	T
	RD-900,4	\$404.00	1
	Watts - 4"Ø (102 mm)	\$ -0 00	-
Note: Spe	c 22 13 19 - 6;		
Đ	FD-100P-A6		1
	Watts - 8-1/8" (206 mm) diameter cast iron body push-on outlet, 6" (152 mm) diameter, nickel bronze, round strainer		
	FD-100P-A6,2,3,4	\$588.50	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	FD-100P-A6,6	\$708.50	1
	Watts - 6''Ø (152 mm)		
Note: Spe	c 22 13 19.13 - 2; Trap Primer By Others		
NOTE : ***	NOTE: Watts Drainage does not meet PA.DGS please be advised***		

Special Terms:

All pricing is plus freight unless Mfr freight terms are met.

Pricing good for 30 days. Pricing subject to change if Mfr pricing changes. Watts Drainage does not meet PA.DGS please be advised.

Terms

Above prices are net.

All taxes are extra.

Partial or expedited shipments, at customer request, may result in additional freight charges.

Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.

 $\label{eq:please} Please \ ensure \ that \ all \ quoted \ product \ meets \ your \ projects \ specifications.$

Our company will only be responsible for products shown on the attached quotation.