



Address: 202 Commerce Blvd, Lawrence , Pennsylvania ,
15055 United States

Phone: (724) 745-5300

Quotation:
Q-669-S

To:	Contractor Holder 202 Commerce Blvd., Lawrence, Pennsylvania 15241	Bid Date:	2019-03-26
Attn.:	N/A	Expiry Date:	2019-04-25
Phone:	724-745-5300	Creator:	Drew Pomrenke , dpomrenke@jboconnor.com
		Sales Rep.:	Casey Devlin , cdevlin@jboconnor.com
		Shipping Address:	9000 Babcock Blvd, Pittsburgh, Pennsylvania, United States

Job Name: LaRoche College - Palumbo Science enter Renovation Pittsburgh, PA

Engineer: Tower Engineering **Architect:** Perfido Weiskopf Wagstaff Goettel Architects (pwwg)

Comments:

Section Brand: Sloan

Label	Product No. Description	List Price	Qty.
WC-1/WC-2	ST-2459-STG Sloan - Vitreous China, ADA compliant water closet bowl only, 1.28 GPF, 1.6 GPF, and dual flush 1.6/1.1 GPF with 1-1/2" IPS top spud, with Sloan-Tec Hydrophobic antibacterial glaze (2172459)	\$157.55	1
	G2 8111-1.6 Sloan - Sensor Acticated Optima Plus, G2 Water Closet Flushometer 1.6gpf (3250370)	\$637.25	1
<i>Note: Spec 22 4000 - 6</i>			
U-1/U-2	SU-1006-A Sloan - Urinal fixture only, 1.0 GPF, 3/4" top spud. Includes Dome strainer (1101006)	\$272.80	1
	G2 8186-1 Sloan - Sensor Exposed Flushometer for Wall Hung Urinals, 11.5" Rough in, Battery-powered 1 gpf/3.8 Lpf (3250401)	\$637.25	1
<i>Note: Spec 22 4000 - 6</i>			
L-1 (single)	AD-81000 (P.O.A.) Sloan - AER-DEC		1
<i>Note: Spec 22 4000 - 7</i>			
L-2 (multi)	AD-83000 (P.O.A.) Sloan - AER-DEC		1
<i>Note: Spec 22 4000 - 7</i>			

Section Brand: Elkay

Label	Product No. Description	List Price	Qty.
S-2	LRAD2219550 Elkay - 18 Gauge Stainless Steel 22' x 19.5' x 5.5' Single Bowl Top Mount Kitchen Sink	\$885.00	1
	LK99 Elkay - DRAIN	\$120.00	1
<i>Note: Spec 22 4000 - 8</i>			
EWC-1	VRCTL8WSK Elkay - VRC8TL W/EZH2O-FILTERLESS	\$3,356.00	1
<i>Note: Spec 22 4700 - 3</i>			

Section Brand: Pioneer

Label	Product No. Description	List Price	Qty.
S-2	0072-GSAELS-Q Pioneer - KITCHEN-CONCEALED 8" TWO 4" WRIST HDLS 4-3/32" GOOSENECK SPT 1/4 TURN-PVD PC	\$173.25	1
<i>Note: Spec 22 4000 - 8</i>			
<i>Note: Quoting 1.5 GPM in lieu of 2.2 GPM.</i>			
MB-1	0054-ULE-Q Pioneer - SERVICE SINK-7-7/8" TO 8-1/8" LVR HDL RIGID SPT 1/4 TURN-PC	\$193.00	1
	CS-65001 Pioneer - ACCESSORY-STAINLESS STEEL MOP HANGER	\$60.50	1
	CS-65002 Pioneer - ACCESSORY-HOSE BRACKET W/30" LONG HOSE	\$44.60	1
<i>Note: Spec 22 4000 - 8</i>			
<i>Note: Quoting accessories as options.</i>			

Section Brand: Powers

Label	Product No. Description	List Price	Qty.
TMV/S-1/S- 2 (individual)	LFLM495-1 Powers - 1/2 LFLM495-1	\$312.00	1
<i>Note: Spec 22 1119 - 6 & Spec 22 4000 - 7</i>			
EMV-1	ETV200-1 Powers - ETV200-10 EMERGENCY TMPR	\$1,706.00	1
<i>Note: Spec 22 4500 - 2</i>			
<i>Note: Quoting without back outlet.</i>			

Section Brand: Watts Regulators

Label	Product No. Description	List Price	Qty.
Vacuum Breaker ASSE 1056	LF008PCQT : 3/4 Watts - molded diaphragm separating the air inlet from the potable water supply to prevent spillage, Lead Free cast copper silicon alloy body, 3/4"Ø (19 mm) pipe connection (0792025)	\$884.00	1
<i>Note: Spec 22 1119 - 3</i>			
RPZ 1"	LF009M2-QT : 1 Watts - Lead Free cast copper silicon alloy body for 1/4" to 2" and fused epoxy coated cast iron body for 2-1/2" and 3", replaceable seats and silicone seat discs, internal pressure differential relief valve in between check modules resilient seated isolation valves, resilient seated screw driver slotted test cocks, quarter turn ball-valves, 1"Ø (25 mm) pipe connection (0391004)	\$794.00	1
	909-AGC Watts - 909-AGC Air Gap (0881376)	\$106.50	1
	LF777SI : 1 Watts - lead free cast copper silicon alloy body, #20 mesh, 304 stainless steel screen, lead free copper silicon alloy retainer cap tapped for closure plug, NBR gasket, lead free brass plug, 1"Ø (25 mm) valve (0379113)	\$105.00	1
<i>Note: Spec 22 1119 - 4</i>			
HB-1	SC8-3 Watts - adjustable packing nut, cast brass body, wall mount, Watts Model 8B tamper-proof vacuum breaker with break-away screw, no kink faucet, 1/2" copper sweat connection with vacuum breaker (0611350)	\$81.25	1

	SC8-4	\$81.25	1
	Watts - adjustable packing nut, cast brass body, wall mount, Watts Model 8B tamper-proof vacuum breaker with break-away screw, lawn faucet, 3/4" female NPT regular pattern with cast iron hand wheel (0611450)		
Note: Spec 22 1119 - 7			

ET-1	DETA 30	\$2,644.00	1
	Watts - carbon steel shell, FDA approved butyl, bladder, 40 psi pre-charge pressure, tank volume of 15 gallons (0212029)		
Note: Spec 22 3400 - 4			

Section Brand: Watts Drainage

Header: ***NOTE: Watts Drainage does not meet PA.DGS please be advised***

Label	Product No. Description	List Price	Qty.
Trap Primer	LFTP300-DR Series Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap		1
	LFTP300T Watts - 1/2", Threaded Inlet and Outlet Connect	\$270.00	1
	LFTP300S Watts - 1/2", Soldered Inlet and Outlet Connect	\$270.00	1
	LFTP300-DU-DR Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap, distribution unit	\$189.00	1

Note: P-002 - Detail 2 & Spec 22 1119 - 9
Note: Quoting as alternate

WHA (piston type)	LF15M2-DR Series Watts - pre-charged copper water hammer arrestor with polypropylene piston, EPDM o-ring seal and brass NPT threaded connection. Designed to operate on all domestic and commercial lines up to 150psi (10.6 bar) working pressure. Temperature range from 33°F to 180°F (0.5°C to 82°C)		1
	LF15M2-A-DR Watts - 1-11 fixture units, 1/2" (13 mm) connection	\$175.00	1
	LF15M2-B-DR Watts - 12-32 fixture units, 3/4" (19 mm) connection	\$335.50	1
	LF15M2-C-DR Watts - 33-60, fixture units, 1" (25 mm) connection	\$529.50	1
	LF15M2-D-DR Watts - 61-113 fixture units, 1" (25 mm) connection	\$1,118.00	1
	LF15M2-E-DR Watts - 114-154 fixture units, 1" (25 mm) connection	\$1,391.00	1
	LF15M2-F-DR Watts - 155-330 fixture units, 1" (25 mm) connection	\$1,656.00	1

Note: Spec 22 1119 - 8

Exposed Cleanout (surfaced)	CO-460 Watts - cast iron stack, no-hub outlet, counter sunk brass plug		1
	CO-460,2 Watts - 2"Ø (51 mm)	\$228.00	1
	CO-460,3 Watts - 3"Ø (76 mm)	\$284.00	1

	CO-460,4	\$441.00	1
	Watts - 4"Ø (102 mm)		
Note: Spec 22 1319 - 2			
Floor	CO-200-RX		1
Cleanout	Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, heavy duty, nickel bronze top		
	CO-200-RX,2	\$778.05	1
	Watts - 2"Ø (51 mm)		
	CO-200-RX,3	\$815.50	1
	Watts - 3"Ø (76 mm)		
	CO-200-RX,4	\$1,035.50	1
	Watts - 4"Ø (102 mm)		
Note: Spec 22 1319 - 3			
Exposed	CO-300-MF	\$1,391.00	1
Cleanout (unsurfaced)	Watts - epoxy coated, 11" (279 mm) diameter, cast iron body, 8" (203 mm) round, extra heavy duty, ductile iron top		
	CO-380		1
	Watts - 6" (152 mm) diameter, cast iron body no-hub outlet, removable counter sunk brass plug		
	CO-380,2	\$96.25	1
	Watts - 2"Ø (51 mm)		
	CO-380,3	\$148.50	1
	Watts - 3"Ø (76 mm)		
	CO-380,4	\$205.50	1
	Watts - 4"Ø (102 mm)		
	CO-380,6	\$420.50	1
	Watts - 6"Ø (152 mm)		
Note: Spec 22 1319 - 3			
Metal Floor	CO-200X-R		1
Cleanout	Watts - 7" (178 mm) diameter, cast iron body inside caulk outlet, brass plug, 5" (127 mm) round, nickel bronze top		
	CO-200X-R,2	\$625.50	1
	Watts - 2"Ø (51 mm)		
	CO-200X-R,3	\$661.00	1
	Watts - 3"Ø (76 mm)		
	CO-200X-R,4	\$881.00	1
	Watts - 4"Ø (102 mm)		
Note: Spec 22 1319 - 3			
Wall	CO-460-RD		1
Cleanout	Watts - cast iron stack, no-hub outlet, counter sunk brass plug, round, stainless steel access cover and stainless steel vandal proof screw		
	CO-460-RD,2	\$364.00	1
	Watts - 2"Ø (51 mm)		
	CO-460-RD,3	\$417.50	1
	Watts - 3"Ø (76 mm)		
	CO-460-RD,4	\$611.50	1
	Watts - 4"Ø (102 mm)		
Note: Spec 22 1319 - 4			

FD-1	FD-100-A6-7		1
	Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 6" (152 mm) diameter, nickel bronze, round strainer, trap primer connection		
	FD-100-A6-7,2,3,4	\$588.50	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	FD-100-A6-7,6	\$709.00	1
	Watts - 6"Ø (152 mm)		
Note: Spec 22 1319 - 4			
Expansion Joint	RD-900		1
	Watts - neoprene expansion joint, no hub (MJ) clamps		
	RD-900,2	\$298.00	1
	Watts - 2"Ø (51 mm)		
	RD-900,3	\$345.50	1
	Watts - 3"Ø (76 mm)		
	RD-900,4	\$404.00	1
	Watts - 4"Ø (102 mm)		
Note: Spec 22 1319 - 6			
WC-1/WC-2	ISCA-101-L/R	\$1,587.50	1
	Watts - single, horizontal, cast iron fitting, left/right side outlet		
	ISCA-101-D	\$2,967.00	1
	Watts - double, horizontal, epoxy coated, cast iron fitting, 4" no hub waste connection, 2" no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, cast iron, foot support		
	ISCA-121	\$1,801.00	1
	Watts - single, vertical, cast iron fitting		
	ISCA-121-D	\$3,182.00	1
	Watts - double, vertical, epoxy coated, cast iron fitting, 4"no hub waste connection, 2" no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support, adjustable for standard and wheelchair height, plated hardware and chrome nuts		
	ISCA-131-L/R	\$2,105.50	1
	Watts - single, vertical, cast iron fitting, left/right side outlet		
	ISCA-131-D	\$3,479.50	1
	Watts - double, vertical, epoxy coated, cast iron fitting, 4"no hub waste connection and 4" no hub side inlet, 2" no hub vent connection. Epoxy coated cast iron patented compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support		
Note: Spec 22 4000 - 6			
U-1/U-2	CA-321	\$839.00	1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, universal steel hanger support plate and bottom bearing plate with integral mounting bracket, plated hardware.		
Note: Spec 22 4000 - 6			
EWC-1	CA-431-1	\$1,214.50	1
	Watts - floor mounted bi-level carrier, heavy gauge steel uprights with integral welded feet, universal steel hanger support plate, plated hardware.		
Note: Spec 22 4700 - 3			
NOTE : ***NOTE: Watts Drainage does not meet PA.DGS please be advised***			

Special Terms:

All pricing is plus freight unless Mfr freight terms are met.

Pricing good for 30 days.

Pricing subject to change if Mfr pricing changes.

Terms

Above prices are net.

All taxes are extra.

Partial or expedited shipments, at customer request, may result in additional freight charges.

Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.

Please ensure that all quoted product meets your projects specifications.

Our company will only be responsible for products shown on the attached quotation.