



Address: 202 Commerce Blvd, Lawrence , Pennsylvania ,
15055 United States

Phone: (724) 745-5300

Quotation:
Q-625-S

To:	Contractor Holder 202 Commerce Blvd., Lawrence, Pennsylvania 15241	Bid Date:	2019-03-21
Attn.:	N/A	Expiry Date:	2019-04-20
Phone:	724-745-5300	Creator:	Drew Pomrenke , dpomrenke@jboconnor.com
		Sales Rep.:	Casey Devlin , cdevlin@jboconnor.com
		Shipping Address:	2800 Bethel Street, New Kensington, Pennsylvania, United States

Job Name: Lower Burrell New Public Works Facility & City Hall Lower Burrell, PA

Engineer: AJC Professional Services **Architect:** Canzian/Johnston Associates

Comments:

Section Brand: Sloan

Label	Product No. Description	List Price	Qty.
UR	SU-1009-A Sloan - Universal Vireous china, 3/4" top spud. 0.125, 0.25 and 0.5 GPF includes dome strainer. (1101009)	\$272.80	1
	G2 8186-0.5 Sloan - Exposed, Battery Powered, Sensor Operated G2 Model Urinal Flushometer(3250424)	\$637.25	1
<i>Note: P602 - Plumbing Fixture Schedule & P602.1 - Plumbing Fixture Schedule</i>			
LAV	SS-3003 Sloan - Vitreous china wall mounted lavatory with backsplash, 4" centers, overflow, ADA compliant, 21" x 19.25" (3873003)	\$86.75	1
<i>Note: P602 - Plumbing Fixture Schedule & P602.1 - Plumbing Fixture Schedule</i>			

Section Brand: Elkay

Label	Product No. Description	List Price	Qty.
KS	LRADQ3322600 Elkay - 18 Gauge Stainless Steel 33' x 22' x 6' Double Bowl Top Mount Kitchen Sink	\$1,379.00	1
	LK99 Elkay - DRAIN	\$120.00	2
<i>Note: P602 - Plumbing Fixture Schedule & P602.1 - Plumbing Fixture Schedule</i>			
DF	EZSTL8LC Elkay - VERSATILE BI-LVL 8GPH LT GRY	\$1,615.00	1
<i>Note: P602 - Plumbing Fixture Schedule & P602.1 - Plumbing Fixture Schedule</i>			

Section Brand: Pioneer

Label	Product No. Description	List Price	Qty.
LAV	1137-LE Pioneer - LAV-4" CNTRS LVR HDL-PC	\$115.00	1
<i>Note: P602 - Plumbing Fixture Schedule & P602.1 - Plumbing Fixture Schedule</i>			
<i>Note: Quoting 1.2 GPM in lieu of 0.5 GPM.</i>			

KS	2LG160 Pioneer - KIT-LEGACY 8" SINGLE LVR HDL-CP	\$142.00	1
<i>Note: P602 - Plumbing Fixture Schedule & P602.1 - Plumbing Fixture Schedule</i>			
MS	0054-ULE-QI Pioneer - SERVICE SINK-7-7/8" TO 8-1/8" LVR HDL RIGID SPT INTEG STOPS 1/4 TURN-PC	\$238.00	1
	CS-65001 Pioneer - ACCESSORY-STAINLESS STEEL MOP HANGER	\$60.50	1
	CS-65002 Pioneer - ACCESSORY-HOSE BRACKET W/30" LONG HOSE	\$44.60	1
<i>Note: P602 - Plumbing Fixture Schedule & P602.1 - Plumbing Fixture Schedule</i>			
<i>Note: Quoting as alternate, lever handles in lieu of cross handles.</i>			

Section Brand: Powers

Label	Product No. Description	List Price	Qty.
SH	P910HH102WY Powers - Pressure Balancing Mixing Valve, 1/2" copper sweat connections, Low Flow Shower (1.5gpm), Arm & Flange, 36" Chrome ADA Wall Grab Bar System, Vacuum Breaker,in-Line, Diverter Concealed, 1/2" IPS Metal Handle	\$1,132.00	1
<i>Note: P602 - Plumbing Fixture Schedule & P602.1 - Plumbing Fixture Schedule</i>			
<i>Note: Quoting as alternate.</i>			
TMV	LFE480-10 Powers - Lavatory Tempering Valve, 0.50 gpm minimum flow, 3/8" Compression Rough Bronze Finish	\$284.00	1
<i>Note: P602 - Plumbing Fixture Schedule & P602.1 - Plumbing Fixture Schedule</i>			

Section Brand: Watts Regulators

Label	Product No. Description	List Price	Qty.
BFP 1 1/4"	LF007M2-QT : 1 1/4 Watts - Lead Free cast copper silicon alloy body for 1/2" to 2" connections or fused epoxy coated cast iron body for 2-1/2" to 3" connections, replaceable seat and seat discs, resilient seated isolation valves, quarter turn ball-valves, 1-1/4"Ø (32 mm) pipe connection (0063233)	\$700.00	1
	LF777SI : 1 1/4 Watts - lead free cast copper silicon alloy body, #20 mesh, 304 stainless steel screen, lead free copper silicon alloy retainer cap tapped for closure plug, NBR gasket, lead free brass plug, 1-1/4"Ø (32 mm) valve (0379114)	\$150.50	1
<i>Note: P601 - Detail 1 & P602 - Plumbing Fixture Schedule</i>			
Pressure Reducing Valve 1 1/4"	LF223 : 1 1/4 Watts - Lead Free, High Capacity Water Pressure Reducing Valve, NPT threaded female inlet x NPT threaded female outlet, 1-1/4"(32mm)	\$2,036.00	1
<i>Note: P601 - Detail 1 & P601.1 - Detail 3 & P602 - Plumbing Fixture Schedule & P602.1 - Plumbing Fixture Schedule</i>			
<i>Note: Quoting as suggestion.</i>			
Pressure Reducing Valve 3/4"	LF223 : 3/4 Watts - high capacity water pressure reducing valves, 3/4" (19 mm) connection with lead-free brass body construction,EPDM valve disc,enlarged diaphragm, spring cage and seat orifice for super capacity,reinforced Buna-N diaphragm,adjustable reduced pressure range: 25 to 75psi (172 to 517 kPa),temperature range: 33°F - 160°F (0.5°C - 71°C),maximum working pressure: 300psi (20.7 bar),standard reduced pressure setting: 50psi (345 kPa). (0298514)	\$735.50	1
<i>Note: P601.1 - Detail 1 & P602 - Plumbing Fixture Schedule & P602.1 - Plumbing Fixture Schedule</i>			
<i>Note: Quoting as suggestion.</i>			

Pressure Reducing Valve 2"	LF223 : 2 Watts - Lead Free, High Capacity Water Pressure Reducing Valve, NPT threaded female inlet x NPT threaded female outlet 2"(50mm)	\$4,430.00	1
Note: P601.1 - Detail 3 & P602 - Plumbing Fixture Schedule & P602.1 - Plumbing Fixture Schedule Note: Quoting as suggestion.			
ET	PLT-12 Watts - Potable Water Expansion Tanks, drawn steel construction, rugged flexible butyl, diaphragm, 20 psi pre-charge pressure, 150 psi maximum pressure, 200°F maximum temperature, tank volume of 4.5 gallons (0067371)	\$129.00	1
Note: P602 - Plumbing Fixture Schedule & P602.1 - Plumbing Fixture Schedule			
BFP-1	LF007M1-QT : 2 Watts - Lead Free cast copper silicon alloy body for 1/2" to 2" connections or fused epoxy coated cast iron body for 2-1/2" to 3" connections, replaceable seat and seat discs, resilient seated isolation valves, quarter turn ball-valves, 2"Ø (51 mm) pipe connection (0063235)	\$989.00	1
	LF777SI : 2 Watts - lead free cast copper silicon alloy body, #20 mesh, 304 stainless steel screen, lead free copper silicon alloy retainer cap tapped for closure plug, NBR gasket, lead free brass plug, 2"Ø (51 mm) valve (0379116)	\$314.00	1
Note: P602 - Plumbing Fixture Schedule & P602.1 - Plumbing Fixture Schedule & P601.1 - Detail 1			
BFP-2	LF909-QT : 3/4 Watts - Lead Free cast copper silicon alloy body, replaceable seats, internal pressure differential relief valve in between check modules tight closing resilient seated shut-off valve, quarter turn ball-valves, 3/4"Ø (19 mm) pipe connection (0391008)	\$1,464.00	1
	909-AGC Watts - 909-AGC Air Gap (0881376)	\$106.50	1
	LF777SI : 3/4 Watts - lead free cast copper silicon alloy body, #20 mesh, 304 stainless steel screen, lead free copper silicon alloy retainer cap tapped for closure plug, NBR gasket, lead free brass plug, 3/4"Ø (19 mm) valve (0379112)	\$91.50	1
Note: P602 - Plumbing Fixture Schedule & P602.1 - Plumbing Fixture Schedule			
BFP-2 Alternate	LF009M3-QT : 3/4 Watts - Lead Free cast copper silicon alloy body for 1/4" to 2" and fused epoxy coated cast iron body for 2-1/2" and 3", replaceable seats and silicone seat discs, internal pressure differential relief valve in between check modules resilient seated isolation valves, resilient seated screw driver slotted test cocks, quarter turn ball-valves, 3/4"Ø (19 mm) pipe connection (0391003)	\$673.00	1
	909-AGA Watts - 909-AGA Air Gap (0881399)	\$92.50	1
	LF777SI : 3/4 Watts - lead free cast copper silicon alloy body, #20 mesh, 304 stainless steel screen, lead free copper silicon alloy retainer cap tapped for closure plug, NBR gasket, lead free brass plug, 3/4"Ø (19 mm) valve (0379112)	\$91.50	1
Note: P602 - Plumbing Fixture Schedule & P602.1 - Plumbing Fixture Schedule			

Section Brand: Watts Drainage

Header: ***NOTE: Watts Drainage does not meet PA.DGS please be advised***

Label	Product No. Description	List Price	Qty.
Downspout Nozzle	RD-940 Watts - cast nickel bronze, anchor flange and pre-drilled counter-sunk mounting holes		1
	RD-940,2,3,4 Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size	\$1,083.00	1
	RD-940,5,6 Watts - 5"Ø (127 mm), 6"Ø (152 mm) outlet size	\$1,942.00	1

	RD-940,8	\$2,655.00	1
	Watts - 8"Ø (203 mm)		
	RD-940,10	\$3,464.00	1
	Watts - 10"Ø (254 mm)		
	RD-940,12	\$4,289.00	1
	Watts - 12"Ø (305 mm)		
Note: P101 - New York Keynotes #8			
UR	CA-321	\$839.00	1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, universal steel hanger support plate and bottom bearing plate with integral mounting bracket, plated hardware.		
Note: P602 - Plumbing Fixture Schedule & P602.1 - Plumbing Fixture Schedule			
LAV	TCA-411 Series		1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
	TCA-411	\$989.50	1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
	TCA-411-D	\$1,411.00	1
	Watts - back-to-back floor mounted carrier, heavy gauge steel offset uprights with welded feet, double cross steel plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
Note: P602 - Plumbing Fixture Schedule & P602.1 - Plumbing Fixture Schedule			
DF	CA-431-1	\$1,214.50	1
	Watts - floor mounted bi-level carrier, heavy gauge steel uprights with integral welded feet, universal steel hanger support plate, plated hardware.		
Note: P602 - Plumbing Fixture Schedule & P602.1 - Plumbing Fixture Schedule			
HB	HY-725-3		1
	Watts - 3/4" (19 mm) diameter hose connection, 3/4" (19 mm) female x 1" (25 mm) male pipe connection, non-freeze hydrant, all bronze head, wall mount, concealed, bronze wall casing, chrome plated face, integral vacuum breaker, stainless steel box and door		
	HY-725-3,-6,-8	\$1,547.00	1
	Watts - 6" (152 mm), 8" (203 mm) thick		
	HY-725-3,-10,-12,-14	\$1,690.00	1
	Watts - 10" (254 mm), 12" (305 mm), 14" (356 mm) thick		
	HY-725-3,-16,-18	\$1,830.00	1
	Watts - 16" (406 mm), 18" (457 mm) thick		
Note: P602 - Plumbing Fixture Schedule & P602.1 - Plumbing Fixture Schedule			
<i>Note: Quoting as alternate.</i>			
WCO	CO-590-RD		1
	Watts - threaded brass cleanout plug with countersunk head, stainless steel access cover and vandal proof stainless steel screw		
	CO-590-RD,1.5	\$184.00	1
	Watts - 1-1/2"Ø (39 mm)		
	CO-590-RD,2	\$188.00	1
	Watts - 2"Ø (51 mm)		
	CO-590-RD,3	\$232.00	1
	Watts - 3"Ø (76 mm)		

	CO-590-RD,4	\$307.50	1
	Watts - 4"Ø (102 mm)		
	CO-590-RD,5	\$429.00	1
	Watts - 5"Ø (126 mm)		
	CO-590-RD,6	\$661.00	1
	Watts - 6"Ø (152 mm)		

Note: P602 - Plumbing Fixture Schedule & P602.1 - Plumbing Fixture Schedule

FCO	CO-200-R		1
	Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, nickel bronze top		
	CO-200-R,2	\$625.50	1
	Watts - 2"Ø (51 mm)		
	CO-200-R,3	\$661.00	1
	Watts - 3"Ø (76 mm)		
	CO-200-R,4	\$881.00	1
	Watts - 4"Ø (102 mm)		

Note: P602 - Plumbing Fixture Schedule & P602.1 - Plumbing Fixture Schedule

RD	RD-300-D-F-K		1
	Watts - 16-5/8" (422 mm) diameter cast iron body, flashing clamp, no-hub outlet, 15-1/4" (387 mm) diameter, ductile iron dome, underdeck clamp, adjustable extension flange		
	RD-300-D-F-K,2,3,4	\$1,818.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	RD-300-D-F-K,5,6	\$2,120.00	1
	Watts - 5"Ø (127 mm), 6"Ø (152 mm) outlet size		
	RD-300-D-F-K,8,10	\$2,423.00	1
	Watts - 8"Ø (203 mm), 10"Ø (254 mm) outlet size		
	RD-300-D-F-K-W		1
	Watts - 16-5/8" (422 mm) diameter cast iron body, flashing clamp and 4" (102 mm) high internal stand pipe, no-hub outlet, 15-1/4" (387 mm) diameter, ductile iron dome, underdeck clamp, adjustable extension flange		
	RD-300-D-F-K-W,2,3,4	\$2,240.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	RD-300-D-F-K-W,5,6	\$2,543.00	1
	Watts - 5"Ø (127 mm), 6"Ø (152 mm) outlet size		
	RD-300-D-F-K-W,8,10	\$2,845.00	1
	Watts - 8"Ø (203 mm), 10"Ø (254 mm) outlet size		

Note: P602 - Plumbing Fixture Schedule & P602.1 - Plumbing Fixture Schedule

NOTE: The specified roof drain has one (1) deck plate for both drains. Watts Drainage offers separate standard and overflow roof drains with separate deck plates for this product. When installed side-by-side, our offering is equal to the combination roof drain specified.

FD	FD-100-A5		1
	Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 5" (127 mm) diameter, nickel bronze, round strainer		
	FD-100-A5,2,3,4	\$481.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	FD-100-A5,6	\$601.50	1
	Watts - 6"Ø (152 mm)		

Note: P602 - Plumbing Fixture Schedule & P602.1 - Plumbing Fixture Schedule

Note: Trap seal by others.

Watts - UV stabilized talc-filled polypropylene channels with integral 4" (102 mm) no-hub bottom outlet, pre-sloped trench, pre-sloped trench, 6" (152 mm) wide, including frame connectors, grate lockdowns and construction covers, UV stabilized glass-filled polypropylene frame, framed anchored grate, ductile iron, Class C

Note: P602 - Plumbing Fixture Schedule & P602.1 - Plumbing Fixture Schedule

Note: Quoting as alternate.

Please note trench drain price is per foot.

NOTE : ***NOTE: Watts Drainage does not meet PA.DGS please be advised***

Special Terms:

All pricing is plus freight unless Mfr freight terms are met.

Pricing good for 30 days.

Pricing subject to change if Mfr pricing changes.

Watts Drainage does not meet PA.DGS please be advised.

Terms

Above prices are net.

All taxes are extra.

Partial or expedited shipments, at customer request, may result in additional freight charges.

Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.

Please ensure that all quoted product meets your projects specifications.

Our company will only be responsible for products shown on the attached quotation.