



Address: 202 Commerce Blvd, Lawrence , Pennsylvania ,
15055 United States

Phone: (724) 745-5300

Quotation:
Q-686-S

To:	Contractor Holder 202 Commerce Blvd., Lawrence, Pennsylvania 15241	Bid Date:	2019-04-04
Attn.:	N/A	Expiry Date:	2019-05-04
Phone:	724-745-5300	Creator:	Drew Pomrenke , dpomrenke@jboconnor.com
		Sales Rep.:	Casey Devlin , cdevlin@jboconnor.com
		Shipping Address:	120 S Burrowes St, State College, Pennsylvania, United States

Job Name: PSU - Interior Renovations for Strategic Communications

Engineer: Century Engineering **Architect:** Gensler

Comments:

Section Brand: Sloan

Label	Product No. Description	List Price	Qty.
P-1A	ST-2459 Sloan - Vitreous China, ADA compliant water closet bowl only, 1.28 GPF, 1.6 GPF, and dual flush 1.6/1.1 GPF with 1-1/2" IPS top spud (2102459)	\$132.60	1
	WES 111 Sloan - Exposed water closet flushometer with dual-flush features, for floor mounted or wall hung top spud bowls. Antimicrobial coating on handle 1.6/1.1 GPF (3720000)	\$237.00	1
<i>Note: Spec 22 0000 - 4</i>			
P-2	SS-3003 Sloan - Vitreous china wall mounted lavatory with backsplash, 4" centers, overflow, ADA compliant, 21" x 19.25" (3873003)	\$86.75	1

Note: Spec 22 0000 - 4

Section Brand: Elkay

Label	Product No. Description	List Price	Qty.
P-3	LRADQ312265PD0 Elkay - 18 Gauge Stainless Steel 31' x 22' x 6.5' Single Bowl Top Mount Kitchen Sink Kit	\$1,292.00	1
<i>Note: Spec 22 0000 - 4</i>			
P-5	LNTE8RAK Elkay - 2 LVL W/FILTER REV, ECH8 CHILL	\$4,154.00	1

Note: Spec 22 0000 - 5

Section Brand: Pioneer

Label	Product No. Description	List Price	Qty.
P-2	0356-AN2C Pioneer - SLOW-CLOSE-DELUXE BASIN 1 HOLE PUSH HDL COLD-PVD PC	\$136.00	1
<i>Note: Spec 22 0000 - 4</i>			
<i>Note: Quoting as alternate, quoting 1.5 GPM in lieu of 0.5 GPM.</i>			
P-3	2LG161H Pioneer - KIT-LEGACY 8" SINGLE LVR HDL W/SIDE SPRAY 3/8" FLEX-CP	\$176.00	1

Note: Spec 22 0000 - 4

P-4	0054-ULERC-Q	\$171.00	1
	Pioneer - SERVICE SINK-7-7/8" TO 8-1/8" LVR HDL RIGID SPT 1/4 TURN-ROUGH CP		
	CS-65001	\$60.50	1
	Pioneer - ACCESSORY-STAINLESS STEEL MOP HANGER		
	CS-65002	\$44.60	1
	Pioneer - ACCESSORY-HOSE BRACKET W/30" LONG HOSE		

Note: Spec 22 0000 - 5

Section Brand: Powers

Label	Product No. Description	List Price	Qty.
TMV	LFSH1432-1	\$3,649.00	1
	Powers - Hi-Lo Master Tempering Valve, 57 gpm, Rough Brass, Standard Finish, Standard 90 - 160°F (32 - 71°C)		

Note: Spec 22 0000 - 7

Note: Complete model not specified, quoting as per description.

Section Brand: Watts Regulators

Label	Product No. Description	List Price	Qty.
ET-1 (option 1 NON ASME)	PLT-5 Watts - Potable Water Expansion Tanks, drawn steel construction, rugged flexible butyl, diaphragm, 20 psi pre-charge pressure, 150 psi maximum pressure, 200°F maximum temperature, tank volume of 2.1 gallons (0067370)	\$90.50	1

Note: P0.000 - Electric Water Heater Schedule

Note: Quoting as per tank volume, no model specified.

ET-1 (option 2 ASME)	DETA 5 Watts - carbon steel shell, FDA approved butyl, bladder, 40 psi pre-charge pressure, tank volume of 3.5 gallons (0212026)	\$1,832.00	1
----------------------------	--	------------	---

Note: P0.000 - Electric Water Heater Schedule

Note: Quoting as per tank volume, no model specified.

Vacuum Relief Valve	LFN36M1 : 1/2 Watts - Lead Free Vacuum Relief Valve, 1/2"(15mm)	\$78.25	1
---------------------------	---	---------	---

	LFN36M1 : 3/4 Watts - Lead Free brass body construction, Vacuum Relief Valve 3/4"(20mm) (0556031)	\$97.75	1
--	---	---------	---

Note: P0.501 - Electric Water Heater (Shelf)

Note: Quoting as suggestion.

Hose Bibb	SC8-4 Watts - adjustable packing nut, cast brass body, wall mount, Watts Model 8B tamper-proof vacuum breaker with break-away screw, lawn faucet, 3/4" female NPT regular pattern with cast iron hand wheel (0611450)	\$81.25	1
-----------	---	---------	---

Note: Spec 22 0000 - 6

Section Brand: Watts Drainage

Header: ***NOTE: Watts Drainage does not meet PA.DGS please be advised***

Label	Product No. Description	List Price	Qty.
Cleanouts	CO-200-R Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, nickel bronze top		1
	CO-200-R,2 Watts - 2"Ø (51 mm)	\$625.50	1

	CO-200-R,3	\$661.00	1
	Watts - 3"Ø (76 mm)		
	CO-200-R,4	\$881.00	1
	Watts - 4"Ø (102 mm)		
Note: Spec 22 0000 - 1			
CARPET CLAMPING FLANGE (-CF) = \$285.00 LIST ADDER			
CARPET MARKER (-RC) = \$78.00 LIST ADDER			
NB HEAVY DUTY (-RX) = \$155.00 LIST ADDER			
TILE RECESS (-T) = NO ADDITIONAL			
TERRAZZO RECESS (-U) = \$354.00 LIST ADDER			
Wall	CO-380		1
Cleanout	Watts - 6" (152 mm) diameter, cast iron body no-hub outlet, removable counter sunk brass plug		
	CO-380,2	\$96.25	1
	Watts - 2"Ø (51 mm)		
	CO-380,3	\$148.50	1
	Watts - 3"Ø (76 mm)		
	CO-380,4	\$205.50	1
	Watts - 4"Ø (102 mm)		
	CO-380,6	\$420.50	1
	Watts - 6"Ø (152 mm)		
Note: Spec 22 0000 - 2			
Wall	CO-460		1
Cleanout (vertical)	Watts - cast iron stack, no-hub outlet, counter sunk brass plug		
	CO-460,2	\$228.00	1
	Watts - 2"Ø (51 mm)		
	CO-460,3	\$284.00	1
	Watts - 3"Ø (76 mm)		
	CO-460,4	\$441.00	1
	Watts - 4"Ø (102 mm)		
Note: Spec 22 0000 - 2			
Access	CO-300-R6-6	\$445.50	1
Cover Round	Watts - scoriated, round, access cover, nickel bronze, concealed mounting flanges, 6-1/4" (159 mm) Ø, vandalproof		
Note: Spec 22 0000 - 2			
<i>Note: Quoting as suggestion.</i>			
Access	CO-300-S7-6	\$700.00	1
Cover Square	Watts - scoriated, square, access cover, nickel bronze, concealed mounting flanges, 7" (148 mm) square, vandal proof		
Note: Spec 22 0000 - 2			
<i>Note: Quoting as suggestion.</i>			
Floor Drain	FD-100-A5-G-50		1
	Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 5" (127 mm) diameter, nickel bronze, round strainer, 4x9" Oval Cast Iron Funnel		
	FD-100-A5-G-50,2,3,4	\$904.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	FD-100-A5-G-50,6	\$1,024.50	1
	Watts - 6"Ø (152 mm)		
Note: Spec 22 0000 - 2			
<i>Note: Quoting floor drain with oval funnel as suggestion.</i>			

Trap	LFTP300-DR Series		1
Primer	Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap		
	LFTP300T	\$270.00	1
	Watts - 1/2", Threaded Inlet and Outlet Connect		
	LFTP300S	\$270.00	1
	Watts - 1/2", Soldered Inlet and Outlet Connect		
	LFTP300-DU-DR	\$189.00	1
	Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap, distribution unit		
Note: Spec 22 0000 - 2			
Note: Quoting mechanical as alternate.			
Backwater Valve	BV-200		1
	Watts - cast iron body, no-hub outlet, bronze seat and flapper		
	BV-203	\$2,037.00	1
	Watts - 3" (76 mm) pipe size		
	BV-204	\$2,505.00	1
	Watts - 4" (102 mm) pipe size		
	BV-206	\$3,597.00	1
	Watts - 6" (152 mm) pipe size		
Note: Spec 22 0000 - 2			
Note: Quoting as alternate.			
FD-1	FD-100-M8		1
	Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 8" x 8" (203 mm x 203 mm), nickel bronze, square strainer		
	FD-100-M8,2,3,4	\$1,041.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	FD-100-M8,6	\$1,161.00	1
	Watts - 6"Ø (152 mm)		
Note: Spec 22 0000 - 3			
P-1A	ISCA-101-L/R	\$1,587.50	1
	Watts - single, horizontal, cast iron fitting, left/right side outlet		
	ISCA-101-D	\$2,967.00	1
	Watts - double, horizontal, epoxy coated, cast iron fitting, 4" no hub waste connection, 2" no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, cast iron, foot support		
	ISCA-121	\$1,801.00	1
	Watts - single, vertical, cast iron fitting		
	ISCA-121-D	\$3,182.00	1
	Watts - double, vertical, epoxy coated, cast iron fitting, 4"no hub waste connection, 2" no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support, adjustable for standard and wheelchair height, plated hardware and chrome nuts		
	ISCA-131-L/R	\$2,105.50	1
	Watts - single, vertical, cast iron fitting, left/right side outlet		
	ISCA-131-D	\$3,479.50	1
	Watts - double, vertical, epoxy coated, cast iron fitting, 4"no hub waste connection and 4" no hub side inlet, 2" no hub vent connection. Epoxy coated cast iron patented compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support		

Note: Spec 22 0000 - 4

P-2	TCA-411 Series		1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
	TCA-411	\$989.50	1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
	TCA-411-D	\$1,411.00	1
	Watts - back-to-back floor mounted carrier, heavy gauge steel offset uprights with welded feet, double cross steel plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
Note: Spec 22 0000 - 4			
P-5	CA-431-1	\$1,214.50	1
	Watts - floor mounted bi-level carrier, heavy gauge steel uprights with integral welded feet, universal steel hanger support plate, plated hardware.		
Note: Spec 22 0000 - 5			
Shock Absorbers	SS Series		1
	Watts - pre-charged, all stainless steel shock arrestors with stainless steel bellows, and male IPS threaded connection. Designed to operate on all domestic and commercial lines up to 150 psi working pressure. Temperature range from -100°F to 300°F (-73°C to 149°C)		
	SS-A	\$549.50	1
	Watts - 1-11 fixture units, 1/2" (13 mm) connection		
	SS-B	\$1,119.00	1
	Watts - 12-32 fixture units, 3/4" (19 mm) connection		
	SS-C	\$1,672.00	1
	Watts - 33-60, fixture units, 1" (25 mm) connection		
	SS-D	\$4,191.00	1
	Watts - 61-113 fixture units, 1" (25 mm) connection		
	SS-E	\$4,731.50	1
	Watts - 114-154 fixture units, 1" (25 mm) connection		
	SS-F	\$5,815.00	1
	Watts - 155-330 fixture units, 1" (25 mm) connection		

Note: Spec 22 0000 - 5

NOTE : ***NOTE: Watts Drainage does not meet PA.DGS please be advised***

Special Terms:

All pricing is plus freight unless Mfr freight terms are met.
Pricing good for 30 days.
Pricing subject to change if Mfr pricing changes.

Terms

Above prices are net.
All taxes are extra.
Partial or expedited shipments, at customer request, may result in additional freight charges.
Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.
Please ensure that all quoted product meets your projects specifications.
Our company will only be responsible for products shown on the attached quotation.