



Address: 202 Commerce Blvd, Lawrence , Pennsylvania ,
15055 United States

Phone: (724) 745-5300

Quotation:
Q-689-S

To:	Contractor Holder 202 Commerce Blvd., Lawrence, Pennsylvania 15241	Bid Date:	2019-04-09
Attn.:	N/A	Expiry Date:	2019-05-09
Phone:	724-745-5300	Creator:	Drew Pomrenke , dpomrenke@jboconnor.com
		Sales Rep.:	Casey Devlin , cdevlin@jboconnor.com
		Shipping Address:	600 Heisel Street, Homestead, Pennsylvania, United States

Job Name: CSL Plasma Center - Homestead, PA

Engineer: DWG Inc. Consulting Engineers **Architect:** Novus Architects

Comments:

Section Brand: Sloan

Label	Product No. Description	List Price	Qty.
P1	ST-2029 Sloan - Vitreous china, ADA compliant water closet bowl only, 1.28, 1.6/1.1 AND 1.6 gpf, Floor mounted elongated bowl with 1-1/2" IPS top spud inlet. 1,000 LB load tested (2102029)	\$160.65	1
	Royal 111 ES-S TMO Sloan - Hardwired 1.6 gpf/6.0 Lpf, electronic sensor solenoid operated true mechanical override (3450065)	\$740.05	1
	EL-154 Sloan - Box mount, up to 10 flush valves can be operated by one transformer (0345154)	\$47.00	1
<i>Note: P301 - Plumbing Fixture Schedule.</i>			
P2A	SU-1006-A Sloan - Urinal fixture only, 1.0 GPF, 3/4" top spud. Includes Dome strainer (1101006)	\$272.80	1
	Royal 186-1 ES-S TMO Sloan - Optima sensor activated flushometer for exposed urinals. Equipped with 24V AC solenoid operator and optima sensor EL-1500-L. 3/4" top spud. 1.0 GPM, True Mechanical Override Button (TMO) (3452640)	\$722.05	1
	EL-154 Sloan - Box mount, up to 10 flush valves can be operated by one transformer (0345154)	\$47.00	1
<i>Note: P301 - Plumbing Fixture Schedule.</i>			
P2B	SU-1009-A Sloan - Universal Vitreous china, 3/4" top spud. 0.125, 0.25 and 0.5 GPF includes dome strainer. (1101009)	\$272.80	1
	ROYAL 186-0.125 SFSM HW Sloan - 0.125 gpf Hardwired-3912753	\$548.30	1
	EL-451 Sloan - Box mount will operate up to 8 flush valves (0345125)	\$103.80	1
<i>Note: P301 - Plumbing Fixture Schedule.</i>			
<i>Note: Quoting flush valve as alternate.</i>			
P3	SS-3006 Sloan - 20x18 Wall Hung Ledgeback Lav - 4" CS(3873006)	\$135.20	1

	SS-27	\$196.85	1
	Sloan - White vitreous china Ceramic Shroud 7 3/4" x 10 1/2" x 9 3/4" (197 mm x 267 mm x 248 mm) (387678)		
(battery option 1)	EBF-650-8	\$841.45	1
	Sloan - Automatic Sink Faucets, 0.5 gpm, 4" Centerset install, 8 inch Trim Plate, Polished Chrome, Activated Sensor (3315139)		
hardwired option 2)	ETF-600-8-B	\$757.95	1
	Sloan - Automatic Sink Faucets, 0.5 gpm, 4" Centerset install, 8 inch Trim Plate, Polished Chrome, Activated Sensor (3365333)		
	EL-248-40	\$47.90	1
	Sloan - Box type transformer (Up to 2 faucets can be operated) (0345370pk)		
Note: P301 - Plumbing Fixture Schedule.			
<i>Note: Quoting lavatory as alternate.</i>			
P5	ETF-700-4-B	\$859.85	1
	Sloan - Automatic Sink Faucets, 2.2 gpm, Single Holeinstall, 4 inch Trim Plate, Polished Chrome, Activated Sensor (3365178)		
	EL-248-40	\$47.90	1
	Sloan - Box type transformer (Up to 2 faucets can be operated) (0345370pk)		
Note: P301 - Plumbing Fixture Schedule.			

Section Brand: Halsey Taylor

Label	Product No. Description	List Price	Qty.
P7	HTHB-HAC8BLSS-WF Halsey Taylor - HTHB-HAC8BLWF (SS)	\$2,505.00	1
Note: P301 - Plumbing Fixture Schedule.			
P8	HTHB-HAC8SS-WF Halsey Taylor - HTHB-HAC8WF (SS)	\$1,778.00	1
Note: P301 - Plumbing Fixture Schedule.			

Section Brand: Elkay

Label	Product No. Description	List Price	Qty.
P4	LRAD3322650 Elkay - 18 Gauge Stainless Steel 33' x 22' x 6.5' Double Bowl Top Mount Kitchen Sink	\$1,379.00	1
	LK99 Elkay - DRAIN	\$120.00	2
Note: P301 - Plumbing Fixture Schedule.			
P5	LRAD1720650 Elkay - 18 Gauge Stainless Steel 17' x 20' x 6.5' Single Bowl Top Mount Kitchen Sink	\$801.00	1
	LK99 Elkay - DRAIN	\$120.00	1
Note: P301 - Plumbing Fixture Schedule.			
P7 Alternate	LMABFTL8WSSK Elkay - EZH20-LMABFTL8S COMBO	\$2,505.00	1
Note: P301 - Plumbing Fixture Schedule.			
P8 Alternate	LMABF8WSSK Elkay - EZH20-LMABF8S COMBO	\$1,778.00	1
Note: P301 - Plumbing Fixture Schedule.			

Section Brand: Pioneer

Label	Product No. Description	List Price	Qty.
P4	K-4162 Pioneer - KITCHEN-8" SINGLE METAL LVR HDL SWVL SPT W/SIDE SPRAY-CP	\$100.00	1
<i>Note: P301 - Plumbing Fixture Schedule.</i>			
<i>Note: Quoting 1.5 GPM in lieu of 1.8 GPM.</i>			
P6	0054-ULE-Q Pioneer - SERVICE SINK-7-7/8" TO 8-1/8" LVR HDL RIGID SPT 1/4 TURN-PC	\$193.00	1
	CS-65001 Pioneer - ACCESSORY-STAINLESS STEEL MOP HANGER	\$60.50	1
	CS-65002 Pioneer - ACCESSORY-HOSE BRACKET W/30" LONG HOSE	\$44.60	1
<i>Note: P301 - Plumbing Fixture Schedule.</i>			
<i>Note: Quoting as alternate, lever handles in lieu of cross handles.</i>			

Section Brand: Powers

Label	Product No. Description	List Price	Qty.
TMV ASSE 1070	LFE480-10 Powers - Lavatory Tempering Valve, 0.50 gpm minimum flow, 3/8" Compression Rough Bronze Finish	\$284.00	1
<i>Note: P301 - Plumbing Fixture Schedule Notes</i>			
<i>Note: Quoting as suggestion.</i>			

Section Brand: Watts Regulators

Label	Product No. Description	List Price	Qty.
TMV	LFN170M3 : 1 Watts - valve shall control temperature from a low of 4GPM (0559125)	\$1,563.00	1
<i>Note: P301 - Detail 1</i>			
BFP 2 1/2"	957-OSY : 2 1/2 Watts - 304 stainless steel, schedule 40 pipe with groove end connection sleeve accessible housing, replaceable elastomer discs differential pressure relief valve between and below the check modules, drip tight shut-off valves, UL/FM outside stem & yoke gate valve, flange connections, 2-1/2"Ø (64 mm) pipe connection (0111584)	\$4,205.00	1
	957-AG Watts - 957-AG Air Gap (0111764)	\$269.50	1
	77F-DI-FDA-125 : 2 1/2 Watts - lead free cast iron body, graphite gasket, drain/blowoff connection furnished with closure plug, flange ends, ANSI B16.1 Class 125, 200 psi at 210°F WOG, non-shock, 2-1/2"Ø (64 mm) valve (0825210)	\$643.50	1
<i>Note: P301 - Detail 3</i>			

Section Brand: Watts Drainage

Header: ***NOTE: Watts Drainage does not meet PA.DGS please be advised***

Label	Product No. Description	List Price	Qty.
FD	FD-100-A5 Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 5" (127 mm) diameter, nickel bronze, round strainer		1

	FD-100-A5,2,3,4	\$481.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	FD-100-A5,6	\$601.50	1
	Watts - 6"Ø (152 mm)		
Note: P301 - Plumbing Fixture Schedule.			
<i>Note: Deep seal trap by others.</i>			
HB	HY-725-88		1
	Watts - 3/4" (19 mm) diameter hose connection, 3/4" (19 mm) female x 1" (25 mm) male pipe connection, non-freeze hydrant, all bronze head, wall mount, concealed, bronze wall casing, chrome plated face, integral vacuum breaker, nickel bronze box and door, wall clamp		
	HY-725-88,-6,-8	\$1,547.00	1
	Watts - 6" (152 mm), 8" (203 mm) thick		
	HY-725-88,-10,-12,-14	\$1,690.00	1
	Watts - 10" (254 mm), 12" (305 mm), 14" (356 mm) thick		
	HY-725-88,-16,-18	\$1,830.00	1
	Watts - 16" (406 mm), 18" (457 mm) thick		
Note: P301 - Plumbing Fixture Schedule.			
P2A/P2B	CA-321	\$839.00	1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, universal steel hanger support plate and bottom bearing plate with integral mounting bracket, plated hardware.		
Note: P301 - Plumbing Fixture Schedule.			
P3 (pedestal option 1)	TCA-411-CA-481	\$1,197.50	1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device. W/ wall mounted, steel support, plated hardware.		
Note: P301 - Plumbing Fixture Schedule.			
P3 (option 2)	TCA-411 Series		1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
	TCA-411	\$989.50	1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
	TCA-411-D	\$1,411.00	1
	Watts - back-to-back floor mounted carrier, heavy gauge steel offset uprights with welded feet, double cross steel plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
Note: P301 - Plumbing Fixture Schedule.			
P7	CA-431-1	\$1,214.50	1
	Watts - floor mounted bi-level carrier, heavy gauge steel uprights with integral welded feet, universal steel hanger support plate, plated hardware.		
Note: P301 - Plumbing Fixture Schedule.			
P8	CA-421	\$752.00	1
	Watts - floor mounted plate type carrier, heavy gauge steel uprights with integral welded feet, universal steel hanger support plate, plated hardware.		
Note: P301 - Plumbing Fixture Schedule.			
Trap Primer	LFTP300-DR Series		1
	Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap		

LFTP300T	\$270.00	1
Watts - 1/2", Threaded Inlet and Outlet Connect		
LFTP300S	\$270.00	1
Watts - 1/2", Soldered Inlet and Outlet Connect		
LFTP300-DU-DR	\$189.00	1
Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap, distribution unit		
Note: P301 - Detail 2		
Floor Drain FD-100-EF-1		1
Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 7" (178 mm) diameter nickel bronze, adjustable round strainer, 4" (102 mm) diameter nickel bronze funnel		
FD-100-EF-1,2,3,4	\$909.00	1
Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
FD-100-EF-1,6	\$1,029.00	1
Watts - 6"Ø (152 mm)		

Note: P301 - Detail 1

NOTE : ***NOTE: Watts Drainage does not meet PA.DGS please be advised***

Special Terms:

All pricing is plus freight unless Mfr freight terms are met.

Pricing good for 30 days.

Pricing subject to change if Mfr pricing changes.

Terms

Above prices are net.

All taxes are extra.

Partial or expedited shipments, at customer request, may result in additional freight charges.

Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.

Please ensure that all quoted product meets your projects specifications.

Our company will only be responsible for products shown on the attached quotation.