



Address: 202 Commerce Blvd, Lawrence , Pennsylvania ,
15055 United States

Phone: (724) 745-5300

Quotation:
Q-705-S

To:	Contractor Holder 202 Commerce Blvd., Lawrence, Pennsylvania 15241	Bid Date:	2019-04-26
Attn.:	N/A	Expiry Date:	2019-05-26
Phone:	724-745-5300	Creator:	Drew Pomrenke , dpomrenke@jboconnor.com
		Sales Rep.:	Casey Devlin , cdevlin@jboconnor.com
		Shipping Address:	850 N. Hermitage Road, Hermitage, Pennsylvania, United States

Job Name: MCAR Interior Renovation Hermitage,PA

Engineer: Epic Engineering Group LLC **Architect:** DS Architecture

Comments:

Section Brand: Sloan

Label	Product No. Description	List Price	Qty.
LAV-1	SS-3003 Sloan - Vitreous china wall mounted lavatory with backsplash, 4" centers, overflow, ADA compliant, 21" x 19.25" (3873003)	\$86.75	1
	EBF-85-4 Sloan - Sensor activated, battery powered lavatory faucet. Faucet is chrome plated brass with integral sensor throat plated for hand operation. Includes matching trim plate for 4" centerset sinks. Includes bak-chek tee for hot/cold supply, vandal proof, 0.5 GP	\$876.80	1
<i>Note: P2.01 - Plumbing Fixture & Connection Schedule</i>			
LAV-2	SS-3021 Sloan - White vitreous china, Undermount rectangular lavatory fixture. Front overflow, 21-5/8" x 15-3/4" x 8-1/4" (3873021)	\$100.90	1
	EBF-85-4 Sloan - Sensor activated, battery powered lavatory faucet. Faucet is chrome plated brass with integral sensor throat plated for hand operation. Includes matching trim plate for 4" centerset sinks. Includes bak-chek tee for hot/cold supply, vandal proof, 0.5 GP	\$876.80	1
<i>Note: P2.01 - Plumbing Fixture & Connection Schedule</i>			
<i>Note: Quoting lav as alternate.</i>			
UR-1	SU-1006-A Sloan - Urinal fixture only, 1.0 GPF, 3/4" top spud. Includes Dome strainer (1101006)	\$272.80	1
	REGAL 186-1 XL Sloan - Exposed Urinal Flushometer, for 3/4" top spud urinals, 1 gpf/3.8 Lpf (3082675)	\$197.50	1
<i>Note: P2.01 - Plumbing Fixture & Connection Schedule</i>			
UR-2	SU-1006-A Sloan - Urinal fixture only, 1.0 GPF, 3/4" top spud. Includes Dome strainer (1101006)	\$272.80	1
	Sloan 8186-0.5 Sloan - Battery powered, sensor activated, 3/4" top spud, exposed urinal flushometer. Courtesy flush override button. Requires no AC hookups, uses four AA batteries. Override button. 0.5 GPF (3790068)	\$569.40	1
<i>Note: P2.01 - Plumbing Fixture & Connection Schedule</i>			
WC-1/WC-2	ST-2029-A Sloan - ADA Floor Mount Universal, Top Spud (2102029)	\$160.65	1

Sloan 111	\$192.80	1
Sloan - Exposed Water Closet Flushometer, for floor mounted or wall hung top spud bowls, 1.6 gpf/6.0 Lpf (3780000)		
Note: P2.01 - Plumbing Fixture & Connection Schedule		
WC-3/WC-4 ST-2459	\$132.60	1
Sloan - Vitreous China, ADA compliant water closet bowl only, 1.28 GPF, 1.6 GPF, and dual flush 1.6/1.1 GPF with 1-1/2" IPS top spud (2102459)		
Sloan 8111-1.28	\$569.40	1
Sloan - Battery powered, sensor activated, 1 1/2" top spud, exposed closet flushometer. Requires no AC hookups, uses four AA batteries. Standard DFB. Override button, 1.28 GPF, (3790071)		
Note: P2.01 - Plumbing Fixture & Connection Schedule		

Section Brand: Pioneer

Label	Product No. Description	List Price	Qty.
MB-1	0054-U-Q Pioneer - SERVICE SINK-7-7/8" TO 8-1/8" TWO CANOPY HDLS RIGID SPT 1/4 TURN-PVD PC	\$190.00	1
	CS-65001 Pioneer - ACCESSORY-STAINLESS STEEL MOP HANGER	\$60.50	1
	CS-65002 Pioneer - ACCESSORY-HOSE BRACKET W/30" LONG HOSE	\$44.60	1

Note: P2.01 - Plumbing Fixture & Connection Schedule

Note: Quoting accessories as options.

Section Brand: Powers

Label	Product No. Description	List Price	Qty.
SH-1	P910HH101WY Powers - Pressure Balancing Valve, 1/2" Copper sweat connection, Low Flow Shower (1.5gpm), Arm & Flange, 24" Chrome ADA Wall Grab Bar System, Vacuum Breaker, in-Line, Diveter, Concealed, 1/2" IPS Metal Handle	\$1,119.00	1

Note: P2.01 - Plumbing Fixture & Connection Schedule

Note: Quoting as alternate.

Section Brand: Watts Regulators

Label	Product No. Description	List Price	Qty.
TMV ASSE 1070	LFUSG-B-M2 Watts - Lead Free brass body construction, copper thermostat with stainless steel springs, integral checks and 40 mesh stainless steel screens, 4-port with cap for three port application, "H" pattern body, ASSE 1070 and cUPC, valve shall control temperature from a low of 1/4gpm, 3/8"Ø (10 mm) male compression (0204143)	\$297.50	1

Note: P2.01 - Plumbing Fixture & Connection Schedule Remarks

ET-1	DETA 20 Watts - carbon steel shell, FDA approved butyl, bladder, 40 psi pre-charge pressure, tank volume of 8 gallons (0212028)	\$2,345.00	1
------	---	------------	---

Note: P2.01 - Tank Schedule

Note: Quoting as alternate.

Section Brand: Watts Drainage

Header: ***NOTE: Watts Drainage does not meet PA.DGS please be advised**

Label	Product No. Description	List Price	Qty.
CO-1	CO-200-R Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, nickel bronze top		1
	CO-200-R,2 Watts - 2"Ø (51 mm)	\$625.50	1
	CO-200-R,3 Watts - 3"Ø (76 mm)	\$661.00	1
	CO-200-R,4 Watts - 4"Ø (102 mm)	\$881.00	1
<p>Note: P2.01 - Plumbing Fixture & Connection Schedule CARPET CLAMPING FLANGE (-CF) = \$285.00 LIST ADDER CARPET MARKER (-RC) = \$78.00 LIST ADDER NB HEAVY DUTY (-RX) = \$155.00 LIST ADDER TILE RECESS (-T) = NO ADDITIONAL TERRAZZO RECESS (-U) = \$354.00 LIST ADDER</p>			
CO-2	CO-590-RD Watts - threaded brass cleanout plug with countersunk head, stainless steel access cover and vandal proof stainless steel screw		1
	CO-590-RD,1.5 Watts - 1-1/2"Ø (39 mm)	\$184.00	1
	CO-590-RD,2 Watts - 2"Ø (51 mm)	\$188.00	1
	CO-590-RD,3 Watts - 3"Ø (76 mm)	\$232.00	1
	CO-590-RD,4 Watts - 4"Ø (102 mm)	\$307.50	1
	CO-590-RD,5 Watts - 5"Ø (126 mm)	\$429.00	1
	CO-590-RD,6 Watts - 6"Ø (152 mm)	\$661.00	1
<p>Note: P2.01 - Plumbing Fixture & Connection Schedule</p>			
FD-1	FD-100-A5-5-7 Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 5" (127 mm) diameter, nickel bronze, adjustable round strainer, sediment bucket, trap primer tapping		1
	FD-100-A5-5-7,2,3,4 Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size	\$588.50	1
	FD-100-A5-5-7,6 Watts - 6"Ø (152 mm)	\$708.50	1
<p>Note: P2.01 - Plumbing Fixture & Connection Schedule Note: Trap seal by others.</p>			
HA-1	SS Series Watts - pre-charged, all stainless steel shock arrestors with stainless steel bellows, and male IPS threaded connection. Designed to operate on all domestic and commercial lines up to 150 psi working pressure. Temperature range from -100°F to 300°F (-73°C to 149°C)		1
	SS-A Watts - 1-11 fixture units, 1/2" (13 mm) connection	\$549.50	1

	SS-B	\$1,119.00	1
	Watts - 12-32 fixture units, 3/4" (19 mm) connection		
	SS-C	\$1,672.00	1
	Watts - 33-60, fixture units, 1" (25 mm) connection		
	SS-D	\$4,191.00	1
	Watts - 61-113 fixture units, 1" (25 mm) connection		
	SS-E	\$4,731.50	1
	Watts - 114-154 fixture units, 1" (25 mm) connection		
	SS-F	\$5,815.00	1
	Watts - 155-330 fixture units, 1" (25 mm) connection		
Note: P2.01 - Plumbing Fixture & Connection Schedule			
LAV-1	TCA-411 Series		1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
	TCA-411	\$989.50	1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
	TCA-411-D	\$1,411.00	1
	Watts - back-to-back floor mounted carrier, heavy gauge steel offset uprights with welded feet, double cross steel plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
Note: P2.01 - Plumbing Fixture & Connection Schedule			
SH-1 (Drain)	FD-100-A5-7		1
	Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 5" (127 mm) diameter, nickel bronze, round strainer, trap primer connection		
	FD-100-A5-7,2,3,4	\$481.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	FD-100-A5-7,6	\$601.50	1
	Watts - 6"Ø (152 mm)		
Note: P2.01 - Plumbing Fixture & Connection Schedule			
UR-1/UR-2	CA-321	\$839.00	1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, universal steel hanger support plate and bottom bearing plate with integral mounting bracket, plated hardware.		
Note: P2.01 - Plumbing Fixture & Connection Schedule			
WC-3/WC-4	ISCA-101-L/R	\$1,587.50	1
	Watts - single, horizontal, cast iron fitting, left/right side outlet		
	ISCA-101-D	\$2,967.00	1
	Watts - double, horizontal, epoxy coated, cast iron fitting, 4" no hub waste connection, 2" no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, cast iron, foot support		
	ISCA-121	\$1,801.00	1
	Watts - single, vertical, cast iron fitting		
	ISCA-121-D	\$3,182.00	1
	Watts - double, vertical, epoxy coated, cast iron fitting, 4"no hub waste connection, 2" no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support, adjustable for standard and wheelchair height, plated hardware and chrome nuts		

ISCA-131-L/R	\$2,105.50	1
Watts - single, vertical, cast iron fitting, left/right side outlet		
ISCA-131-D	\$3,479.50	1
Watts - double, vertical, epoxy coated, cast iron fitting, 4"no hub waste connection and 4" no hub side inlet, 2" no hub vent connection. Epoxy coated cast iron patented compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support		

Note: P2.01 - Plumbing Fixture & Connection Schedule

NOTE : ***NOTE: Watts Drainage does not meet PA.DGS please be advised**

Special Terms:

All pricing is plus freight unless Mfr freight terms are met.

Pricing good for 30 days.

Pricing subject to change if Mfr pricing changes.

Terms

Above prices are net.

All taxes are extra.

Partial or expedited shipments, at customer request, may result in additional freight charges.

Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.

Please ensure that all quoted product meets your projects specifications.

Our company will only be responsible for products shown on the attached quotation.