



Address: 202 Commerce Blvd, Lawrence , Pennsylvania ,
15055 United States

Phone: (724) 745-5300

Quotation:
Q-699-S

To:	Contractor Holder 202 Commerce Blvd., Lawrence, Pennsylvania 15241	Bid Date:	2019-04-19
Attn.:	N/A	Expiry Date:	2019-05-19
Phone:	724-745-5300	Creator:	Drew Pomrenke , dpomrenke@jboconnor.com
		Sales Rep.:	Casey Devlin , cdevlin@jboconnor.com
		Shipping Address:	, New Castle, Pennsylvania, United States

Job Name: UPMC Jameson Hospital 2nd & 3rd Floor New Castle, PA

Engineer: Allen & Shariff Engineering

Comments:

Section Brand: Sloan

Label	Product No. Description	List Price	Qty.
WC-1	ST-2459-STG Sloan - Vitreous China, ADA compliant water closet bowl only, 1.28 GPF, 1.6 GPF, and dual flush 1.6/1.1 GPF with 1-1/2" IPS top spud, with Sloan-Tec Hydrophobic antibacterial glaze (2172459)	\$157.55	1
	Royal 111-1.28 ES-S Sloan - Hardwired 1.28 gpf/4.8 Lpf, electronic sensor solenoid operated (3450049)	\$697.65	1
	EL-154 Sloan - Box mount, up to 10 flush valves can be operated by one transformer (0345154)	\$47.00	1
<i>Note: P701 - Plumbing Fixture Connection Schedule</i>			
<i>Note: Quoting water closet as suggestion no model number specified.</i>			
WC-2	ST-2459-STG Sloan - Vitreous China, ADA compliant water closet bowl only, 1.28 GPF, 1.6 GPF, and dual flush 1.6/1.1 GPF with 1-1/2" IPS top spud, with Sloan-Tec Hydrophobic antibacterial glaze (2172459)	\$157.55	1
	ROYAL BPW-1150-1.6 Sloan - Bedpan washer water closet flushometer for floor mounted or wall hung top spud bowls. Installation meets ADA requirements. 1 1/2" top spud. 1.6 GPM (3919711)	\$689.40	1
<i>Note: P701 - Plumbing Fixture Connection Schedule</i>			
<i>Note: Quoting water closet as suggestion no model number specified.</i>			
WC-9	ST-2229-STG Sloan - CL FIX ADA FM TS RO UNIVER (2172229)	\$490.95	1
	ROYAL BPW-1150-1.6 Sloan - Bedpan washer water closet flushometer for floor mounted or wall hung top spud bowls. Installation meets ADA requirements. 1 1/2" top spud. 1.6 GPM (3919711)	\$689.40	1
<i>Note: P701 - Plumbing Fixture Connection Schedule</i>			
<i>Note: Quoting water closet as suggestion no model number specified.</i>			
WC-10	ST-2009-STG Sloan - Standard Top Spud Floor Mount Water Closet (2172009)	\$160.10	1
	ROYAL BPW-1150-1.6 Sloan - Bedpan washer water closet flushometer for floor mounted or wall hung top spud bowls. Installation meets ADA requirements. 1 1/2" top spud. 1.6 GPM (3919711)	\$689.40	1

Note: P701 - Plumbing Fixture Connection Schedule
Note: Quoting water closet as suggestion no model number specified.

U-1/U-2	SU-1006-A	\$272.80	1
	Sloan - Urinal fixture only, 1.0 GPF, 3/4" top spud. Includes Dome strainer (1101006)		
	Royal 186-1 ES-S	\$679.65	1
	Sloan - Optima sensor activated flushometer for exposed urinals. Equipped with 24V AC solenoid operator and optima sensor EL-1500-L. 3/4" top spud. 1.0 GPM (3452673)		
	EL-154	\$47.00	1
	Sloan - Box mount, up to 10 flush valves can be operated by one transformer (0345154)		
Note: P701 - Plumbing Fixture Connection Schedule			
S-1/S-2	SS-3003	\$86.75	1
	Sloan - Vitreous china wall mounted lavatory with backsplash, 4" centers, overflow, ADA compliant, 21" x 19.25" (3873003)		
	EAF-750	\$755.85	1
	Sloan - Automatic Sink Faucets, 1.5 gpm, Single Hole install, Polished Chrome, Activated Sensor (3335097)		
Note: P701 - Plumbing Fixture Connection Schedule			
<i>Note: Quoting faucet as alternate.</i>			
S-5/S-16/S-17/S-20/S-21/S-7	EAF-750	\$755.85	1
	Sloan - Automatic Sink Faucets, 1.5 gpm, Single Hole install, Polished Chrome, Activated Sensor (3335097)		
Note: P701 - Plumbing Fixture Connection Schedule			
<i>Note: Quoting faucet as alternate.</i>			
S-15	SS-3021	\$100.90	1
	Sloan - White vitreous china, Undermount rectangular lavatory fixture. Front overflow, 21-5/8" x 15-3/4" x 8-1/4" (3873021)		
	EAF-750	\$755.85	1
	Sloan - Automatic Sink Faucets, 1.5 gpm, Single Hole install, Polished Chrome, Activated Sensor (3335097)		
Note: P701 - Plumbing Fixture Connection Schedule			
<i>Note: Quoting as alternate, quoting china material.</i>			
<i>Note: Quoting faucet as alternate.</i>			
S-18	SS-3145	\$216.30	1
	Sloan - Wall mounted corner Lavatory fixture. Vitreous china, single holde centerset, 16-1/2" x 15" x 6" (3873145)		
	EAF-750	\$755.85	1
	Sloan - Automatic Sink Faucets, 1.5 gpm, Single Hole install, Polished Chrome, Activated Sensor (3335097)		
Note: P701 - Plumbing Fixture Connection Schedule			
<i>Note: Quoting lav as suggestion no model specified.</i>			
<i>Note: Quoting faucet as alternate.</i>			
S-19	SS-3003	\$86.75	1
	Sloan - Vitreous china wall mounted lavatory with backsplash, 4" centers, overflow, ADA compliant, 21" x 19.25" (3873003)		
	EAF-750	\$755.85	1
	Sloan - Automatic Sink Faucets, 1.5 gpm, Single Hole install, Polished Chrome, Activated Sensor (3335097)		
Note: P701 - Plumbing Fixture Connection Schedule			
<i>Note: Quoting lav as alternate.</i>			
<i>Note: Quoting faucet as alternate.</i>			
CS-1	Royal 117-H	\$245.20	1
	Sloan - Exposed, service sink flush valve for use with top spud service sinks. 6.5 GPF Handle on front (H) (3010528)		
Note: P701 - Plumbing Fixture Connection Schedule			

S-24	SS-3003	\$86.75	1
Sloan - Vitreous china wall mounted lavatory with backsplash, 4" centers, overflow, ADA compliant, 21" x 19.25" (3873003)			

Note: P701 - Plumbing Fixture Connection Schedule

Section Brand: Elkay

Label	Product No. Description	List Price	Qty.
S-5	ELUHAD141850PD Elkay - 18 Gauge Stainless Steel 16.5' x 20.5' x 4.875' Single Bowl Undermount Kitchen Sink Kit	\$689.00	1

Note: P701 - Plumbing Fixture Connection Schedule

S-16	ELUHAD121255PD Elkay - 18 Gauge Stainless Steel 14.5' x 14.5' x 5.375' Single Bowl Undermount Kitchen Sink Kit	\$560.00	1
------	--	----------	---

Note: P701 - Plumbing Fixture Connection Schedule

S-17/S-7	ELUHAD191655PD Elkay - 18 Gauge Stainless Steel 21.5' x 18.5' x 5.375' Single Bowl Undermount Kitchen Sink Kit	\$677.00	1
----------	--	----------	---

Note: P701 - Plumbing Fixture Connection Schedule

S-20	ELUH191612 Elkay - 18 Gauge Stainless Steel 21.5' x 18.5' x 12' Single Bowl Undermount Kitchen Sink	\$1,254.00	1
------	---	------------	---

	LK99 Elkay - DRAIN	\$120.00	1
--	------------------------------	----------	---

Note: P701 - Plumbing Fixture Connection Schedule

S-21	ELUH361710DBG Elkay - 18 Gauge Stainless Steel 35.75' x 18.5' x 10' Double Bowl Undermount Kitchen Sink Kit	\$1,843.00	1
------	---	------------	---

Note: P701 - Plumbing Fixture Connection Schedule

Note: Quoting as alternate. Quoted model with small dimension than the spec'd model.

S-22	ELUHAD141850PD Elkay - 18 Gauge Stainless Steel 16.5' x 20.5' x 4.875' Single Bowl Undermount Kitchen Sink Kit	\$689.00	1
------	--	----------	---

Note: P701 - Plumbing Fixture Connection Schedule

EWC-1	EZSTL8WSVRSK Elkay - BFS VERS BI-LVL 8GPH VR-BUBB SS	\$2,591.00	1
-------	--	------------	---

	LKAPREZL Elkay - Cane apron	\$223.00	1
--	---------------------------------------	----------	---

Note: P701 - Plumbing Fixture Connection Schedule

Note: Quoting apron as suggestion.

EWC-2	LZS8WSVRSK Elkay - EZH2O COOLER VR BUBB KIT-SS	\$1,871.00	1
-------	--	------------	---

Note: P701 - Plumbing Fixture Connection Schedule

Section Brand: Pioneer

Label	Product No. Description	List Price	Qty.
S-22	0072-GSAELS-Q Pioneer - KITCHEN-CONCEALED 8" TWO 4" WRIST HDLS 4-3/32" GOOSENECK SPT 1/4 TURN-PVD PC	\$173.25	1

Note: P701 - Plumbing Fixture Connection Schedule

MB-1	0054-ULERC-Q Pioneer - SERVICE SINK-7-7/8" TO 8-1/8" LVR HDL RIGID SPT 1/4 TURN-ROUGH CP	\$171.00	1
	CS-65001 Pioneer - ACCESSORY-STAINLESS STEEL MOP HANGER	\$60.50	1
	CS-65002 Pioneer - ACCESSORY-HOSE BRACKET W/30" LONG HOSE	\$44.60	1

Note: P701 - Plumbing Fixture Connection Schedule
Note: Quoting faucet with lever handles in lieu of cross handles.
Note: Quoting accesories as options.

Section Brand: Powers

Label	Product No. Description	List Price	Qty.
EW-1	ES150-11 Powers - ES150 EMERGENCY TEMPER	\$1,126.00	1

Note: P701 - Plumbing Fixture Connection Schedule
Note: Quoting as suggestion

Section Brand: Watts Regulators

Label	Product No. Description	List Price	Qty.
Mixing Valve (sink/lav)	LFUSG-B-M2 Watts - Lead Free brass body construction, copper thermostat with stainless steel springs, integral checks and 40 mesh stainless steel screens, 4-port with cap for three port application, "H" pattern body, ASSE 1070 and cUPC, valve shall control temperature from a low of 1/4gpm, 3/8"Ø (10 mm) male compression (0204143)	\$297.50	1

Note: P701 - Plumbing Fixture Connection Schedule
Note: Quoting as alternate.

Dual Check Valve	SD2-MF : 1/4 Watts - 316 stainless steel body with FDA approved internal rubber components, recommended on post-mix carbonated beverage equipment and dispensing equipment for tea and coffee. certified to ANSI / NSF Standard 18, manual food and beverage dispensing equipment, male flare connection, 1/4"Ø (6 mm) pipe connection (0061651)	\$170.50	1
	SD2-MF : 3/8 Watts - 316 stainless steel body with FDA approved internal rubber components, recommended on post-mix carbonated beverage equipment and dispensing equipment for tea and coffee. certified to ANSI / NSF Standard 18, manual food and beverage dispensing equipment, male flare connection, 3/8"Ø (10 mm) pipe connection (0061655)	\$180.50	1

Note: P701 - Detail 2 and Detail 3

Section Brand: Watts Drainage

Header: ***NOTE: Watts Drainage does not meet PA.DGS please be advised***

Label	Product No. Description	List Price	Qty.
WC-1/WC-2	ISCA-101-L/R Watts - single, horizontal, cast iron fitting, left/right side outlet	\$1,587.50	1
	ISCA-101-D Watts - double, horizontal, epoxy coated, cast iron fitting, 4" no hub waste connection, 2" no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, cast iron, foot support	\$2,967.00	1
	ISCA-121 Watts - single, vertical, cast iron fitting	\$1,801.00	1

	ISCA-121-D	\$3,182.00	1
	Watts - double, vertical, epoxy coated, cast iron fitting, 4"no hub waste connection, 2" no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support, adjustable for standard and wheelchair height, plated hardware and chrome nuts		
	ISCA-131-L/R	\$2,105.50	1
	Watts - single, vertical, cast iron fitting, left/right side outlet		
	ISCA-131-D	\$3,479.50	1
	Watts - double, vertical, epoxy coated, cast iron fitting, 4"no hub waste connection and 4" no hub side inlet, 2" no hub vent connection. Epoxy coated cast iron patented compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support		
	Note: P701 - Plumbing Fixture Connection Schedule		
U-1/U-2	CA-321	\$839.00	1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, universal steel hanger support plate and bottom bearing plate with integral mounting bracket, plated hardware.		
	Note: P701 - Plumbing Fixture Connection Schedule		
S-1/S-2/S-19/S-24	TCA-411 Series		1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
	TCA-411	\$989.50	1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
	TCA-411-D	\$1,411.00	1
	Watts - back-to-back floor mounted carrier, heavy gauge steel offset uprights with welded feet, double cross steel plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
	Note: P701 - Plumbing Fixture Connection Schedule		
CS-1	ISCA-550 Series	\$1,430.00	1
	Watts - floor mounted, cast iron fitting, no hub waste connection, no hub vent connection (specify size). Cast iron compression seal faceplate assembly with steel mounting brackets, adjustable ABS nipple with integral test cap, heavy gauge, steel, offset uprights with welded feet		
	Note: P701 - Plumbing Fixture Connection Schedule		
EWC-1	CA-431-1	\$1,214.50	1
	Watts - floor mounted bi-level carrier, heavy gauge steel uprights with integral welded feet, universal steel hanger support plate, plated hardware.		
	Note: P701 - Plumbing Fixture Connection Schedule		
EWC-2	CA-421	\$752.00	1
	Watts - floor mounted plate type carrier, heavy gauge steel uprights with integral welded feet, universal steel hanger support plate, plated hardware.		
	Note: P701 - Plumbing Fixture Connection Schedule		
Shock Arrestor (bellows type)	SS Series		1
	Watts - pre-charged, all stainless steel shock arrestors with stainless steel bellows, and male IPS threaded connection. Designed to operate on all domestic and commercial lines up to 150 psi working pressure. Temperature range from -100°F to 300°F (-73°C to 149°C)		
	SS-A	\$549.50	1
	Watts - 1-11 fixture units, 1/2" (13 mm) connection		
	SS-B	\$1,119.00	1
	Watts - 12-32 fixture units, 3/4" (19 mm) connection		

	SS-C	\$1,672.00	1
	Watts - 33-60, fixture units, 1" (25 mm) connection		
	SS-D	\$4,191.00	1
	Watts - 61-113 fixture units, 1" (25 mm) connection		
	SS-E	\$4,731.50	1
	Watts - 114-154 fixture units, 1" (25 mm) connection		
	SS-F	\$5,815.00	1
	Watts - 155-330 fixture units, 1" (25 mm) connection		
Note: P701 - Detail 2 and Detail 3			
Shock Arrestors (piston type)	LF15M2-DR Series		1
	Watts - pre-charged copper water hammer arrestor with polypropylene piston, EPDM o-ring seal and brass NPT threaded connection. Designed to operate on all domestic and commercial lines up to 150psi (10.6 bar) working pressure. Temperature range from 33°F to 180°F (0.5°C to 82°C)		
	LF15M2-A-DR	\$175.00	1
	Watts - 1-11 fixture units, 1/2" (13 mm) connection		
	LF15M2-B-DR	\$335.50	1
	Watts - 12-32 fixture units, 3/4" (19 mm) connection		
	LF15M2-C-DR	\$529.50	1
	Watts - 33-60, fixture units, 1" (25 mm) connection		
	LF15M2-D-DR	\$1,118.00	1
	Watts - 61-113 fixture units, 1" (25 mm) connection		
	LF15M2-E-DR	\$1,391.00	1
	Watts - 114-154 fixture units, 1" (25 mm) connection		
	LF15M2-F-DR	\$1,656.00	1
	Watts - 155-330 fixture units, 1" (25 mm) connection		

Note: P701 - Detail 2 and Detail 3

NOTE : *NOTE: Watts Drainage does not meet PA.DGS please be advised*****

Special Terms:

All pricing is plus freight unless Mfr freight terms are met.

Pricing good for 30 days.

Pricing subject to change if Mfr pricing changes.

Terms

Above prices are net.

All taxes are extra.

Partial or expedited shipments, at customer request, may result in additional freight charges.

Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.

Please ensure that all quoted product meets your projects specifications.

Our company will only be responsible for products shown on the attached quotation.