



Address: 202 Commerce Blvd, Lawrence , Pennsylvania ,
15055 United States

Phone: (724) 745-5300

Quotation:
Q-725-S

To:	Contractor Holder 202 Commerce Blvd., Lawrence, Pennsylvania 15241	Bid Date:	2019-05-07
Attn.:	N/A	Expiry Date:	2019-06-06
Phone:	724-745-5300	Creator:	Drew Pomrenke , dpomrenke@jboconnor.com
		Sales Rep.:	Casey Devlin , cdevlin@jboconnor.com
		Shipping Address:	1351 Jefferson Road, Jefferson, Pennsylvania, United States

Job Name: JMSD - Alterations to Student Restrooms HS-MS Jefferson, PA

Engineer: Tower Engineering **Architect:** VEBH Architects

Comments:

Section Brand: Sloan

Label	Product No. Description	List Price	Qty.
WC-1/WC-2	ST-2459 Sloan - Vitreous China, ADA compliant water closet bowl only, 1.28 GPF, 1.6 GPF, and dual flush 1.6/1.1 GPF with 1-1/2" IPS top spud (2102459)	\$132.60	1
	G2 OPTIMA PLUS 8111 Sloan - Battery powered, sensor activated, 1 1/2" top spud, exposed closet flushometer. Requires no AC hookups, uses four AA batteries. Metal cover 1.6 GPF (3250400)	\$637.25	1
<i>Note: Spec 22 4000 - 5</i>			
U-1/U-2	SU-1006-A Sloan - Urinal fixture only, 1.0 GPF, 3/4" top spud. Includes Dome strainer (1101006)	\$272.80	1
	G2 8186-1 Sloan - Sensor Exposed Flushometer for Wall Hung Urinals, 11.5" Rough in, Battery-powered 1 gpf/3.8 Lpf (3250401)	\$637.25	1
<i>Note: Spec 22 4000 - 6</i>			
L-1/L-2	SS-3103 Sloan - Wall hung lavatory with backsplash, single hole centerset. Overflow, 20.75" x 18.25" (3873103)	\$86.75	1
	EAF-200-LT Sloan - Sensor activated, electronic hand washing faucet for pre-tempered water operation. 0.5 GPM Single supply. Less transformer (LT) (3335055)	\$717.30	1
	EAF-11 Sloan - 6 VDC Plug in transformer, will serve up to 6 EAF faucets (0335009)	\$110.10	1
	ETF-510 Sloan - 8" Trim plate (3365024)	\$83.25	1

Note: Spec 22 4000 - 6
Note: Quoting faucet as alternate.

Section Brand: Elkay

Label	Product No. Description	List Price	Qty.
EWC-3	EZSTL8LC Elkay - VERSATILE BI-LVL 8GPH LT GR	\$1,615.00	1

Note: Spec 22 4700 - 3

Section Brand: Pioneer

Label	Product No. Description	List Price	Qty.
MB-1	0054-ULE-Q Pioneer - SERVICE SINK-7-7/8" TO 8-1/8" LVR HDL RIGID SPT 1/4 TURN-PC	\$193.00	1
	CS-65001 Pioneer - ACCESSORY-STAINLESS STEEL MOP HANGER	\$60.50	1
	CS-65002 Pioneer - ACCESSORY-HOSE BRACKET W/30" LONG HOSE	\$44.60	1

Note: Spec 22 4000 - 8
 Note: Quoting as alternate.

Section Brand: Powers

Label	Product No. Description	List Price	Qty.
TMV (under lav)	LFE480-10 Powers - Lavatory Tempering Valve, 0.50 gpm minimum flow, 3/8" Compression Rough Bronze Finish	\$284.00	1
TMV (under lav)	LFE480-11 Powers - 3/8 LFE480-11	\$332.00	1

Note: Spec 22 1119 - 4
 Note: Quoting brass finish.

Note: Spec 22 1119 - 4
 Note: Quoting chrome finish.

Section Brand: Watts Drainage

Header: ***NOTE: Watts Drainage does not meet PA.DGS please be advised***

Label	Product No. Description	List Price	Qty.
WHA	LF15M2-DR Series Watts - pre-charged copper water hammer arrestor with polypropylene piston, EPDM o-ring seal and brass NPT threaded connection. Designed to operate on all domestic and commercial lines up to 150psi (10.6 bar) working pressure. Temperature range from 33°F to 180°F (0.5°C to 82°C)		1
	LF15M2-A-DR Watts - 1-11 fixture units, 1/2" (13 mm) connection	\$175.00	1
	LF15M2-B-DR Watts - 12-32 fixture units, 3/4" (19 mm) connection	\$335.50	1
	LF15M2-C-DR Watts - 33-60, fixture units, 1" (25 mm) connection	\$529.50	1
	LF15M2-D-DR Watts - 61-113 fixture units, 1" (25 mm) connection	\$1,118.00	1
	LF15M2-E-DR Watts - 114-154 fixture units, 1" (25 mm) connection	\$1,391.00	1
	LF15M2-F-DR Watts - 155-330 fixture units, 1" (25 mm) connection	\$1,656.00	1

Note: Spec 22 1119 - 4

Exposed Cleanouts	CO-460 Watts - cast iron stack, no-hub outlet, counter sunk brass plug		1
	CO-460,2 Watts - 2"Ø (51 mm)	\$228.00	1

	CO-460,3	\$284.00	1
	Watts - 3"Ø (76 mm)		
	CO-460,4	\$441.00	1
	Watts - 4"Ø (102 mm)		
Note: Spec 22 1319 - 2			
Surfaced Area Cleanout	CO-200-RX		1
	Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, heavy duty, nickel bronze top		
	CO-200-RX,2	\$778.05	1
	Watts - 2"Ø (51 mm)		
	CO-200-RX,3	\$815.50	1
	Watts - 3"Ø (76 mm)		
	CO-200-RX,4	\$1,035.50	1
	Watts - 4"Ø (102 mm)		
Note: Spec 22 1319 - 3			
Unsurface Area Cleanout	CO-300-MF	\$1,391.00	1
	Watts - epoxy coated, 11" (279 mm) diameter, cast iron body, 8" (203 mm) round, extra heavy duty, ductile iron top		
	CO-380		1
	Watts - 6" (152 mm) diameter, cast iron body no-hub outlet, removable counter sunk brass plug		
	CO-380,2	\$96.25	1
	Watts - 2"Ø (51 mm)		
	CO-380,3	\$148.50	1
	Watts - 3"Ø (76 mm)		
	CO-380,4	\$205.50	1
	Watts - 4"Ø (102 mm)		
	CO-380,6	\$420.50	1
	Watts - 6"Ø (152 mm)		
Note: Spec 22 1319 - 3			
Floor Cleanout	CO-200X-R		1
	Watts - 7" (178 mm) diameter, cast iron body inside caulk outlet, brass plug, 5" (127 mm) round, nickel bronze top		
	CO-200X-R,2	\$625.50	1
	Watts - 2"Ø (51 mm)		
	CO-200X-R,3	\$661.00	1
	Watts - 3"Ø (76 mm)		
	CO-200X-R,4	\$881.00	1
	Watts - 4"Ø (102 mm)		
Note: Spec 22 1319 - 3			
<i>CARPET CLAMPING FLANGE (-CF) = \$285.00 LIST ADDER</i>			
<i>CARPET MARKER (-RC) = \$78.00 LIST ADDER</i>			
<i>NB HEAVY DUTY (-RX) = \$155.00 LIST ADDER</i>			
<i>TILE RECESS (-T) = NO ADDITIONAL</i>			
<i>TERRAZZO RECESS (-U) = \$354.00 LIST ADDER</i>			
Wall Cleanout	CO-460-RD		1
	Watts - cast iron stack, no-hub outlet, counter sunk brass plug, round, stainless steel access cover and stainless steel vandal proof screw		
	CO-460-RD,2	\$364.00	1
	Watts - 2"Ø (51 mm)		

	CO-460-RD,3	\$417.50	1
	Watts - 3"Ø (76 mm)		
	CO-460-RD,4	\$611.50	1
	Watts - 4"Ø (102 mm)		
Note: Spec 22 1319 - 4			
Wall Access Cover	CO-300-R6 Watts - scoriated, round, access cover, nickel bronze, concealed mounting flanges, 6-1/4" (159 mm) Ø	\$349.50	1
Note: Spec 22 1319 - 4			
FD-1	FD-100-A6-5 Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 6" (152 mm) diameter nickel bronze, adjustable round strainer, sediment bucket		1
	FD-100-A6-5,2,3,4	\$696.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	FD-100-A6-5,6	\$816.50	1
	Watts - 6"Ø (152 mm)		
Note: Spec 22 1319 - 4			
Vent Caps	RD-680-VC Watts - cast iron, vandal proof cover		1
	RD-680-VC,2,3,4	\$471.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	RD-680-VC,6	\$670.50	1
	Watts - 6"Ø (152 mm)		
	RD-680-VC,8	\$768.50	1
	Watts - 8"Ø (203 mm)		
Note: Spec 22 1319 - 6			
Expansion Joints	RD-900 Watts - neoprene expansion joint, no hub (MJ) clamps		1
	RD-900,2	\$298.00	1
	Watts - 2"Ø (51 mm)		
	RD-900,3	\$345.50	1
	Watts - 3"Ø (76 mm)		
	RD-900,4	\$404.00	1
	Watts - 4"Ø (102 mm)		
Note: Spec 22 1319 - 7			
WC-1/WC-2	ISCA-101-L/R Watts - single, horizontal, cast iron fitting, left/right side outlet	\$1,587.50	1
	ISCA-101-D	\$2,967.00	1
	Watts - double, horizontal, epoxy coated, cast iron fitting, 4" no hub waste connection, 2" no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, cast iron, foot support		
	ISCA-121	\$1,801.00	1
	Watts - single, vertical, cast iron fitting		
	ISCA-121-D	\$3,182.00	1
	Watts - double, vertical, epoxy coated, cast iron fitting, 4"no hub waste connection, 2" no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support, adjustable for standard and wheelchair height, plated hardware and chrome nuts		
	ISCA-131-L/R	\$2,105.50	1
	Watts - single, vertical, cast iron fitting, left/right side outlet		

	ISCA-131-D	\$3,479.50	1
	Watts - double, vertical, epoxy coated, cast iron fitting, 4"no hub waste connection and 4" no hub side inlet, 2" no hub vent connection. Epoxy coated cast iron patented compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support		
	Note: Spec 22 4000 - 5/6		
U-1/U-2	CA-321	\$839.00	1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, universal steel hanger support plate and bottom bearing plate with integral mounting bracket, plated hardware.		
	Note: Spec 22 4000 - 6		
L-1/L-2	TCA-411 Series		1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
	TCA-411	\$989.50	1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
	TCA-411-D	\$1,411.00	1
	Watts - back-to-back floor mounted carrier, heavy gauge steel offset uprights with welded feet, double cross steel plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
	Note: Spec 22 4000 - 7		
EWC-3	CA-431-1	\$1,214.50	1
	Watts - floor mounted bi-level carrier, heavy gauge steel uprights with integral welded feet, universal steel hanger support plate, plated hardware.		
	Note: Spec 22 4700 - 3		
	NOTE : ***NOTE: Watts Drainage does not meet PA.DGS please be advised***		

Special Terms:

All pricing is plus freight unless Mfr freight terms are met.
Pricing good for 30 days.
Pricing subject to change if Mfr pricing changes.

Terms

Above prices are net.
All taxes are extra.
Partial or expedited shipments, at customer request, may result in additional freight charges.
Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.
Please ensure that all quoted product meets your projects specifications.
Our company will only be responsible for products shown on the attached quotation.