



Address: 202 Commerce Blvd, Lawrence , Pennsylvania ,
15055 United States

Phone: (724) 745-5300

Quotation:
Q-737-S

To:	Contractor Holder 202 Commerce Blvd., Lawrence, Pennsylvania 15241	Bid Date:	2019-05-23
Attn.:	N/A	Expiry Date:	2019-06-22
Phone:	724-745-5300	Creator:	Drew Pomrenke , dpomrenke@jboconnor.com
		Sales Rep.:	Casey Devlin , cdevlin@jboconnor.com
		Shipping Address:	7502 Thomas Office , Pittsburgh, Pennsylvania, United States

Job Name: North Pointe Breeze Pittsburgh, PA

Architect: Indovina Associated Architects

Comments:

Section Brand: Sloan

Label	Product No. Description	List Price	Qty.
WC-1/WC-2	ST-2459 Sloan - Vitreous China, ADA compliant water closet bowl only, 1.28 GPF, 1.6 GPF, and dual flush 1.6/1.1 GPF with 1-1/2" IPS top spud (2102459)	\$132.60	1
	Sloan 8111-1.28 Sloan - Battery powered, sensor activated, 1 1/2" top spud, exposed closet flushometer. Requires no AC hookups, uses four AA batteries. Standard DFB. Override button, 1.28 GPF, (3790071)	\$569.40	1
<i>Note: P001 - Plumbing Fixture Schedule</i>			
UR-1/UR-2	SU-1009-A Sloan - Universal Vireous china, 3/4" top spud. 0.125, 0.25 and 0.5 GPF includes dome strainer. (1101009)	\$272.80	1
	Sloan 8186-0.125 Sloan - Battery powered, sensor activated, 3/4" top spud, exposed urinal flushometer. Courtesy flush override button. Requires no AC hookups, uses four AA batteries. Override button 0.125 GPF (3790073)	\$569.40	1
<i>Note: P001 - Plumbing Fixture Schedule</i>			
L-1	SS-3001 Sloan - Standard undermount lavatory, 19-1/2" x 17-1/2" outside, 17" x 14" inside dimensions (3873001)	\$76.50	1
	EBF-615-4 Sloan - Battery powered, chrome plated brass sensor operated pedestal, electronic hand washing faucet for tempered or hot/cold water operation. .5 GPM vandal resistant spray head. Trim plate for 4" center set sink. (4) (3315114)	\$685.70	1

Note: P001 - Plumbing Fixture Schedule

Section Brand: Elkay

Label	Product No. Description	List Price	Qty.
EWC-1	EZSTL8WSLK Elkay - BFS VERS BI-LVL 8GPH LT GRY	\$2,301.00	1

Note: P001 - Plumbing Fixture Schedule

Section Brand: Pioneer

Label	Product No. Description	List Price	Qty.
MR-1 (faucet)	0054-ULE-Q Pioneer - SERVICE SINK-7-7/8" TO 8-1/8" LVR HDL RIGID SPT 1/4 TURN-PC	\$193.00	1
	CS-65001 Pioneer - ACCESSORY-STAINLESS STEEL MOP HANGER	\$60.50	1
	CS-65002 Pioneer - ACCESSORY-HOSE BRACKET W/30" LONG HOSE	\$44.60	1

Note: P001 - Plumbing Fixture Schedule
Note: Quoting chrome finish.
Note: Quoting accessories as options.

Section Brand: Powers

Label	Product No. Description	List Price	Qty.
L-1 (mixing valve)	LFE480-10 Powers - Lavatory Tempering Valve, 0.50 gpm minimum flow, 3/8" Compression Rough Bronze Finish	\$284.00	1

Note: P001 - Plumbing Fixture Schedule

MV-1	LFLM495-1 Powers - 1/2 LFLM495-1	\$312.00	1
------	--	----------	---

Note: P001 - Plumbing Fixture Schedule

Section Brand: Watts Regulators

Label	Product No. Description	List Price	Qty.
HB-1	LFFHB-1 Watts - Frost-Proof Automatic Self Draining Wall Hydrants, 1/2" Inlet, 3/4" hose outlet		1
	LFFHB-1,4 Watts - 4" (102 mm)	\$58.00	1
	LFFHB-1,6 Watts - 6" (152 mm)	\$63.00	1
	LFFHB-1,8 Watts - 8"(203mm)	\$67.00	1
	LFFHB-1,10 Watts - 10"(254mm)	\$67.25	1
	LFFHB-1,12 Watts - 12"(305mm)	\$74.50	1
	LFFHB-1,14 Watts - 14"(356mm)	\$76.00	1

Note: P001 - Plumbing Fixture Schedule
Note: Quoting as alternate.

RPZ 4"	957-OSY : 4 Watts - 304 stainless steel, schedule 40 pipe with groove end connection sleeve accessible housing, replaceable elastomer discs differential pressure relief valve between and below the check modules, drip tight shut-off valves, UL/FM outside stem & yoke gate valve, flange connections, 4"Ø (102 mm) pipe connection (0111586)	\$5,200.00	1
	957-AG Watts - 957-AG Air Gap (0111764)	\$269.50	1

	77F-DI-FDA-125 : 4	\$1,042.00	1
	Watts - lead free cast iron body, graphite gasket, drain/blowoff connection furnished with closure plug, flange ends, ANSI B16.1 Class 125, 200 psi at 210°F WOG, non-shock, 4"Ø (102 mm) valve (0825212)		

Note: P001 - Detail 4

Note: Quoting as suggestion no model specified.

Double Check Detector 6"	757DCDA-OSY-CFM : 6	\$6,974.00	1
	Watts - 304 schedule 40 stainless steel housing and sleeve with groove end connections, reversible elastomeric discs, UL/FM outside stem & yoke gate valve, flange connections, cubic feet per minute reading, 6"Ø (152 mm) pipe connection (0111547)		

Note: P001 - Detail 4

Note: Quoting as suggestion no model specified.

Section Brand: Watts Drainage

Header: ***NOTE: Watts Drainage does not meet PA.DGS please be advised***

Label	Product No. Description	List Price	Qty.
WC-1/WC-2	ISCA-101-L/R Watts - single, horizontal, cast iron fitting, left/right side outlet	\$1,587.50	1
	ISCA-101-D Watts - double, horizontal, epoxy coated, cast iron fitting, 4" no hub waste connection, 2" no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, cast iron, foot support	\$2,967.00	1
	ISCA-121 Watts - single, vertical, cast iron fitting	\$1,801.00	1
	ISCA-121-D Watts - double, vertical, epoxy coated, cast iron fitting, 4"no hub waste connection, 2" no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support, adjustable for standard and wheelchair height, plated hardware and chrome nuts	\$3,182.00	1
	ISCA-131-L/R Watts - single, vertical, cast iron fitting, left/right side outlet	\$2,105.50	1
	ISCA-131-D Watts - double, vertical, epoxy coated, cast iron fitting, 4"no hub waste connection and 4" no hub side inlet, 2" no hub vent connection. Epoxy coated cast iron patented compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support	\$3,479.50	1
	Note: P001 - Plumbing Fixture Schedule		
UR-1/UR-2	CA-321 Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, universal steel hanger support plate and bottom bearing plate with integral mounting bracket, plated hardware.	\$839.00	1
	Note: P001 - Plumbing Fixture Schedule		
EWC-1	CA-431-1 Watts - floor mounted bi-level carrier, heavy gauge steel uprights with integral welded feet, universal steel hanger support plate, plated hardware.	\$1,214.50	1
	Note: P001 - Plumbing Fixture Schedule		
NFWH-1	HY-725-88 Watts - 3/4" (19 mm) diameter hose connection, 3/4" (19 mm) female x 1" (25 mm) male pipe connection, non-freeze hydrant, all bronze head, wall mount, concealed, bronze wall casing, chrome plated face, integral vacuum breaker, nickel bronze box and door, wall clamp		1
	HY-725-88,-6,-8 Watts - 6" (152 mm), 8" (203 mm) thick	\$1,547.00	1

	HY-725-88,-10,-12,-14	\$1,690.00	1
	Watts - 10" (254 mm), 12" (305 mm), 14" (356 mm) thick		
	HY-725-88,-16,-18	\$1,830.00	1
	Watts - 16" (406 mm), 18" (457 mm) thick		
Note: P001 - Plumbing Fixture Schedule			
NFRH-1	HY-900	\$3,160.00	1
	Watts - 3/4" (19 mm) diameter hose connection, combination 3/4" female of 1" male threaded inlet connection, non-freeze, epoxy coated heavy duty cast iron head, bronze internal working parts and valve housing with 1" galvanized steel casing, roof hydrant with and lift handle and lock option, integral epoxy coated cast iron roof mounting plate with clamping collar, 1/8" NPT drain port		
Note: P001 - Plumbing Fixture Schedule			
<i>Note: Quoting as alternate.</i>			
FCO-1	CO-200-R-6		1
	Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, nickel bronze top, vandal proof		
	CO-200-R-6,2	\$721.50	1
	Watts - 2"Ø (51 mm)		
	CO-200-R-6,3	\$757.00	1
	Watts - 3"Ø (76 mm)		
	CO-200-R-6,4	\$977.00	1
	Watts - 4"Ø (102 mm)		
Note: P001 - Floor Drain/Cleanout Schedule			
WCO-1/WCO-2	CO-300-S7-6	\$700.00	1
	Watts - scoriated, square, access cover, nickel bronze, concealed mounting flanges, 7" (148 mm) square, vandal proof		
	CO-460		1
	Watts - cast iron stack, no-hub outlet, counter sunk brass plug		
	CO-460,2	\$228.00	1
	Watts - 2"Ø (51 mm)		
	CO-460,3	\$284.00	1
	Watts - 3"Ø (76 mm)		
	CO-460,4	\$441.00	1
	Watts - 4"Ø (102 mm)		
Note: P001 - Plumbing Fixture Schedule			
FD-1	FD-100-A6-7		1
	Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 6" (152 mm) diameter, nickel bronze, round strainer, trap primer connection		
	FD-100-A6-7,2,3,4	\$588.50	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	FD-100-A6-7,6	\$709.00	1
	Watts - 6"Ø (152 mm)		
Note: P001 - Plumbing Fixture Schedule			
Trap Primer	LFTP300-DR Series		1
	Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap		
	LFTP300T	\$270.00	1
	Watts - 1/2", Threaded Inlet and Outlet Connect		
	LFTP300S	\$270.00	1
	Watts - 1/2", Soldered Inlet and Outlet Connect		

	LFTP300-DU-DR	\$189.00	1
	Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap, distribution unit		
Note: P001 - Detail 5			
<i>Note: Quoting as suggestion no model specified.</i>			
Water Hammer Arrestor	SS Series		1
	Watts - pre-charged, all stainless steel shock arrestors with stainless steel bellows, and male IPS threaded connection. Designed to operate on all domestic and commercial lines up to 150 psi working pressure. Temperature range from -100°F to 300°F (-73°C to 149°C)		
	SS-A	\$549.50	1
	Watts - 1-11 fixture units, 1/2" (13 mm) connection		
	SS-B	\$1,119.00	1
	Watts - 12-32 fixture units, 3/4" (19 mm) connection		
	SS-C	\$1,672.00	1
	Watts - 33-60, fixture units, 1" (25 mm) connection		
	SS-D	\$4,191.00	1
	Watts - 61-113 fixture units, 1" (25 mm) connection		
	SS-E	\$4,731.50	1
	Watts - 114-154 fixture units, 1" (25 mm) connection		
	SS-F	\$5,815.00	1
	Watts - 155-330 fixture units, 1" (25 mm) connection		

Note: P001 - Water Hammer Arrestor Schedule

NOTE : *NOTE: Watts Drainage does not meet PA.DGS please be advised*****

Special Terms:

All pricing is plus freight unless Mfr freight terms are met.

Pricing good for 30 days.

Pricing subject to change if Mfr pricing changes.

Terms

Above prices are net.

All taxes are extra.

Partial or expedited shipments, at customer request, may result in additional freight charges.

Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.

Please ensure that all quoted product meets your projects specifications.

Our company will only be responsible for products shown on the attached quotation.