



Address: 202 Commerce Blvd, Lawrence , Pennsylvania ,
15055 United States

Phone: (724) 745-5300

Quotation:
Q-768-S

To: **Contractor Holder**
202 Commerce Blvd., Lawrence, Pennsylvania
15241
Attn.: N/A
Phone: 724-745-5300

Bid Date: 2019-06-11
Expiry Date: 2019-07-11
Creator: Drew Pomrenke ,
dpomrenke@jboconnor.com
Sales Rep.: Casey Devlin , cdevlin@jboconnor.com
Shipping Address: 9000 Babcock
Blvd, Pittsburgh, Pennsylvania, United
States

Job Name: LaRoche University - Batting Practice Facility Pittsburgh, PA

Engineer: Dodson Engineering Inc. **Architect:** DRS Architects

Comments:

Section Brand: Sloan

Label	Product No. Description	List Price	Qty.
P-1	ST-2459 Sloan - Vitreous China, ADA compliant water closet bowl only, 1.28 GPF, 1.6 GPF, and dual flush 1.6/1.1 GPF with 1-1/2" IPS top spud (2102459)	\$132.60	1
	Royal 111 Sloan - Exposed 1 1/2" top spud. 1.6 GPF (3010000)	\$211.60	1
<i>Note: Spec 22 4000 - 3</i>			
P-2	SU-1009-A Sloan - Universal Vireous china, 3/4" top spud. 0.125, 0.25 and 0.5 GPF includes dome strainer. (1101009)	\$272.80	1
	REGAL 186-0.5 XL Sloan - Manual Exposed Flushometer for Wall Hung Urinals, 11.5" Rough in, 0.5 gpf/1.9 Lpf (3982628)	\$197.50	1
<i>Note: Spec 22 4000 - 4</i>			
P-3	SS-3003 Sloan - Vitreous china wall mounted lavatory with backsplash, 4" centers, overflow, ADA compliant, 21" x 19.25" (3873003)	\$86.75	1
<i>Note: Spec 22 4000 - 4</i>			

Section Brand: Pioneer

Label	Product No. Description	List Price	Qty.
P-3	0072-GSAELS-Q Pioneer - KITCHEN-CONCEALED 8" TWO 4" WRIST HDLS 4-3/32" GOOSENECK SPT 1/4 TURN-PVD PC	\$173.25	1
<i>Note: Spec 22 4000 - 4</i> <i>Note: Quoting 1.5 GPM in lieu of 2.2 GPM.</i>			
P-4	0054-ULE-Q Pioneer - SERVICE SINK-7-7/8" TO 8-1/8" LVR HDL RIGID SPT 1/4 TURN-PC	\$193.00	1
	CS-65001 Pioneer - ACCESSORY-STAINLESS STEEL MOP HANGER	\$60.50	1

CS-65002

\$44.60

1

Pioneer - ACCESSORY-HOSE BRACKET W/30" LONG HOSE

Note: Spec 22 4000 - 5

Note: Quoting accessories as options.

Section Brand: Powers

Label	Product No. Description	List Price	Qty.
P-3 (mixing valve)	LFE480-10 Powers - Lavatory Tempering Valve, 0.50 gpm minimum flow, 3/8" Compression Rough Bronze Finish	\$284.00	1

Note: Spec 22 4000 - 4

Note: Quoting without wall bracket.

Section Brand: Watts Regulators

Label	Product No. Description	List Price	Qty.
P-2	DETA 5 Watts - carbon steel shell, FDA approved butyl, bladder, 40 psi pre-charge pressure, tank volume of 3.5 gallons (0212026)	\$1,832.00	1

Note: P-2 - Water Heater Detail

RPZ 1 1/2"	LF909M1-QT : 1 1/2 Watts - Lead Free cast copper silicon alloy body, replaceable seats, internal pressure differential relief valve in between check modules tight closing resilient seated shut-off valve, quarter turn ball-valves, 1-1/2"Ø (38 mm) pipe connection (0391011)	\$2,919.00	1
------------	---	------------	---

909-AGF

\$208.00

1

Watts - 909-AGF Air Gap (0881378)

LF777SI : 1 1/2

\$213.00

1

Watts - lead free cast copper silicon alloy body, #20 mesh, 304 stainless steel screen, lead
free copper silicon alloy retainer cap tapped for closure plug, NBR gasket, lead free brass
plug, 1-1/2"Ø (38 mm) valve (0379115)**Note:** P-2 - Water Service Valve Assembly Detail

RPZ 1 1/2" Alternate	LF009M2-QT : 1 1/2 Watts - Lead Free cast copper silicon alloy body for 1/4" to 2" and fused epoxy coated cast iron body for 2-1/2" and 3", replaceable seats and silicone seat discs, internal pressure differential relief valve in between check modules resilient seated isolation valves, resilient seated screw driver slotted test cocks, quarter turn ball-valves, 1-1/2"Ø (38 mm) pipe connection (0391006)	\$1,304.00	1
-------------------------	--	------------	---

909-AGF

\$208.00

1

Watts - 909-AGF Air Gap (0881378)

LF777SI : 1 1/2

\$213.00

1

Watts - lead free cast copper silicon alloy body, #20 mesh, 304 stainless steel screen, lead
free copper silicon alloy retainer cap tapped for closure plug, NBR gasket, lead free brass
plug, 1-1/2"Ø (38 mm) valve (0379115)**Note:** P-2 - Water Service Valve Assembly Detail

Pressure Reducing Valve	LFU5B-Z3 : 2 Watts - Lead Free, Water Pressure Reducing Valve, 2""(50mm), NPT threaded female union inlet x NPT female outlet w/built in thermal expansion bypass	\$3,913.00	1
-------------------------------	--	------------	---

Note: P-2 - Water Service Valve Assembly Detail

Section Brand: Watts Drainage

Header: ***NOTE: Watts Drainage does not meet PA.DGS please be advised***

Label	Product No. Description	List Price	Qty.
Water Hammer Arrestor (bellows type)	SS Series Watts - pre-charged, all stainless steel shock arrestors with stainless steel bellows, and male IPS threaded connection. Designed to operate on all domestic and commercial lines up to 150 psi working pressure. Temperature range from -100°F to 300°F (-73°C to 149°C)		1
	SS-A Watts - 1-11 fixture units, 1/2" (13 mm) connection	\$549.50	1
	SS-B Watts - 12-32 fixture units, 3/4" (19 mm) connection	\$1,119.00	1
	SS-C Watts - 33-60, fixture units, 1" (25 mm) connection	\$1,672.00	1
	SS-D Watts - 61-113 fixture units, 1" (25 mm) connection	\$4,191.00	1
	SS-E Watts - 114-154 fixture units, 1" (25 mm) connection	\$4,731.50	1
	SS-F Watts - 155-330 fixture units, 1" (25 mm) connection	\$5,815.00	1
Note: P-1 - Plumbing Plan Notes			
Water Hammer Arrestor (piston type)	LF15M2-DR Series Watts - pre-charged copper water hammer arrestor with polypropylene piston, EPDM o-ring seal and brass NPT threaded connection. Designed to operate on all domestic and commercial lines up to 150psi (10.6 bar) working pressure. Temperature range from 33°F to 180°F (0.5°C to 82°C)		1
	LF15M2-A-DR Watts - 1-11 fixture units, 1/2" (13 mm) connection	\$175.00	1
	LF15M2-B-DR Watts - 12-32 fixture units, 3/4" (19 mm) connection	\$335.50	1
	LF15M2-C-DR Watts - 33-60, fixture units, 1" (25 mm) connection	\$529.50	1
	LF15M2-D-DR Watts - 61-113 fixture units, 1" (25 mm) connection	\$1,118.00	1
	LF15M2-E-DR Watts - 114-154 fixture units, 1" (25 mm) connection	\$1,391.00	1
	LF15M2-F-DR Watts - 155-330 fixture units, 1" (25 mm) connection	\$1,656.00	1
Note: P-1 - Plumbing Plan Notes			
Exposed Cleanout	CO-460 Watts - cast iron stack, no-hub outlet, counter sunk brass plug		1
	CO-460,2 Watts - 2"Ø (51 mm)	\$228.00	1
	CO-460,3 Watts - 3"Ø (76 mm)	\$284.00	1
	CO-460,4 Watts - 4"Ø (102 mm)	\$441.00	1

Note: Spec 22 1319 - 1

Floor	CO-200-RX		1
Cleanout	Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, heavy duty, nickel bronze top		
	CO-200-RX,2	\$778.05	1
	Watts - 2"Ø (51 mm)		
	CO-200-RX,3	\$815.50	1
	Watts - 3"Ø (76 mm)		
	CO-200-RX,4	\$1,035.50	1
	Watts - 4"Ø (102 mm)		
Note: Spec 22 1319 - 2			
Wall	CO-460-RD		1
Cleanout	Watts - cast iron stack, no-hub outlet, counter sunk brass plug, round, stainless steel access cover and stainless steel vandal proof screw		
	CO-460-RD,2	\$364.00	1
	Watts - 2"Ø (51 mm)		
	CO-460-RD,3	\$417.50	1
	Watts - 3"Ø (76 mm)		
	CO-460-RD,4	\$611.50	1
	Watts - 4"Ø (102 mm)		
Note: Spec 22 1319 - 2			
Vent Caps	RD-680-VC		1
	Watts - cast iron, vandal proof cover		
	RD-680-VC,2,3,4	\$471.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	RD-680-VC,6	\$670.50	1
	Watts - 6"Ø (152 mm)		
	RD-680-VC,8	\$768.50	1
	Watts - 8"Ø (203 mm)		
Note: Spec 22 1319 - 3			
P-1	ISCA-101-L/R	\$1,587.50	1
	Watts - single, horizontal, cast iron fitting, left/right side outlet		
	ISCA-101-D	\$2,967.00	1
	Watts - double, horizontal, epoxy coated, cast iron fitting, 4" no hub waste connection, 2" no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, cast iron, foot support		
	ISCA-121	\$1,801.00	1
	Watts - single, vertical, cast iron fitting		
	ISCA-121-D	\$3,182.00	1
	Watts - double, vertical, epoxy coated, cast iron fitting, 4"no hub waste connection, 2" no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support, adjustable for standard and wheelchair height, plated hardware and chrome nuts		
	ISCA-131-L/R	\$2,105.50	1
	Watts - single, vertical, cast iron fitting, left/right side outlet		
	ISCA-131-D	\$3,479.50	1
	Watts - double, vertical, epoxy coated, cast iron fitting, 4"no hub waste connection and 4" no hub side inlet, 2" no hub vent connection. Epoxy coated cast iron patented compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support		

Note: Spec 22 4000 - 3

P-2	CA-321	\$839.00	1
Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, universal steel hanger support plate and bottom bearing plate with integral mounting bracket, plated hardware.			
Note: Spec 22 4000 - 3			
P-3	TCA-411 Series		1
Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.			
	TCA-411	\$989.50	1
Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.			
	TCA-411-D	\$1,411.00	1
Watts - back-to-back floor mounted carrier, heavy gauge steel offset uprights with welded feet, double cross steel plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.			

Note: Spec 22 4000 - 4

NOTE : ***NOTE: Watts Drainage does not meet PA.DGS please be advised***

Special Terms:

All pricing is plus freight unless Mfr freight terms are met.
Pricing good for 30 days.
Pricing subject to change if Mfr pricing changes.

Terms

Above prices are net.
All taxes are extra.
Partial or expedited shipments, at customer request, may result in additional freight charges.
Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.
Please ensure that all quoted product meets your projects specifications.
Our company will only be responsible for products shown on the attached quotation.