



Address: 202 Commerce Blvd, Lawrence , Pennsylvania ,
15055 United States

Phone: (724) 745-5300

Quotation:
Q-780-S

To: **Contractor Holder**
202 Commerce Blvd., Lawrence, Pennsylvania
15241
Attn.: N/A
Phone: 724-745-5300

Bid Date: 2019-06-19
Expiry Date: 2019-07-19
Creator: Drew Pomrenke ,
dpomrenke@jboconnor.com
Sales Rep.: Casey Devlin , cdevlin@jboconnor.com
Shipping Address: 205 KUNKS
DRIVE, Johnstown, Pennsylvania, United
States

Job Name: UOP Johnstown Living-Learning Center Reno Johnstown, PA

Engineer: Pyramid Engineering - Altoona **Architect:** RSH Architects

Comments:

Section Brand: Sloan

Label	Product No. Description	List Price	Qty.
WC-1/WC-1,HC	ST-2459-STG Sloan - Vitreous China, ADA compliant water closet bowl only, 1.28 GPF, 1.6 GPF, and dual flush 1.6/1.1 GPF with 1-1/2" IPS top spud, with Sloan-Tec Hydrophobic antibacterial glaze (2172459)	\$157.55	1
	REGAL 111-1.28 XL Sloan - Exposed Water Closet Flushometer, for floor mounted or wall hung top spud bowls, 1.28 gpf/4.8 Lpf (3080050)	\$197.50	1

Note: Spec 224000-3.

Section Brand: Elkay

Label	Product No. Description	List Price	Qty.
S-2,HC	LRAD2222550 Elkay - 18 Gauge Stainless Steel 22' x 22' x 5.5' Single Bowl Top Mount Kitchen Sink	\$924.00	1
	LKJ35 Elkay - DRAIN	\$60.00	1

Note: Spec 224000-4.

Section Brand: Pioneer

Label	Product No. Description	List Price	Qty.
L-1/L-1,HC (option 1)	1172-11AELS-Q Pioneer - LAV-WIDESPREAD 4" WRIST HDL 1/4 TURN-PVD PC	\$198.00	1
L-1/L-1,HC (option 2)	0072-GSAELS-Q Pioneer - KITCHEN-CONCEALED 8" TWO 4" WRIST HDLS 4-3/32" GOOSENECK SPT 1/4 TURN-PVD PC	\$173.25	1

Note: Spec 224000-4. Model specified not found Quoting as alternate. Note: Quoting Flow rate 1.5 GPM in lieu of 0.5 GPM and wrist blade handles in lieu of lever handles.

Note: Spec 224000-4. Model specified not found Quoting as alternate. Note: Quoting Flow rate 1.5 GPM in lieu of 0.5 GPM and wrist blade handles in lieu of lever handles.

Note: Quoting with gooseneck spout.

S-2,HC	K-5370	\$93.50	1
Pioneer - KITCHEN-8" TWO LVR HDL GOOSENECK SPT-CP			
Note: Spec 224000-4. Quoting as alternate.			
Note: Quoting Flow rate 1.5 GPM in lieu of 1.0 GPM			
Note: Quoting with trim plate.			

Section Brand: Powers

Label	Product No. Description	List Price	Qty.
Temperature Water Mixing Valve/ L- 1,HC/S-2,HC	LFE480-10 Powers - Lavatory Tempering Valve, 0.50 gpm minimum flow, 3/8" Compression Rough Bronze Finish	\$284.00	1

Note: Spec 221116-4 & 224000-4.

SH-1	P902HM1000	\$407.00	1
Powers - 1/2" Copper Sweat Connection, Deluxe, Chrome Plated Brass, Arm and Flange			

Note: Spec 224000-5.

Note: Quoting as alternate.

SH-2,HC	P902HG10NW	\$854.00	1
Powers - SS faceplate, metal lever handle. CP finish. 1/2" copper sweat connections Low Flow Shower (1.5 gpm), Arm & Flange. Professional, Metal Hose, 30" Glide Rail. Vacuum Breaker, in-Line			

Note: Spec 224000-6.

Note: Quoting as alternate.

Section Brand: Watts Drainage

Label	Product No. Description	List Price	Qty.
FD-1	FD-100-A6-6		1
Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 6" (152 mm) diameter nickel bronze, adjustable round strainer, vandal proof			

FD-100-A6-6,2,3,4	\$643.00	1
Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		

FD-100-A6-6,6	\$763.00	1
Watts - 6"Ø (152 mm)		

Note: Spec 221316-3.

WC-1/WC- 1,HC	ISCA-101-L/R	\$1,587.50	1
Watts - single, horizontal, cast iron fitting, left/right side outlet			

ISCA-101-D	\$2,967.00	1
Watts - double, horizontal, epoxy coated, cast iron fitting, 4" no hub waste connection, 2" no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, cast iron, foot support		

ISCA-121	\$1,801.00	1
Watts - single, vertical, cast iron fitting		

ISCA-121-D	\$3,182.00	1
Watts - double, vertical, epoxy coated, cast iron fitting, 4"no hub waste connection, 2" no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support, adjustable for standard and wheelchair height, plated hardware and chrome nuts		

ISCA-131-L/R	\$2,105.50	1
Watts - single, vertical, cast iron fitting, left/right side outlet		

Watts - double, vertical, epoxy coated, cast iron fitting, 4"no hub waste connection and 4" no hub side inlet, 2" no hub vent connection. Epoxy coated cast iron patented compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support

Note: Spec 224000-3.

Special Terms:

All pricing is plus freight unless Mfr freight terms are met.

Pricing good for 30 days.

Pricing subject to change if Mfr pricing changes.

Terms

Above prices are net.

All taxes are extra.

Partial or expedited shipments, at customer request, may result in additional freight charges.

Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.

Please ensure that all quoted product meets your projects specifications.

Our company will only be responsible for products shown on the attached quotation.