



Address: 202 Commerce Blvd, Lawrence , Pennsylvania ,
15055 United States

Phone: (724) 745-5300

Quotation:
Q-806-S

| | | | |
|---------------|---|--------------------------|---|
| To: | Contractor Holder 202 Commerce Blvd., Lawrence, Pennsylvania 15241 | Bid Date: | 2019-07-08 |
| Attn.: | N/A | Expiry Date: | 2019-08-07 |
| Phone: | 724-745-5300 | Creator: | Drew Pomrenke , dpomrenke@jboconnor.com |
| | | Sales Rep.: | Casey Devlin , cdevlin@jboconnor.com |
| | | Shipping Address: | , Carmichaels, Pennsylvania, United States |

Job Name: Hilltop Energy Plumbing

Comments:

Section Brand: Sloan

| Label | Product No. Description | List Price | Qty. |
|---|--|------------|------|
| L-1 | SS-3102 Sloan - Complete vitreous china Oval drop in lavatory, Single hole centerset, overflow, Self rimming. 20"x16-3/4" (3873102) | \$76.50 | 1 |
| <i>Note: 20017664-0001-BP-400 - Plumbing Fixture Schedule</i> | | | |
| UR-1/UR-2 | SU-1009-A Sloan - Universal Vireous china, 3/4" top spud. 0.125, 0.25 and 0.5 GPF includes dome strainer. (1101009) | \$272.80 | 1 |
| | CROWN 186-0.125 Sloan - Exposed, Piston operated, 3/4" top spud 1 GPF (3122665) | \$217.35 | 1 |
| <i>Note: 20017664-0001-BP-400 - Plumbing Fixture Schedule</i> | | | |
| WC-1/WC-2 | ST-2459-STG Sloan - Vitreous China, ADA compliant water closet bowl only, 1.28 GPF, 1.6 GPF, and dual flush 1.6/1.1 GPF with 1-1/2" IPS top spud, with Sloan-Tec Hydrophobic antibacterial glaze (2172459) | \$157.55 | 1 |
| | CROWN 111 Sloan - Exposed Water Closet Flushometer for floor mounted or wall hung top spud bowls (3120000) | \$217.35 | 1 |
| <i>Note: 20017664-0001-BP-400 - Plumbing Fixture Schedule</i> | | | |

Section Brand: Elkay

| Label | Product No. Description | List Price | Qty. |
|---|---|------------|------|
| DF-1 | EMABFTL8WSLK Elkay - EZH2O-EMABFTL8L COMBO | \$2,301.00 | 1 |
| <i>Note: 20017664-0001-BP-400 - Plumbing Fixture Schedule</i> | | | |
| S-1 | ECTSRAD33226BGO Elkay - 18 Gauge Stainless Steel 33' x 22' x 6' Double Bowl Dual Mount Kitchen Sink Kit | \$839.00 | 1 |
| | LK35 Elkay - DRAIN | \$76.00 | 2 |
| <i>Note: 20017664-0001-BP-400 - Plumbing Fixture Schedule</i> | | | |
| S-3 | RNSF81242 Elkay - RIGIDBILT SCULLERY | \$2,542.00 | 1 |

LK940AT10L2H

\$334.00 1

Elkay - WALL MNT 8IN, AT 10IN SPT, LVR HNDL, 2IN, 1/2IN HW

Note: 20017664-0001-BP-400 - Plumbing Fixture Schedule**Section Brand: Pioneer**

| Label | Product No. Description | List Price | Qty. |
|-------|--|------------|------|
| JS-1 | 0054-ULE-Q Pioneer - SERVICE SINK-7-7/8" TO 8-1/8" LVR HDL RIGID SPT 1/4 TURN-PC | \$193.00 | 1 |
| | CS-65001 Pioneer - ACCESSORY-STAINLESS STEEL MOP HANGER | \$60.50 | 1 |
| | CS-65002 Pioneer - ACCESSORY-HOSE BRACKET W/30" LONG HOSE | \$44.60 | 1 |

Note: 20017664-0001-BP-400 - Plumbing Fixture Schedule

Note: Quoting accessories as options.

| | | | |
|-----|--|---------|---|
| L-1 | L-6160 Pioneer - LAV-4" SINGLE METAL LVR HDL W/50/50 POP-UP DRAIN-CP | \$75.00 | 1 |
|-----|--|---------|---|

Note: 20017664-0001-BP-400 - Plumbing Fixture Schedule

Note: Quoting 1.2 GPM in lieu of 0.35 GPM.

| | | | |
|-----|--|----------|---|
| S-1 | 0122-GSAELS Pioneer - KITCHEN-TOPMOUNT 8" TWO 4" WRIST HDLS 4-3/32" GOOSENECK SPT-PC | \$180.30 | 1 |
|-----|--|----------|---|

Note: 20017664-0001-BP-400 - Plumbing Fixture Schedule

Note: Quoting 1.5 GPM in lieu of 2.2 GPM.

| | | | |
|-----|--|----------|---|
| S-2 | 0122-A Pioneer - KITCHEN-TOPMOUNT 8" TWO CANOPY HDLS 8" D STYLE SPT-PC | \$139.00 | 1 |
|-----|--|----------|---|

Note: 20017664-0001-BP-400 - Plumbing Fixture Schedule

Note: Quoting lever handles in lieu of wrist blade handles.

Note: Quoting 1.5 GPM in lieu of 2.2 GPM.

Section Brand: Powers

| Label | Product No. Description | List Price | Qty. |
|-----------|--|------------|------|
| SH-1/SH-2 | P910H0002W Powers - P910H pressure balancing valve with lever handle and hand shower with 36" ADA grab bar & in-line vacuum breaker. | \$795.00 | 1 |

Note: 20017664-0001-BP-400 - Plumbing Fixture Schedule

| | | | |
|---------------------------------|--|----------|---|
| Point of Use Mixing Valve | LFLM495-1 Powers - 1/2 LFLM495-1 | \$312.00 | 1 |
|---------------------------------|--|----------|---|

Note: 20017664-0001-BP-400 - Plumbing Fixture Schedule Notes

Note: Quoting as suggestion no model specified.

| | | | |
|-------|--|------------|---|
| TMV-1 | LFSH1432AEMS00 Powers - HydroGuard, Rough Bronze, Bottom/Top, Exposed, no cabinet, Standard 90 - 160°F (32 - 71°C) | \$3,835.00 | 1 |
|-------|--|------------|---|

Note: 20017664-0001-BP-400 - Thermostatic Mixing Valve Schedule

Note: Quoting exposed mounted.

Section Brand: Watts Regulators

| Label | Product No. Description | List Price | Qty. |
|-------|---|------------|------|
| WH-1 | SC8-3 Watts - adjustable packing nut, cast brass body, wall mount, Watts Model 8B tamper-proof vacuum breaker with break-away screw, no kink faucet, 1/2" copper sweat connection with vacuum breaker (0611350) | \$81.25 | 1 |

| | | | |
|--|---|---------|---|
| | SC8-4 | \$81.25 | 1 |
| | Watts - adjustable packing nut, cast brass body, wall mount, Watts Model 8B tamper-proof vacuum breaker with break-away screw, lawn faucet, 3/4" female NPT regular pattern with cast iron hand wheel (0611450) | | |
| | Note: 20017664-0001-BP-400 - Plumbing Fixture Schedule Note: Quoting as alternate, brass finish in lieu of chrome. | | |

| | | | |
|------|--|----------|---|
| ET-1 | PLT-20 | \$254.50 | 1 |
| | Watts - Potable Water Expansion Tanks, drawn steel construction, rugged flexible butyl, diaphragm, 20 psi pre-charge pressure, 150 psi maximum pressure, 200°F maximum temperature, tank volume of 8.5 gallons (0067372) | | |
| | Note: 20017664-0001-BP-400 - Expansion Tank Schedule | | |

Section Brand: Watts Drainage

Header: ***NOTE: Watts Drainage does not meet PA.DGS please be advised***

| Label | Product No. Description | List Price | Qty. |
|-------|--|------------|------|
| DF-1 | CA-431-1 | \$1,214.50 | 1 |
| | Watts - floor mounted bi-level carrier, heavy gauge steel uprights with integral welded feet, universal steel hanger support plate, plated hardware. | | |

Note: 20017664-0001-BP-400 - Plumbing Fixture Schedule

| | | | |
|-----------|---|----------|---|
| UR-1/UR-2 | CA-321 | \$839.00 | 1 |
| | Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, universal steel hanger support plate and bottom bearing plate with integral mounting bracket, plated hardware. | | |

Note: 20017664-0001-BP-400 - Plumbing Fixture Schedule

| | | | |
|-----------|---|------------|---|
| WC-1/WC-2 | ISCA-101-L/R | \$1,587.50 | 1 |
| | Watts - single, horizontal, cast iron fitting, left/right side outlet | | |

| | | | |
|--|--|------------|---|
| | ISCA-101-D | \$2,967.00 | 1 |
| | Watts - double, horizontal, epoxy coated, cast iron fitting, 4" no hub waste connection, 2" no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, cast iron, foot support | | |

| | | | |
|--|---|------------|---|
| | ISCA-121 | \$1,801.00 | 1 |
| | Watts - single, vertical, cast iron fitting | | |

| | | | |
|--|--|------------|---|
| | ISCA-121-D | \$3,182.00 | 1 |
| | Watts - double, vertical, epoxy coated, cast iron fitting, 4" no hub waste connection, 2" no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support, adjustable for standard and wheelchair height, plated hardware and chrome nuts | | |

| | | | |
|--|---|------------|---|
| | ISCA-131-L/R | \$2,105.50 | 1 |
| | Watts - single, vertical, cast iron fitting, left/right side outlet | | |

| | | | |
|--|---|------------|---|
| | ISCA-131-D | \$3,479.50 | 1 |
| | Watts - double, vertical, epoxy coated, cast iron fitting, 4" no hub waste connection and 4" no hub side inlet, 2" no hub vent connection. Epoxy coated cast iron patented compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support | | |

Note: 20017664-0001-BP-400 - Plumbing Fixture Schedule

Note: Quoted carriers are rated for 500lbs.

| | | | |
|------|--|--|---|
| FD-1 | FD-100-A6-7 | | 1 |
| | Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 6" (152 mm) diameter, nickel bronze, round strainer, trap primer connection | | |

| | | | |
|--|--|----------|---|
| | FD-100-A6-7,2,3,4 | \$588.50 | 1 |
| | Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size | | |

| | | | |
|---|---|------------|---|
| | FD-100-A6-7,6 | \$709.00 | 1 |
| | Watts - 6"Ø (152 mm) | | |
| Note: 20017664-0001-BP-400 - Floor Drain Schedule | | | |
| Note: Deep seal trap by others. | | | |
| WHA-1/2 | SS Series | | 1 |
| | Watts - pre-charged, all stainless steel shock arrestors with stainless steel bellows, and male IPS threaded connection. Designed to operate on all domestic and commercial lines up to 150 psi working pressure. Temperature range from -100°F to 300°F (-73°C to 149°C) | | |
| | SS-A | \$549.50 | 1 |
| | Watts - 1-11 fixture units, 1/2" (13 mm) connection | | |
| | SS-B | \$1,119.00 | 1 |
| | Watts - 12-32 fixture units, 3/4" (19 mm) connection | | |
| | SS-C | \$1,672.00 | 1 |
| | Watts - 33-60, fixture units, 1" (25 mm) connection | | |
| | SS-D | \$4,191.00 | 1 |
| | Watts - 61-113 fixture units, 1" (25 mm) connection | | |
| | SS-E | \$4,731.50 | 1 |
| | Watts - 114-154 fixture units, 1" (25 mm) connection | | |
| | SS-F | \$5,815.00 | 1 |
| | Watts - 155-330 fixture units, 1" (25 mm) connection | | |
| Note: 20017664-0001-BP-400 - Water Hammer Arrestor Schedule | | | |
| NOTE : ***NOTE: Watts Drainage does not meet PA.DGS please be advised*** | | | |

Special Terms:

All pricing is plus freight unless Mfr freight terms are met.

Pricing good for 30 days.

Pricing subject to change if Mfr pricing changes.

Terms

Above prices are net.

All taxes are extra.

Partial or expedited shipments, at customer request, may result in additional freight charges.

Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.

Please ensure that all quoted product meets your projects specifications.

Our company will only be responsible for products shown on the attached quotation.