



Address: 202 Commerce Blvd, Lawrence , Pennsylvania ,
15055 United States

Phone: (724) 745-5300

Quotation:
Q-846-S

To: **Contractor Holder**
202 Commerce Blvd., Lawrence, Pennsylvania
15241
Attn.: N/A
Phone: 724-745-5300

Bid Date: 2019-08-02
Expiry Date: 2019-09-01
Creator: Drew Pomrenke ,
dpomrenke@jboconnor.com
Sales Rep.: Casey Devlin , cdevlin@jboconnor.com
Shipping Address: 4313 Walnut
St, McKeesport, Pennsylvania, United
States

Job Name: Planet Fitness - McKeesport, PA

Engineer: Schnackel Engineers

Comments:

Section Brand: Sloan

Label	Product No. Description	List Price	Qty.
WC-1/WC-2	ST-2459 Sloan - Vitreous China, ADA compliant water closet bowl only, 1.28 GPF, 1.6 GPF, and dual flush 1.6/1.1 GPF with 1-1/2" IPS top spud (2102459)	\$132.60	1
	Sloan 111-1.28 ES-S Sloan - Optima sensor activated flushometer for exposed water closets. Equipped with 24V AC solenoid operator and Optima sensor EL-1500-L. 1 1/2" top spud. 1.2 GPF (3770022)	\$635.85	1
	EL-154 Sloan - Box mount, up to 10 flush valves can be operated by one transformer (0345154)	\$47.00	1
<i>Note: P-600 - Plumbing Fixture Schedule</i>			
UR-1	SU-7009-A Sloan - Universal Vitreous china, 3/4" top spud, small urinal. 0.125 to 0.5 GPF (1107009)	\$178.45	1
	Sloan 186-0.125 ES-S Sloan - Optima sensor activated flushometer for exposed urinals. Equipped with 24V AC solenoid operator and optima sensor EL-1500-L. 3/4" top spud. 0.125 GPM (3772695)	\$619.40	1
	EL-154 Sloan - Box mount, up to 10 flush valves can be operated by one transformer (0345154)	\$47.00	1
<i>Note: P-600 - Plumbing Fixture Schedule</i>			
LAV-1	EAF-100-LT-ISM Sloan - Electronic operated automatic hand washing faucet for pre tempered or hot and cold water. Less adapter (LT) with integral spout temperature mixer (ISM) (3335013)	\$803.50	1
	EAF-11 Sloan - 6 VDC Plug in transformer, will serve up to 6 EAF faucets (0335009)	\$110.10	1
<i>Note: P-600 - Plumbing Fixture Schedule</i>			

Section Brand: Elkay

Label	Product No. Description	List Price	Qty.
LAV-1	ELUH1511 Elkay - 18 Gauge Stainless Steel 18' x 14' x 6' Single Bowl Undermount Bathroom Sink	\$774.00	1

Note: P-600 - Plumbing Fixture Schedule
Note: Quoting as alternate with smaller dimensions.

EWC-1	VRCGRNTL8WSK Elkay - VRCGRN8TL W/EZH2O	\$2,772.00	1
-------	--	------------	---

Note: P-600 - Plumbing Fixture Schedule

Section Brand: Pioneer

Label	Product No. Description	List Price	Qty.
FMS-1	0054-ULERC-Q Pioneer - SERVICE SINK-7-7/8" TO 8-1/8" LVR HDL RIGID SPT 1/4 TURN-ROUGH CP	\$171.00	1
	CS-65001 Pioneer - ACCESSORY-STAINLESS STEEL MOP HANGER	\$60.50	1
	CS-65002 Pioneer - ACCESSORY-HOSE BRACKET W/30" LONG HOSE	\$44.60	1

Note: P-600 - Plumbing Fixture Schedule

Note: Quoting with lever handles in lieu of cross handles.

Section Brand: Powers

Label	Product No. Description	List Price	Qty.
LAV-1 (mixing valve)	LFE480-10 Powers - Lavatory Tempering Valve, 0.50 gpm minimum flow, 3/8" Compression Rough Bronze Finish	\$284.00	1

Note: P-600 - Plumbing Fixture Schedule

SH-1	P910HH1000 Powers - Pressure Balancing Valve, 1/2" Copper sweat connection, Low Flow Shower (1.5 gpm), Arm & Flange	\$407.00	1
------	---	----------	---

Note: P-600 - Plumbing Fixture Schedule

Note: Quoting as alternate.

SH-2	P910HH101WY Powers - Pressure Balancing Valve, 1/2" Copper sweat connection, Low Flow Shower (1.5gpm), Arm & Flange, 24" Chrome ADA Wall Grab Bar System, Vacuum Breaker, in-Line, Diveter, Concealed, 1/2" IPS Metal Handle	\$1,119.00	1
------	--	------------	---

Note: P-600 - Plumbing Fixture Schedule

Note: Quoting as alternate.

Section Brand: Watts Regulators

Label	Product No. Description	List Price	Qty.
ET-1	PLT-5 Watts - Potable Water Expansion Tanks, drawn steel construction, rugged flexible butyl, diaphragm, 20 psi pre-charge pressure, 150 psi maximum pressure, 200°F maximum temperature, tank volume of 2.1 gallons (0067370)	\$90.50	1

Note: P-600 - Thermal Expansion Tanks

Expansion Tank	PLT-35 Watts - Potable Water Expansion Tanks, drawn steel construction, rugged flexible butyl, diaphragm, 20 psi pre-charge pressure, 150 psi maximum pressure, 200°F maximum temperature, tank volume of 14 gallons (0067373)	\$314.00	1
----------------	--	----------	---

Note: P-600 - Detail 1

Section Brand: Watts Drainage

Header: ***NOTE: Watts Drainage does not meet PA.DGS please be advised***

Label	Product No. Description	List Price	Qty.
WC-1/WC-2	ISCA-101-L/R Watts - single, horizontal, cast iron fitting, left/right side outlet	\$1,587.50	1
	ISCA-101-D Watts - double, horizontal, epoxy coated, cast iron fitting, 4" no hub waste connection, 2" no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, cast iron, foot support	\$2,967.00	1
	ISCA-121 Watts - single, vertical, cast iron fitting	\$1,801.00	1
	ISCA-121-D Watts - double, vertical, epoxy coated, cast iron fitting, 4" no hub waste connection, 2" no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support, adjustable for standard and wheelchair height, plated hardware and chrome nuts	\$3,182.00	1
	ISCA-131-L/R Watts - single, vertical, cast iron fitting, left/right side outlet	\$2,105.50	1
	ISCA-131-D Watts - double, vertical, epoxy coated, cast iron fitting, 4" no hub waste connection and 4" no hub side inlet, 2" no hub vent connection. Epoxy coated cast iron patented compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support	\$3,479.50	1
Note: P-600 - Plumbing Fixture Schedule			
UR-1	CA-321 Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, universal steel hanger support plate and bottom bearing plate with integral mounting bracket, plated hardware.	\$839.00	1
Note: P-600 - Plumbing Fixture Schedule			
EWC-1	CA-431-1 Watts - floor mounted bi-level carrier, heavy gauge steel uprights with integral welded feet, universal steel hanger support plate, plated hardware.	\$1,214.50	1
Note: P-600 - Plumbing Fixture Schedule			
FD-1	FD-100-A5 Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 5" (127 mm) diameter, nickel bronze, round strainer		1
	FD-100-A5,2,3,4 Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size	\$481.00	1
	FD-100-A5,6 Watts - 6"Ø (152 mm)	\$601.50	1
Note: P-600 - Plumbing Fixture Schedule			
<i>Note: Deep seal trap by others.</i>			
FD-2	FD-100-M5-6-7 Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 5" x 5" (127 mm x 127 mm) nickel bronze, square strainer, vandal proof		1
	FD-100-M5-6-7,2,3,4 Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size	\$697.50	1
	FD-100-M5-6-7,6 Watts - 6"Ø (152 mm)	\$817.50	1

Note: P-600 - Plumbing Fixture Schedule

FS-1	FS-740-1-175		1
	Watts - cast iron body, 8-1/4" (209 mm) deep, no-hub outlet, polypropylene dome bottom strainer, 9" x 9" (229 mm x 229 mm) square, nickel bronze top, 3/4 grate		
	FS-740-1-175,2,3,4	\$2,979.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
Note: P-600 - Plumbing Fixture Schedule			
TD-1	P-SP	\$582.00	1
	Watts - UV stabilized talc-filled polypropylene channels with integral 4" (102 mm) no-hub bottom outlet, pre-sloped trench, pre-sloped trench, 6" (152 mm) wide, including frame connectors, grate lockdowns and construction covers, UV stabilized glass-filled polypropylene frame, framed anchored grate, stainless steel perforated, Class A		
Note: P-600 - Plumbing Fixture Schedule Please note trench drain price is per foot.			
WCO-1	CO-460-RD		1
	Watts - cast iron stack, no-hub outlet, counter sunk brass plug, round, stainless steel access cover and stainless steel vandal proof screw		
	CO-460-RD,2	\$364.00	1
	Watts - 2"Ø (51 mm)		
	CO-460-RD,3	\$417.50	1
	Watts - 3"Ø (76 mm)		
	CO-460-RD,4	\$611.50	1
	Watts - 4"Ø (102 mm)		
Note: P-600 - Plumbing Fixture Schedule			
TP-1	LFTP300-DR Series		1
	Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap		
	LFTP300T	\$270.00	1
	Watts - 1/2", Threaded Inlet and Outlet Connect		
	LFTP300S	\$270.00	1
	Watts - 1/2", Soldered Inlet and Outlet Connect		
	LFTP300-DU-DR	\$189.00	1
	Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap, distribution unit		
Note: P-600 - Plumbing Fixture Schedule			
Water Hammer Arrestors	LF15M2-DR Series		1
	Watts - pre-charged copper water hammer arrestor with polypropylene piston, EPDM o-ring seal and brass NPT threaded connection. Designed to operate on all domestic and commercial lines up to 150psi (10.6 bar) working pressure. Temperature range from 33°F to 180°F (0.5°C to 82°C)		
	LF15M2-A-DR	\$175.00	1
	Watts - 1-11 fixture units, 1/2" (13 mm) connection		
	LF15M2-B-DR	\$335.50	1
	Watts - 12-32 fixture units, 3/4" (19 mm) connection		
	LF15M2-C-DR	\$529.50	1
	Watts - 33-60, fixture units, 1" (25 mm) connection		
	LF15M2-D-DR	\$1,118.00	1
	Watts - 61-113 fixture units, 1" (25 mm) connection		
	LF15M2-E-DR	\$1,391.00	1
	Watts - 114-154 fixture units, 1" (25 mm) connection		
	LF15M2-F-DR	\$1,656.00	1
	Watts - 155-330 fixture units, 1" (25 mm) connection		

Note: P-600 - Detail 3

NOTE : ***NOTE: Watts Drainage does not meet PA.DGS please be advised***

Special Terms:

All pricing is plus freight unless Mfr freight terms are met.

Pricing good for 30 days.

Pricing subject to change if Mfr pricing changes.

Terms

Above prices are net.

All taxes are extra.

Partial or expedited shipments, at customer request, may result in additional freight charges.

Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.

Please ensure that all quoted product meets your projects specifications.

Our company will only be responsible for products shown on the attached quotation.