



**Address:** 202 Commerce Blvd, Lawrence , Pennsylvania ,  
15055 United States

**Phone:** (724) 745-5300

**Quotation:**  
**Q-847-S**

<b>To:</b>	<b>Contractor Holder</b> 202 Commerce Blvd., Lawrence, Pennsylvania 15241	<b>Bid Date:</b>	2019-08-05
<b>Attn.:</b>	N/A	<b>Expiry Date:</b>	2019-09-04
<b>Phone:</b>	724-745-5300	<b>Creator:</b>	Drew Pomrenke , dpomrenke@jboconnor.com
		<b>Sales Rep.:</b>	Casey Devlin , cdevlin@jboconnor.com
		<b>Shipping Address:</b>	13000 Sanford Road, Albion, Pennsylvania, United States

**Job Name: Springfield Township Maintenance Garage W Springfield, PA**

**Engineer:** Tower Engineering    **Architect:** Weber Murphy Fox Inc

**Comments:**

**Section Brand: Sloan**

Label	Product No. Description	List Price	Qty.
L-1	<b>SS-3003</b>  Sloan - Vitreous china wall mounted lavatory with backsplash, 4" centers, overflow, ADA compliant, 21" x 19.25" (3873003)	\$86.75	1

**Note:** Spec 22 4000 - 5

**Section Brand: Elkay**

Label	Product No. Description	List Price	Qty.
S-1	<b>LRAD2521650</b>  Elkay - 18 Gauge Stainless Steel 25' x 21.25' x 6.5' Single Bowl Top Mount Kitchen Sink	\$925.00	1
	<b>LK99</b>  Elkay - DRAIN	\$120.00	1

**Note:** Spec 22 4000 - 6

**Section Brand: Pioneer**

Label	Product No. Description	List Price	Qty.
LAV-1	<b>1137-AELS</b>  Pioneer - LAV-4" CNTRS 4" WRIST HDL-PVD PC	\$132.00	1
	<b>0072-GSAELS-Q</b>  Pioneer - KITCHEN-CONCEALED 8" TWO 4" WRIST HDLS 4-3/32" GOOSENECK SPT 1/4 TURN-PVD PC	\$173.25	1
MB-1	<b>0054-ULERC-Q</b>  Pioneer - SERVICE SINK-7-7/8" TO 8-1/8" LVR HDL RIGID SPT 1/4 TURN-ROUGH CP	\$171.00	1
	<b>CS-65001</b>  Pioneer - ACCESSORY-STAINLESS STEEL MOP HANGER	\$60.50	1

**Note:** Spec 22 4000 - 5

**Note:** Quoting 1.2 GPM in lieu of 0.5 GPM.

**Note:** Spec 22 4000 - 6

**CS-65002**

\$44.60

1

Pioneer - ACCESSORY-HOSE BRACKET W/30" LONG HOSE

**Note:** Spec 22 4000 - 6**Section Brand: Powers**

Label	Product No. Description	List Price	Qty.
TMV-1	<b>LFMM431-10</b> Powers - HydroGuard XP Thermostatic Series LFMM430	\$1,290.00	1

**Note:** P0 - Detail 2*Note:* Quoting as alternate.

TMV/L-1/S- 1 (lav)	<b>LFE480-10</b> Powers - Lavatory Tempering Valve, 0.50 gpm minimum flow, 3/8" Compression Rough Bronze Finish	\$284.00	1
-----------------------	---	----------	---

**Note:** Spec 22 1119 - 5 & Spec 22 4000 - 5**Section Brand: Watts Regulators**

Label	Product No. Description	List Price	Qty.
ET-1	<b>DETA 5</b> Watts - carbon steel shell, FDA approved butyl, bladder, 40 psi pre-charge pressure, tank volume of 3.5 gallons (0212026)	\$1,832.00	1

**Note:** P0 - Expansion Tank Schedule & Spec 22 3300 - 4

2" BFP	<b>LF909M1-QT : 2</b> Watts - Lead Free cast copper silicon alloy body, replaceable seats, internal pressure differential relief valve in between check modules tight closing resilient seated shut-off valve, quarter turn ball-valves, 2"Ø (51 mm) pipe connection (0391012)	\$3,363.00	1
	<b>909-AGF</b> Watts - 909-AGF Air Gap (0881378)	\$208.00	1
	<b>LF777SI : 2</b> Watts - lead free cast copper silicon alloy body, #20 mesh, 304 stainless steel screen, lead free copper silicon alloy retainer cap tapped for closure plug, NBR gasket, lead free brass plug, 2"Ø (51 mm) valve (0379116)	\$314.00	1

**Note:** P0 - Detail 1

2" BFP (alternate)	<b>LF009M2-QT : 2</b> Watts - Lead Free cast copper silicon alloy body for 1/4" to 2" and fused epoxy coated cast iron body for 2-1/2" and 3", replaceable seats and silicone seat discs, internal pressure differential relief valve in between check modules resilient seated isolation valves, resilient seated screw driver slotted test cocks, quarter turn ball-valves, 2"Ø (51 mm) pipe connection (0391007)	\$1,548.00	1
	<b>909-AGF</b> Watts - 909-AGF Air Gap (0881378)	\$208.00	1
	<b>LF777SI : 2</b> Watts - lead free cast copper silicon alloy body, #20 mesh, 304 stainless steel screen, lead free copper silicon alloy retainer cap tapped for closure plug, NBR gasket, lead free brass plug, 2"Ø (51 mm) valve (0379116)	\$314.00	1

**Note:** P0 - Detail 1

ASSE 1012 BFP	<b>9D M3 : 1/2</b> Watts - forged brass body construction with stainless working parts throughout, atmospheric vent, 1/2"Ø (13 mm) pipe connection (0061935)	\$134.00	1
	<b>9D M2 : 3/4</b> Watts - forged brass body construction with stainless working parts throughout, atmospheric vent, 3/4"Ø (19 mm) pipe connection (0061888)	\$137.50	1

**Note:** Spec 22 1119 - 3

Hose Bibb	<b>SC8-3</b>	\$81.25	1
Watts - adjustable packing nut, cast brass body, wall mount, Watts Model 8B tamper-proof vacuum breaker with break-away screw, no kink faucet, 1/2" copper sweat connection with vacuum breaker (0611350)			
	<b>SC8-4</b>	\$81.25	1
Watts - adjustable packing nut, cast brass body, wall mount, Watts Model 8B tamper-proof vacuum breaker with break-away screw, lawn faucet, 3/4" female NPT regular pattern with cast iron hand wheel (0611450)			

**Note:** Spec 22 1119 - 6

## Section Brand: Watts Drainage

**Header:** \*\*\*NOTE: Watts Drainage does not meet PA.DGS please be advised\*\*\*

Label	Product No. Description	List Price	Qty.
TD-1	<b>DX-DI</b> Watts - UV stabilized talc-filled polypropylene channels with 6" (152 mm) no-hub bottom or end outlet(s), pre-sloped trench, 12" (305 mm) wide, including frame connectors, grate lockdowns and construction covers, ductile iron frame, framed anchored grate, ductile iron, Class F	\$1,133.00	1

**Note:** P0 - Detail 3 & Spec 22 1319 - 4

Note: Quoting as per detail

Please note trench drain price is per foot.

WHA (piston type)	<b>LF15M2-DR Series</b> Watts - pre-charged copper water hammer arrestor with polypropylene piston, EPDM o-ring seal and brass NPT threaded connection. Designed to operate on all domestic and commercial lines up to 150psi (10.6 bar) working pressure. Temperature range from 33°F to 180°F (0.5°C to 82°C)		1
	<b>LF15M2-A-DR</b> Watts - 1-11 fixture units, 1/2" (13 mm) connection	\$175.00	1
	<b>LF15M2-B-DR</b> Watts - 12-32 fixture units, 3/4" (19 mm) connection	\$335.50	1
	<b>LF15M2-C-DR</b> Watts - 33-60, fixture units, 1" (25 mm) connection	\$529.50	1
	<b>LF15M2-D-DR</b> Watts - 61-113 fixture units, 1" (25 mm) connection	\$1,118.00	1
	<b>LF15M2-E-DR</b> Watts - 114-154 fixture units, 1" (25 mm) connection	\$1,391.00	1
	<b>LF15M2-F-DR</b> Watts - 155-330 fixture units, 1" (25 mm) connection	\$1,656.00	1

**Note:** Spec 22 1119 - 7

Exposed Cleanout	<b>CO-460-RD</b> Watts - cast iron stack, no-hub outlet, counter sunk brass plug, round, stainless steel access cover and stainless steel vandal proof screw		1
	<b>CO-460-RD,2</b> Watts - 2"Ø (51 mm)	\$364.00	1
	<b>CO-460-RD,3</b> Watts - 3"Ø (76 mm)	\$417.50	1
	<b>CO-460-RD,4</b> Watts - 4"Ø (102 mm)	\$611.50	1

**Note:** Spec 22 1319 - 2

Floor Cleanout	<b>CO-200-RX</b> Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, heavy duty, nickel bronze top		1
-------------------	--	--	---

	<b>CO-200-RX,2</b>	\$778.05	1
	Watts - 2"Ø (51 mm)		
	<b>CO-200-RX,3</b>	\$815.50	1
	Watts - 3"Ø (76 mm)		
	<b>CO-200-RX,4</b>	\$1,035.50	1
	Watts - 4"Ø (102 mm)		
<b>Note: Spec 22 1319 - 2</b>			
Exposed unsurfaced Area Cleanout	<b>CO-300-MF</b>	\$1,390.50	1
	Watts - epoxy coated, 11" (279 mm) diameter, cast iron body, 8" (203 mm) round, extra heavy duty, ductile iron top		
	<b>CO-380</b>		1
	Watts - 6" (152 mm) diameter, cast iron body no-hub outlet, removable counter sunk brass plug		
	<b>CO-380,2</b>	\$96.25	1
	Watts - 2"Ø (51 mm)		
	<b>CO-380,3</b>	\$148.50	1
	Watts - 3"Ø (76 mm)		
	<b>CO-380,4</b>	\$205.50	1
	Watts - 4"Ø (102 mm)		
	<b>CO-380,6</b>	\$420.50	1
	Watts - 6"Ø (152 mm)		
<b>Note: Spec 22 1319 - 2</b>			
Floor Cleanout	<b>CO-200-R</b>		1
	Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, nickel bronze top		
	<b>CO-200-R,2</b>	\$625.50	1
	Watts - 2"Ø (51 mm)		
	<b>CO-200-R,3</b>	\$661.00	1
	Watts - 3"Ø (76 mm)		
	<b>CO-200-R,4</b>	\$881.00	1
	Watts - 4"Ø (102 mm)		
<b>Note: Spec 22 1319 - 3</b>			
Wall Cleanout w/ cover	<b>CO-460-RD</b>		1
	Watts - cast iron stack, no-hub outlet, counter sunk brass plug, round, stainless steel access cover and stainless steel vandal proof screw		
	<b>CO-460-RD,2</b>	\$364.00	1
	Watts - 2"Ø (51 mm)		
	<b>CO-460-RD,3</b>	\$417.50	1
	Watts - 3"Ø (76 mm)		
	<b>CO-460-RD,4</b>	\$611.50	1
	Watts - 4"Ø (102 mm)		
<b>Note: Spec 22 1319 - 3</b>			
FD-1	<b>FD-100-A6-5</b>		1
	Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 6" (152 mm) diameter nickel bronze, adjustable round strainer, sediment bucket		
	<b>FD-100-A6-5,2,3,4</b>	\$696.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		

	<b>FD-100-A6-5,6</b>	\$816.50	1
	Watts - 6"Ø (152 mm)		
<b>Note:</b> Spec 22 1319 - 4			
<i>Note: Trap guard by others.</i>			
Expansion Joint	<b>RD-900</b>		1
	Watts - neoprene expansion joint, no hub (MJ) clamps		
	<b>RD-900,2</b>	\$298.00	1
	Watts - 2"Ø (51 mm)		
	<b>RD-900,3</b>	\$345.50	1
	Watts - 3"Ø (76 mm)		
	<b>RD-900,4</b>	\$404.00	1
	Watts - 4"Ø (102 mm)		
<b>Note:</b> Spec 22 1319 - 6			
L-1	<b>TCA-411 Series</b>		1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
	<b>TCA-411</b>	\$989.50	1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
	<b>TCA-411-D</b>	\$1,411.00	1
	Watts - back-to-back floor mounted carrier, heavy gauge steel offset uprights with welded feet, double cross steel plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
<b>Note:</b> Spec 22 4000 - 5			
<b>NOTE :</b> ***NOTE: Watts Drainage does not meet PA.DGS please be advised***			

**Special Terms:**

All pricing is plus freight unless Mfr freight terms are met.  
Pricing good for 30 days.  
Pricing subject to change if Mfr pricing changes.

**Terms**

Above prices are net.  
All taxes are extra.  
Partial or expedited shipments, at customer request, may result in additional freight charges.  
Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.  
Please ensure that all quoted product meets your projects specifications.  
Our company will only be responsible for products shown on the attached quotation.