



**Address:** 202 Commerce Blvd, Lawrence , Pennsylvania ,  
15055 United States

**Phone:** (724) 745-5300

**Quotation:**  
**Q-849-S**

<b>To:</b>	<b>Contractor Holder</b> 202 Commerce Blvd., Lawrence, Pennsylvania 15241	<b>Bid Date:</b>	2019-08-08
<b>Attn.:</b>	N/A	<b>Expiry Date:</b>	2019-09-07
<b>Phone:</b>	724-745-5300	<b>Creator:</b>	Drew Pomrenke , dpomrenke@jboconnor.com
		<b>Sales Rep.:</b>	Casey Devlin , cdevlin@jboconnor.com
		<b>Shipping Address:</b>	Old Mill Shopping Center, Washington, Pennsylvania, United States

**Job Name: Walnut Grill - Washington, PA**

**Engineer:** Pyramid Engineering    **Architect:** Richard E Jaynes Architect LLC

**Comments:**

**Section Brand: Sloan**

Label	Product No. Description	List Price	Qty.
WC-3 (optional)	<b>ST-2009-STG</b> Sloan - Standard Top Spud Floor Mount Water Closet (2172009)	\$160.10	1
	<b>REGAL 111-1.28 XL</b> Sloan - Exposed Water Closet Flushometer, for floor mounted or wall hung top spud bowls, 1.28 gpf/4.8 Lpf (3080050)	\$197.50	1
<i>Note: P0-1 - Plumbing Fixtures Note: Quoting 1.28 GPF as suggestion.</i>			
WC-4,HC (optional)	<b>ST-2029-STG</b> Sloan - Top Spud Floor Mount Closet Fixture (2172029)	\$185.60	1
	<b>REGAL 111-1.28 XL</b> Sloan - Exposed Water Closet Flushometer, for floor mounted or wall hung top spud bowls, 1.28 gpf/4.8 Lpf (3080050)	\$197.50	1
<i>Note: P0-1 - Plumbing Fixtures Note: Quoting 1.28 GPF as suggestion.</i>			
U-1/U- 1,HC	<b>SU-1006-A</b> Sloan - Urinal fixture only, 1.0 GPF, 3/4" top spud. Includes Dome strainer (1101006)	\$272.80	1
	<b>SLOAN 186-1</b> Sloan - Exposed 3/4" top spud 1 GPF (3782624)	\$192.80	1
<i>Note: P0-1 - Plumbing Fixtures</i>			
L-1, HC	<b>DSWD-82000 (POA)</b> Sloan - Double-Station, Less Faucet	\$8,620.00	1
<i>Note: P0-1 - Plumbing Fixtures Note: Quoting as alternate. Note: Please be advised model is POA.</i>			
L-1, HC (faucet)	<b>EAF-900</b> Sloan - Line powered, sensor activated, electronic hand washing faucet. Includes integral temperature mixing for hot hand cold. (3335100)	\$2,953.70	1
<i>Note: P0-1 - Plumbing Fixtures Note: Plug transformer included.</i>			

L-2,HC	<b>SS-3003</b>	\$86.75	1
	Sloan - Vitreous china wall mounted lavatory with backsplash, 4" centers, overflow, ADA compliant, 21" x 19.25" (3873003)		

**Note:** P0-1 - Plumbing Fixtures

### Section Brand: Pioneer

Label	Product No. Description	List Price	Qty.
L-2, HC	<b>1137-LE</b> Pioneer - LAV-4" CNTRS LVR HDL-PC	\$115.00	1

**Note:** P0-1 - Plumbing Fixtures

SS-1	<b>0054-ULE-Q</b> Pioneer - SERVICE SINK-7-7/8" TO 8-1/8" LVR HDL RIGID SPT 1/4 TURN-PC	\$193.00	1
	<b>CS-65001</b> Pioneer - ACCESSORY-STAINLESS STEEL MOP HANGER	\$60.50	1
	<b>CS-65002</b> Pioneer - ACCESSORY-HOSE BRACKET W/30" LONG HOSE	\$44.60	1

**Note:** P0-1 - Plumbing Fixtures

### Section Brand: Powers

Label	Product No. Description	List Price	Qty.
ASSE 1070 Mixing valve	<b>LFE480-10</b> Powers - Lavatory Tempering Valve, 0.50 gpm minimum flow, 3/8" Compression Rough Bronze Finish	\$284.00	1

**Note:** P0-1 - Plumbing Fixtures

*Note: Quoting as suggestion no model specified*

### Section Brand: Watts Regulators

Label	Product No. Description	List Price	Qty.
HB-1	<b>SC8-3</b> Watts - adjustable packing nut, cast brass body, wall mount, Watts Model 8B tamper-proof vacuum breaker with break-away screw, no kink faucet, 1/2" copper sweat connection with vacuum breaker (0611350)	\$81.25	1
	<b>SC8-4</b> Watts - adjustable packing nut, cast brass body, wall mount, Watts Model 8B tamper-proof vacuum breaker with break-away screw, lawn faucet, 3/4" female NPT regular pattern with cast iron hand wheel (0611450)	\$81.25	1

**Note:** P0-1 - Plumbing Specialties

*Note: Quoting as suggestion no model specified.*

Expansion Tank	<b>DETA 20</b> Watts - carbon steel shell, FDA approved butyl, bladder, 40 psi pre-charge pressure, tank volume of 8 gallons (0212028)	\$2,345.00	1
-------------------	---	------------	---

**Note:** P0-1 - Plumbing Equipment

*Note: Quoting as per model number.*

Expansion Tank	<b>DETA 12</b> Watts - carbon steel shell, FDA approved butyl, bladder, 40 psi pre-charge pressure, tank volume of 5 gallons (0212027)	\$2,109.00	1
-------------------	---	------------	---

**Note:** P0-1 - Plumbing Equipment

*Note: Quoting as per specified acceptance tank volume.*

2" RPZ (domestic)	<b>LF009M2-QT : 2</b>	\$1,548.00	1
Watts - Lead Free cast copper silicon alloy body for 1/4" to 2" and fused epoxy coated cast iron body for 2-1/2" and 3", replaceable seats and silicone seat discs, internal pressure differential relief valve in between check modules resilient seated isolation valves, resilient seated screw driver slotted test cocks, quarter turn ball-valves, 2"Ø (51 mm) pipe connection (0391007)			

	<b>909-AGF</b>	\$208.00	1
Watts - 909-AGF Air Gap (0881378)			

	<b>LF777SI : 2</b>	\$314.00	1
Watts - lead free cast copper silicon alloy body, #20 mesh, 304 stainless steel screen, lead free copper silicon alloy retainer cap tapped for closure plug, NBR gasket, lead free brass plug, 2"Ø (51 mm) valve (0379116)			

**Note:** P2-0 - Plumbing Foundation Plan

*Note: Quoting as suggestion no model specified.*

4" Fire Service Backflow	<b>757DCDA-OSY-CFM : 4</b>	\$5,374.00	1
Watts - Double Check Detector Assembly,UL/FM outside stem and yoke resilient seated gate valves 4"(100mm)			

**Note:** P2-0 - Plumbing Foundation Plan

*Note: Quoting as suggestion no model specified.*

### Section Brand: Watts Drainage

**Header:** \*\*\*NOTE: Watts Drainage does not meet PA.DGS please be advised\*\*\*

Label	Product No. Description	List Price	Qty.
-------	----------------------------	------------	------

U-1/U- 1,HC	<b>CA-321</b>	\$839.00	1
Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, universal steel hanger support plate and bottom bearing plate with integral mounting bracket, plated hardware.			

**Note:** P0-1 - Plumbing Fixtures

L-2,HC	<b>TCA-411 Series</b>		1
Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.			

	<b>TCA-411</b>	\$989.50	1
Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.			

	<b>TCA-411-D</b>	\$1,411.00	1
Watts - back-to-back floor mounted carrier, heavy gauge steel offset uprights with welded feet, double cross steel plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.			

**Note:** P0-1 - Plumbing Fixtures

FD-1	<b>FD-100-A6-6</b>		1
Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 6" (152 mm) diameter nickel bronze, adjustable round strainer, vandal proof			

	<b>FD-100-A6-6,2,3,4</b>	\$643.00	1
Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size			

	<b>FD-100-A6-6,6</b>	\$763.00	1
Watts - 6"Ø (152 mm)			

**Note:** P0-1 - Plumbing Specialties

*Note: Trap guard by others.*

FD-2	<b>FD-320-Y-5-6</b>		1
Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 8" (203 mm) diameter, ductile iron, heavy duty, round grate, sediment bucket, vandal proof			

	<b>FD-320-Y-5-6,2,3,4</b>	\$792.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	<b>FD-320-Y-5-6,6</b>	\$912.00	1
	Watts - 6"Ø (152 mm)		
<b>Note: P0-1 - Plumbing Specialties</b>			
FD-3	<b>FD-1100-M6-6</b>		1
	Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 6" (152 mm) square, stainless steel, adjustable, square strainer, vandal proof		
	<b>FD-1100-M6-6,2,3,4</b>	\$888.50	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	<b>FD-1100-M6-6,6</b>	\$1,008.50	1
	Watts - 6"Ø (152 mm)		
<b>Note: P0-1 - Plumbing Specialties</b>			
FD-4	<b>FD-100-ER7-6</b>		1
	Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 7" (178 mm) diameter, nickel bronze, extended rim strainer, vandal proof		
	<b>FD-100-ER7-6,2,3,4</b>	\$1,170.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	<b>FD-100-ER7-6,6</b>	\$1,289.00	1
	Watts - 6"Ø (152 mm)		
<b>Note: P0-1 - Plumbing Specialties</b>			
<i>Note: Quoting 7" strainer in lieu of 6".</i>			
FS-1	<b>FS-750-150</b>		1
	Watts - cast iron body, 10-5/16" (262 mm) deep, no-hub outlet, polypropylene dome bottom strainer, 9" x 9" (229 mm x 229 mm) square, porcelain enamel coated cast iron grate, 1/2 grate		
	<b>FS-750-150,2,3,4</b>	\$2,343.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
<b>Note: P0-1 - Plumbing Specialties</b>			
WH-1	<b>HY-725</b>		1
	Watts - 3/4" (19 mm) diameter hose connection, 3/4" (19 mm) female x 1" (25 mm) male pipe connection, non-freeze hydrant, all bronze head, wall mount, concealed, bronze wall casing, chrome plated face, integral vacuum breaker, nickel bronze box and door		
	<b>HY-725,-6,-8</b>	\$1,547.00	1
	Watts - 6" (152 mm), 8" (203 mm) thick		
	<b>HY-725,-10,-12,-14</b>	\$1,690.00	1
	Watts - 10" (254 mm), 12" (305 mm), 14" (356 mm) thick		
	<b>HY-725,-16,-18</b>	\$1,830.00	1
	Watts - 16" (406 mm), 18" (457 mm) thick		
	<b>HY-725,-20,-22,-24</b>	\$1,870.00	1
	Watts - 20" (508 mm), 22" (559 mm), 24" (610 mm) thick		
<b>Note: P0-1 - Plumbing Specialties</b>			
SA	<b>LF15M2-DR Series</b>		1
	Watts - pre-charged copper water hammer arrestor with polypropylene piston, EPDM o-ring seal and brass NPT threaded connection. Designed to operate on all domestic and commercial lines up to 150psi (10.6 bar) working pressure. Temperature range from 33°F to 180°F (0.5°C to 82°C)		
	<b>LF15M2-A-DR</b>	\$175.00	1
	Watts - 1-11 fixture units, 1/2" (13 mm) connection		
	<b>LF15M2-B-DR</b>	\$335.50	1
	Watts - 12-32 fixture units, 3/4" (19 mm) connection		

<b>LF15M2-C-DR</b>	\$529.50	1
Watts - 33-60, fixture units, 1" (25 mm) connection		
<b>LF15M2-D-DR</b>	\$1,118.00	1
Watts - 61-113 fixture units, 1" (25 mm) connection		
<b>LF15M2-E-DR</b>	\$1,391.00	1
Watts - 114-154 fixture units, 1" (25 mm) connection		
<b>LF15M2-F-DR</b>	\$1,656.00	1
Watts - 155-330 fixture units, 1" (25 mm) connection		

**Note:** P0-1 - Plumbing Specialties

**NOTE :** \*\*\*NOTE: Watts Drainage does not meet PA.DGS please be advised\*\*\*

**Special Terms:**

All pricing is plus freight unless Mfr freight terms are met.  
Pricing good for 30 days.  
Pricing subject to change if Mfr pricing changes.

**Terms**

Above prices are net.  
All taxes are extra.  
Partial or expedited shipments, at customer request, may result in additional freight charges.  
Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.  
Please ensure that all quoted product meets your projects specifications.  
Our company will only be responsible for products shown on the attached quotation.