



**Address:** 202 Commerce Blvd, Lawrence , Pennsylvania ,  
15055 United States

**Phone:** (724) 745-5300

**Quotation:**  
**Q-921-S**

<b>To:</b>	<b>Contractor Holder</b> 202 Commerce Blvd., Lawrence, Pennsylvania 15241	<b>Bid Date:</b>	2019-09-19
<b>Attn.:</b>	N/A	<b>Expiry Date:</b>	2019-10-19
<b>Phone:</b>	724-745-5300	<b>Creator:</b>	Drew Pomrenke , dpomrenke@jboconnor.com
		<b>Sales Rep.:</b>	Casey Devlin , cdevlin@jboconnor.com
		<b>Shipping Address:</b>	1400 Locust Street, Pittsburgh, Pennsylvania, United States

**Job Name: UPMC Mercy Surgical Services Pittsburg,PA**

**Engineer:** Karpinski Engineering    **Architect:** RM Creative

**Comments:**

**Section Brand: Sloan**

Label	Product No. Description	List Price	Qty.
L-1	<b>SS-3006</b> Sloan - 20x18 Wall Hung Ledgeback Lav - 4" CS(3873006)	\$135.20	1
	<b>EAF-200-LT</b> Sloan - Sensor activated, electronic hand washing faucet for pre-tempered water operation. 0.5 GPM Single supply. Less transformer (LT) (3335055)	\$717.30	1
	<b>EAF-11</b> Sloan - 6 VDC Plug in transformer, will serve up to 6 EAF faucets (0335009)	\$110.10	1
<i>Note: DWG P002 - Plumbing Fixture Schedule 'Basin Fixtures'</i> <i>Note: Faucet model incomplete, quoting model as suggestion.</i>			
S-1	<b>SS-3165</b> Sloan - 21" x 20" Wall Hung Ledgeback Lavatory-Single hole (3873165)	\$198.15	1
	<b>SS-27</b> Sloan - White vitreous china Ceramic Shroud 7 3/4" x 10 1/2" x 9 3/4" (197 mm x 267 mm x 248 mm) (387678)	\$196.85	1
	<b>EAF-200-LT</b> Sloan - Sensor activated, electronic hand washing faucet for pre-tempered water operation. 0.5 GPM Single supply. Less transformer (LT) (3335055)	\$717.30	1
	<b>EAF-11</b> Sloan - 6 VDC Plug in transformer, will serve up to 6 EAF faucets (0335009)	\$110.10	1
<i>Note: DWG P002 - Plumbing Fixture Schedule 'Basin Fixtures'</i> <i>Note: Quoting lavatory as per model number.</i> <i>Note: Faucet model incomplete, quoting model as suggestion.</i>			
S-6	<b>SS-3003</b> Sloan - Vitreous china wall mounted lavatory with backsplash, 4" centers, overflow, ADA compliant, 21" x 19.25" (3873003)	\$86.75	1
<i>Note: DWG P002 - Plumbing Fixture Schedule 'Basin Fixtures'</i>			
S-8	<b>ETF-500-H-B</b> Sloan - Automatic Sink Faucets, 1.58 gpm, Single Holeinstall, Wall Plate / Cover, Polished Chrome, Activated Sensor (3365343)	\$1,023.25	1

*Note: DWG P002 - Plumbing Fixture Schedule 'Basin Fixtures'*  
*Note: Quoting as alternate, 1.5 GPM in lieu of 0.5 GPM.*  
*Note: Quoting transformer with model.*

CS-1	<b>Royal 117</b> Sloan - Exposed, service sink flush valve for use with top spud service sinks. 6.5 GPF (3010500)	\$226.75	1
<b>Note:</b> DWG P002 - Plumbing Fixture Schedule 'Flushing Fixtures'			
U-1	<b>SU-1009-A</b> Sloan - Universal Vireous china, 3/4" top spud. 0.125, 0.25 and 0.5 GPF includes dome strainer. (1101009)	\$272.80	1
	<b>Royal 186-0.5 ES-S</b> Sloan - Optima sensor activated flushometer for exposed urinals. Equipped with 24V AC solenoid operator and optima sensor EL-1500-L. 3/4" top spud. 0.5 GPM (3452674)	\$679.65	1
	<b>EL-154</b> Sloan - 50 VA Transformer (0345154PK)	\$47.00	1
<b>Note:</b> DWG P002 - Plumbing Fixture Schedule 'Flushing Fixtures'			
<i>Note: Specified flush valve model not available in 0.5 GPF, quoting as alternate with exposed sensor.</i>			
WC-1/WC-2/WC-3	<b>ST-2229</b> Sloan - Floor mount, Rear Outlet, ADA Top spud water closet, 1.1 to 1.6 gpf (2102229)	\$465.95	1
	<b>Royal 111 ES-S</b> Sloan - Hardwired 1.6 gpf/6.0 Lpf, electronic sensor solenoid operated (3450047)	\$697.65	1
	<b>EL-154</b> Sloan - 50 VA Transformer (0345154PK)	\$47.00	1
<b>Note:</b> DWG P002 - Plumbing Fixture Schedule 'Flushing Fixtures'			
<i>Note: Quoting 1.6 GPF in lieu of specified 1.8 GPF.</i>			

### Section Brand: Elkay

Label	Product No. Description	List Price	Qty.
L-2	<b>ELUHAD141455</b> Elkay - 18 Gauge Stainless Steel 16.5' x 16.5' x 5.375' Single Bowl Undermount Kitchen Sink	\$602.00	1
	<b>LK99</b> Elkay - DRAIN	\$120.00	1
<b>Note:</b> DWG P002 - Plumbing Fixture Schedule 'Basin Fixtures'			
S-2/S-3	<b>ELUHAD131655</b> Elkay - 18 Gauge Stainless Steel 16' x 18.5' x 5.375' Single Bowl Undermount Kitchen Sink	\$599.00	1
	<b>LK99</b> Elkay - DRAIN	\$120.00	1
<b>Note:</b> DWG P002 - Plumbing Fixture Schedule 'Basin Fixtures'			
S-4/S-5	<b>ELUH1814</b> Elkay - 18 Gauge Stainless Steel 20.5' x 16.5' x 7.875' Single Bowl Undermount Kitchen Sink	\$622.00	1
	<b>LK99</b> Elkay - DRAIN	\$120.00	1
<b>Note:</b> DWG P002 - Plumbing Fixture Schedule 'Basin Fixtures'			
S-7	<b>ELUH1316</b> Elkay - 18 Gauge Stainless Steel 16' x 18.5' x 7.875' Single Bowl Undermount Kitchen Sink	\$526.00	1
	<b>LK99</b> Elkay - DRAIN	\$120.00	1
<b>Note:</b> DWG P002 - Plumbing Fixture Schedule 'Basin Fixtures'			
S-9	<b>ELUH1116</b> Elkay - 18 Gauge Stainless Steel 14' x 18.5' x 7.875' Single Bowl Undermount Kitchen Sink	\$435.00	1

	<b>LK99</b>	\$120.00	1
	Elkay - DRAIN		
<b>Note:</b> DWG P002 - Plumbing Fixture Schedule 'Basin Fixtures'			
Note: Quoting as alternate with larger dimensions than specified. (14x18.5' in lieu of 11.5x16')			
S-10	<b>EFRU211510</b>	\$443.00	1
	Elkay - 16 Gauge Stainless Steel 23.5' x 18.25' x 10' Single Bowl Undermount Kitchen Sink		
	<b>LK35</b>	\$76.00	1
	Elkay - DRAIN		
<b>Note:</b> DWG P002 - Plumbing Fixture Schedule 'Basin Fixtures'			
S-11	<b>ELUH281610</b>	\$987.00	1
	Elkay - 18 Gauge Stainless Steel 30.5' x 18.5' x 10' Single Bowl Undermount Kitchen Sink		
	<b>LK35</b>	\$76.00	1
	Elkay - DRAIN		
<b>Note:</b> DWG P002 - Plumbing Fixture Schedule 'Basin Fixtures'			
Note: Quoting as per dimensions specified, model specified not found.			
SS-1/SS-2	<b>EWSF13026KWC</b>	\$9,608.00	1
	Elkay - MANUAL SINGLE STATION SCRUB SINK W/ KNEE ACTIVATED WATER		
<b>Note:</b> DWG P002 - Plumbing Fixture Schedule 'Basin Fixtures'			
Note: Quoting as alternate.			

**Section Brand: Pioneer**

Label	Product No. Description	List Price	Qty.
L-2/S-6	<b>80084-GSAELS</b>	\$147.80	1
	Pioneer - BAR-4" WRIST HDL 4-3/32" GOOSENECK SPT CERAMIC CART-PC		
<b>Note:</b> DWG P002 - Plumbing Fixture Schedule 'Basin Fixtures'			
Note: Quoting 1.5 GPM in lieu of 0.5 GPM.			
S-2/S-3/S-4/S-5/S-7/S-9/S-10/S-11	<b>K-5350</b>	\$93.00	1
	Pioneer - KITCHEN-8" TWO ADA WRIST BLADE HDL GOOSENECK SPT		
<b>Note:</b> DWG P002 - Plumbing Fixture Schedule 'Basin Fixtures'			
Note: Quoting model with trim plate.			

**Section Brand: Powers**

Label	Product No. Description	List Price	Qty.
SH-1	<b>P910H0001W</b>	\$782.00	1
	Powers - All Series 900 Pressure Balancing Mixing Valves, ABS faceplate with color-coded graphics, metal lever handle. CP finish. 1/2" Copper Sweat Connections, 24" Chrome ADA Wall Grab Bar System, in-line Vacuum Breaker		
<b>Note:</b> DWG P002 - Plumbing Fixture Schedule 'Bathing Fixtures'			
Note: Quoting as alternate.			
ES-1 (mixing valve) / TMV-E2	<b>ETV200-13</b>	\$1,718.00	1
	Powers - HydroGuard Emergency Tempering Valve, with Cold Water Bypass, 3/4"x 1", Rough Bronze, with Temperature Pressure Gauge on Outlet		
<b>Note:</b> DWG P002 - Plumbing Fixture Schedule 'Emergency Fixtures' & Spec 22 1000 - 5			
TMV-E1	<b>ES150-11</b>	\$1,126.00	1
	Powers - ES150 EMERGENCY TEMPER		
<b>Note:</b> Spec 22 1000 - 5			

**Section Brand: Watts Regulators**

Label	Product No. Description	List Price	Qty.
L-1/L-2	<b>LFUSG-B-SC-M2</b> Watts - Lead Free brass body construction, copper thermostat with stainless steel springs, integral checks and 40 mesh stainless steel screens, 4-port with cap for three port application, "H" pattern body, ASSE 1070 and cUPC, satin chrome finish, valve shall control temperature from a low of 1/4gpm, 3/8"Ø (10 mm) male compression (0204144)	\$465.50	1
<i>Note: DWG P002 - Plumbing Fixture Schedule 'Basin Fixtures' Remarks #6</i>			
3/4" BFP	<b>LF909-QT : 3/4</b> Watts - Lead Free cast copper silicon alloy body, replaceable seats, internal pressure differential relief valve in between check modules tight closing resilient seated shut-off valve, quarter turn ball-valves, 3/4"Ø (19 mm) pipe connection (0391008)	\$1,464.00	1
	<b>909-AGC</b> Watts - 909-AGC Air Gap (0881376)	\$106.50	1
	<b>LF777SI : 3/4</b> Watts - lead free cast copper silicon alloy body, #20 mesh, 304 stainless steel screen, lead free copper silicon alloy retainer cap tapped for closure plug, NBR gasket, lead free brass plug, 3/4"Ø (19 mm) valve (0379112)	\$91.50	1
<i>Note: DWG P103.4.6 - Third Floor Plumbing Plan Phase 4 - Zone 4.2 &amp; Spec 22 1000 - 3</i>			
3/4" BFP Alternate	<b>LF009M3-QT : 3/4</b> Watts - Lead Free cast copper silicon alloy body for 1/4" to 2" and fused epoxy coated cast iron body for 2-1/2" and 3", replaceable seats and silicone seat discs, internal pressure differential relief valve in between check modules resilient seated isolation valves, resilient seated screw driver slotted test cocks, quarter turn ball-valves, 3/4"Ø (19 mm) pipe connection (0391003)	\$673.00	1
	<b>909-AGC</b> Watts - 909-AGC Air Gap (0881376)	\$106.50	1
	<b>LF777SI : 3/4</b> Watts - lead free cast copper silicon alloy body, #20 mesh, 304 stainless steel screen, lead free copper silicon alloy retainer cap tapped for closure plug, NBR gasket, lead free brass plug, 3/4"Ø (19 mm) valve (0379112)	\$91.50	1
<i>Note: DWG P103.4.6 - Third Floor Plumbing Plan Phase 4 - Zone 4.2 &amp; Spec 22 1000 - 3</i>			
BFP ASSE 1024	<b>LF7 : 3/8</b> Watts - Lead Free cast copper silicon alloy body, silicon disc, 3/8"Ø (10 mm) pipe connection (0792076)	\$202.00	1
<i>Note: DWG P601 - Floor Mounted Ice Maker Piping Diagram &amp; Spec 22 1000 - 3</i> <i>Note: Quoting as suggestion.</i>			
BFP ASSE 1022	<b>SD3-MF : 1/4</b> Watts - 316 stainless steel body with FDA approved internal rubber components, recommended on post-mix carbonated beverage equipment and dispensing equipment for tea and coffee. certified to ANSI / NSF Standard 18, manual food and beverage dispensing equipment, male flare connection, 1/4"Ø (6 mm) pipe connection (0061653)	\$391.50	1
	<b>SD3-MF : 3/8</b> Watts - 316 stainless steel body with FDA approved internal rubber components, recommended on post-mix carbonated beverage equipment and dispensing equipment for tea and coffee. certified to ANSI / NSF Standard 18, manual food and beverage dispensing equipment, male flare connection, 3/8"Ø (10 mm) pipe connection (0061657)	\$391.50	1
<i>Note: DWG P601 - Countertop Coffee Maker Piping Diagram &amp; Spec 22 1000 - 3</i>			
BFP ASSE 1012	<b>9D M3 : 1/2</b> Watts - forged brass body construction with stainless working parts throughout, atmospheric vent, 1/2"Ø (13 mm) pipe connection (0061935)	\$134.00	1

	<b>9D M2 : 3/4</b>	\$137.50	1
	Watts - forged brass body construction with stainless working parts throughout, atmospheric vent, 3/4"Ø (19 mm) pipe connection (0061888)		

**Note:** Spec 22 1000 - 3

TMV-1 (spec)	<b>LFMMVM1-US : 1/2</b>	\$314.00	1
	Watts - Lead Free cast copper silicon alloy body, solid wax hydraulic principle thermostat, integral filter washers and check valves, ASSE 1069, ASSE 1070, ASSE 1017, cUPC AND IAPMO listed, valve shall control temperature from a low of 1/2gpm, 5gpm at 10psi and 8gpm at 20psi drop across the valve, 1/2"Ø valve, union solder (0559115)		

**Note:** Spec 22 1000 - 4

## Section Brand: Watts Drainage

**Header:** \*\*\*NOTE: Watts Drainage does not meet PA.DGS please be advised\*\*\*

Label	Product No. Description	List Price	Qty.
L-1	<b>TCA-411 Series</b>		1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
	<b>TCA-411</b>	\$989.50	1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
	<b>TCA-411-D</b>	\$1,411.00	1
	Watts - back-to-back floor mounted carrier, heavy gauge steel offset uprights with welded feet, double cross steel plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
<b>Note:</b> DWG P002 - Plumbing Fixture Schedule 'Basin Fixtures' & Spec 22 4000 - 6			
S-1	<b>TCA-411-CA-481</b>	\$1,197.50	1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device. W/ wall mounted, steel support, plated hardware.		
<b>Note:</b> DWG P002 - Plumbing Fixture Schedule 'Basin Fixtures'			
CS-1	<b>ISCA-560 Series</b>	\$1,430.00	1
	Watts - floor mounted, cast iron fitting, no hub waste connection, no hub vent connection (specify size). Cast iron compression seal faceplate assembly with steel mounting brackets, adjustable ABS nipple with integral test cap, heavy gauge, steel, offset uprights with welded feet		
<b>Note:</b> DWG P002 - Plumbing Fixture Schedule 'Flushing Fixtures' & Spec 22 400 - 8			
U-1	<b>CA-321</b>	\$839.00	1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, universal steel hanger support plate and bottom bearing plate with integral mounting bracket, plated hardware.		
<b>Note:</b> DWG P002 - Plumbing Fixture Schedule 'Flushing Fixtures' & Spec 22 4000 - 6			
Trap Primer	<b>LFTP300-DR Series</b>		1
	Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap		
	<b>LFTP300T</b>	\$270.00	1
	Watts - 1/2", Threaded Inlet and Outlet Connect		
	<b>LFTP300S</b>	\$270.00	1
	Watts - 1/2", Soldered Inlet and Outlet Connect		

	<b>LFTP300-DU-DR</b>	\$189.00	1
	Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap, distribution unit		
<b>Note:</b> DWG P002 - Trap Primer Detail - Under Lav Type & Spec 22 1000 - 4			
Water Hammer Arrestors	<b>SS Series</b>		1
	Watts - pre-charged, all stainless steel shock arrestors with stainless steel bellows, and male IPS threaded connection. Designed to operate on all domestic and commercial lines up to 150 psi working pressure. Temperature range from -100°F to 300°F (-73°C to 149°C)		
	<b>SS-A</b>	\$549.50	1
	Watts - 1-11 fixture units, 3/4" (19 mm) connection		
	<b>SS-B</b>	\$1,119.00	1
	Watts - 12-32 fixture units, 1" (25 mm) connection		
	<b>SS-C</b>	\$1,672.00	1
	Watts - 33-60, fixture units, 1" (25 mm) connection		
	<b>SS-D</b>	\$4,191.00	1
	Watts - 61-113 fixture units, 1" (25 mm) connection		
	<b>SS-E</b>	\$4,731.50	1
	Watts - 114-154 fixture units, 1" (25 mm) connection		
	<b>SS-F</b>	\$5,815.00	1
	Watts - 155-330 fixture units, 1" (25 mm) connection		
<b>Note:</b> Spec 22 1000 - 2			
CO Finished Floors	<b>CO-200-R</b>		1
	Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, nickel bronze top		
	<b>CO-200-R,2</b>	\$625.50	1
	Watts - 2"Ø (51 mm)		
	<b>CO-200-R,3</b>	\$661.00	1
	Watts - 3"Ø (76 mm)		
	<b>CO-200-R,4</b>	\$881.00	1
	Watts - 4"Ø (102 mm)		
<b>Note:</b> Spec 22 1000 - 6			
CO Unfinished	<b>CO-200-RX-4</b>		1
	Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, heavy duty, ductile iron top		
	<b>CO-200-RX-4,2</b>	\$420.50	1
	Watts - 2"Ø (51 mm)		
	<b>CO-200-RX-4,3</b>	\$487.50	1
	Watts - 3"Ø (76 mm)		
	<b>CO-200-RX-4,4</b>	\$596.50	1
	Watts - 4"Ø (102 mm)		
<b>Note:</b> Spec 22 1000 - 6			
Wall Cleanout	<b>CO-380-RD</b>		1
	Watts - cast iron body counter sunk, brass plug, round, stainless steel access cover and stainless steel vandal proof screw		
	<b>CO-380-RD,2</b>	\$232.00	1
	Watts - 2"Ø (51 mm)		
	<b>CO-380-RD,3</b>	\$286.00	1
	Watts - 3"Ø (76 mm)		
	<b>CO-380-RD,4</b>	\$343.50	1
	Watts - 4"Ø (102 mm)		

	<b>CO-380-RD,6</b>	\$727.00	1
	Watts - 6"Ø (152 mm)		
<b>Note: Spec 22 1000 - 6</b>			
Cleanout Stack	<b>CO-460</b>		1
	Watts - cast iron stack, no-hub outlet, counter sunk brass plug		
	<b>CO-460,2</b>	\$228.00	1
	Watts - 2"Ø (51 mm)		
	<b>CO-460,3</b>	\$284.00	1
	Watts - 3"Ø (76 mm)		
	<b>CO-460,4</b>	\$441.00	1
	Watts - 4"Ø (102 mm)		
<b>Note: Spec 22 1000 - 6</b>			
Outside Cleanout	<b>CO-300-MF</b>	\$1,390.50	1
	Watts - epoxy coated, 11" (279 mm) diameter, cast iron body, 8" (203 mm) round, extra heavy duty, ductile iron top		
	<b>CO-380</b>		1
	Watts - 6" (152 mm) diameter, cast iron body no-hub outlet, removable counter sunk brass plug		
	<b>CO-380,2</b>	\$96.25	1
	Watts - 2"Ø (51 mm)		
	<b>CO-380,3</b>	\$148.50	1
	Watts - 3"Ø (76 mm)		
	<b>CO-380,4</b>	\$205.50	1
	Watts - 4"Ø (102 mm)		
	<b>CO-380,6</b>	\$420.50	1
	Watts - 6"Ø (152 mm)		
<b>Note: Spec 22 1000 - 6</b>			
FD-1	<b>FD-100-A6-6-7</b>		1
	Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 6" (152 mm) diameter nickel bronze, adjustable round strainer, vandal proof, trap primer connection		
	<b>FD-100-A6-6-7,2,3,4</b>	\$643.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	<b>FD-100-A6-6-7,6</b>	\$763.00	1
	Watts - 6"Ø (152 mm)		
<b>Note: Spec 22 1000 - 7</b>			
FD-2	<b>FD-320-5-7</b>		1
	Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 7-7/8" (200 mm) diameter, ductile iron, round grate, sediment bucket, trap primer connection		
	<b>FD-320-5-7,2,3,4</b>	\$849.50	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	<b>FD-320-5-7,6</b>	\$968.00	1
	Watts - 6"Ø (152 mm)		
<b>Note: Spec 22 1000 - 7</b>			
FD-3	<b>FD-100-ER7-6-7</b>		1
	Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 7" (178 mm) diameter, nickel bronze, extended rim strainer, vandal proof, trap primer tapping		
	<b>FD-100-ER7-6-7,2,3,4</b>	\$1,170.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		

	<b>FD-100-ER7-6-7,6</b>	\$1,290.00	1
	Watts - 6"Ø (152 mm)		
	<b>Note: Spec 22 1000 - 7</b>		
	<b>Note: Quoting 7" strainer in lieu of 6" .</b>		
HD-1	<b>FD-200-DD-50-7</b>		1
	Watts - 7" (178 mm) diameter cast iron body no-hub outlet, 5" (127 mm) diameter opening, cast iron hub funnel, trap primer tapping		
	<b>FD-200-DD-50-7,2,3,4</b>	\$390.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	<b>Note: Spec 22 1000 - 7</b>		
	<b>Note: Quoting as alternate.</b>		
FS-1 Full Grate	<b>FS-710-F-1</b>		1
	Watts - cast iron body, 6-1/4" (159 mm) deep, no-hub outlet, polypropylene dome bottom strainer, 7-11/16" (195 mm) square, nickel bronze top,flange w/ weepholes		
	<b>FS-710-F-1,2,3,4</b>	\$2,188.00	1
	Watts - 2" (51 mm), 3" (76 mm), 4" (102 mm)		
	<b>Note: Spec 22 1000 - 7</b>		
FS-1 Less Grate	<b>FS-710-F-1-33</b>		1
	Watts - cast iron body, 6-1/4" (159 mm) deep, no-hub outlet, polypropylene dome bottom strainer, 7-11/16" (195 mm) square, nickel bronze top,flange w/ weepholes, less grate		
	<b>FS-710-F-1-33,2,3,4</b>	\$1,929.50	1
	Watts - 2" (51mm),3" (76mm), 4" (102mm)		
	<b>Note: Spec 22 1000 - 7</b>		
FS-1 Half Grate	<b>FS-710-F-1-150</b>		1
	Watts - cast iron body, 6-1/4" (159 mm) deep, no-hub outlet, polypropylene dome bottom strainer, 7-11/16" (195 mm) square, nickel bronze top,flange w/ weepholes, 1/2 grate		
	<b>FS-710-F-1-150,2,3,4</b>	\$2,188.00	1
	Watts - 2" (51 mm), 3" (76 mm), 4" (102 mm)		
	<b>Note: Spec 22 1000 - 7</b>		
FS-1 Three Quarter Grate	<b>FS-710-F-1-175</b>		1
	Watts - cast iron body, 6-1/4" (159 mm) deep, no-hub outlet, polypropylene dome bottom strainer, 7-11/16" (195 mm) square, nickel bronze top,flange w/ weepholes, 3/4 grate		
	<b>FS-710-F-1-150,2,3,4</b>	\$2,188.00	1
	Watts - 2" (51 mm), 3" (76 mm), 4" (102 mm)		
	<b>Note: Spec 22 1000 - 7</b>		
Water Closet Carrier	<b>ISCA-101-L/R</b>	\$1,587.50	1
	Watts - single, horizontal, cast iron fitting, left/right side outlet		
	<b>ISCA-101-D</b>	\$2,967.00	1
	Watts - double, horizontal, epoxy coated, cast iron fitting, 4" no hub waste connection, 2" no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, cast iron, foot support		
	<b>ISCA-121-D</b>	\$3,182.00	1
	Watts - double, vertical, epoxy coated, cast iron fitting, 4"no hub waste connection, 2" no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support, adjustable for standard and wheelchair height, plated hardware and chrome nuts		
	<b>ISCA-131-L/R</b>	\$2,105.50	1
	Watts - single, vertical, cast iron fitting, left/right side outlet		



	<b>ISCA-131-D</b>	\$3,479.50	1
	Watts - double, vertical, epoxy coated, cast iron fitting, 4"no hub waste connection and 4" no hub side inlet, 2" no hub vent connection. Epoxy coated cast iron patented compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support		

	<b>ISCA-121</b>	\$1,801.00	1
	Watts - single, vertical, cast iron fitting		

**Note:** Spec 22 4000 - 5

*Note: Quoting as suggestion as per specification.*

Water Cooler Carriers Dual	<b>CA-431-1</b>	\$1,214.50	1
	Watts - floor mounted bi-level carrier, heavy gauge steel uprights with integral welded feet, universal steel hanger support plate, plated hardware.		

**Note:** Spec 22 4000 - 8

*Note: Quoting as suggestion as per specification.*

Water Cooler Carriers Single	<b>CA-421</b>	\$752.00	1
	Watts - floor mounted plate type carrier, heavy gauge steel uprights with integral welded feet, universal steel hanger support plate, plated hardware.		

**Note:** Spec 22 4000 - 8

*Note: Quoting as suggestion as per specification.*

**NOTE :** \*\*\*NOTE: Watts Drainage does not meet PA.DGS please be advised\*\*\*

**Special Terms:**

All pricing is plus freight unless Mfr freight terms are met.

Pricing good for 30 days.

Pricing subject to change if Mfr pricing changes.

**Terms**

Above prices are net.

All taxes are extra.

Partial or expedited shipments, at customer request, may result in additional freight charges.

Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.

Please ensure that all quoted product meets your projects specifications.

Our company will only be responsible for products shown on the attached quotation.